

**2011**  
**Virginia Department of Transportation**  
**Daily Traffic Volume Estimates**  
**Including Vehicle Classification Estimates**

where available

**Jurisdiction Report**

**23**

Culpeper County  
Town of Culpeper

Prepared By  
**Virginia Department of Transportation**  
**Traffic Engineering Division**

In Cooperation With  
**U.S. Department of Transportation**  
**Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## Publication Notes

### Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA: Quality of AADT:**

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC: Quality of Classification Data:**

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

# Route Shield Legend

## Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Frontage Road (F precedes frontage route number)



Secondary Route

## Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Culpeper Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
3 522 Germanna Hwy	Town of Culpeper	0.96	8200	F	91%	1%	1%	2%	5%	0%	F	0.087	F	8700	F	
3 522 Germanna Hwy	Culpeper County	0.34	14000	F	91%	1%	1%	2%	5%	0%	C	0.084	F	14000	F	
3 522 Germanna Hwy	Culpeper County	0.32	14000	N	91%	1%	1%	2%	5%	0%	N	0.084	N	14000	N	
3 Germanna Hwy	Culpeper County	4.63	7500	F	90%	1%	1%	3%	5%	0%	C	0.080	F	7600	F	
3 Germanna Hwy	Culpeper County	3.73	8100	F	91%	1%	1%	2%	5%	0%	C	0.082	F	8200	F	
3 Germanna Hwy	Culpeper County	4.37	9000	F	93%	1%	1%	1%	4%	0%	C	0.089	F	9200	F	
15 James Madison Hwy	Culpeper County	5.10	5300	F	94%	0%	1%	1%	4%	0%	F	0.087	F	5400	F	
15 James Madison Hwy	Culpeper County	2.75	6700	F	94%	0%	1%	1%	4%	0%	F	0.082	F	6800	F	
15 James Madison Hwy	Culpeper County	0.82	6700	F	94%	0%	1%	1%	4%	0%	F	0.082	F	6800	F	
15 29 James Madison Hwy	Culpeper County	1.32	24000	F	93%	1%	1%	1%	4%	0%	F	0.081	F	22000	F	
15 29 James Madison Hwy	Culpeper County	3.88	25000	F	90%	1%	1%	1%	6%	0%	C	0.083	F	23000	F	
15 29 James Madison Hwy	Culpeper County	2.65	26000	F	91%	1%	1%	1%	7%	0%	F	0.081	F	25000	F	
15 29 James Madison Hwy	Culpeper County	4.31	29000	F	91%	1%	1%	1%	7%	0%	F	0.083	F	28000	F	
15 29 James Madison Hwy	Culpeper County	0.24	27000	F	91%	1%	1%	1%	7%	0%	F	0.083	F	27000	F	
Bus 15 Bus 29 Remington Rd	Culpeper County	0.56	1800	F	97%	0%	1%	0%	1%	0%	C	0.096	F	1800	F	
Bus 15 Orange Rd	Culpeper County	0.07	7700	F	97%	1%	1%	0%	1%	0%	C	0.101	F	7900	F	
Bus 15 Orange Rd	Town of Culpeper	1.32	7000	F	97%	1%	1%	0%	1%	0%	C	0.085	F	7400	F	

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Culpeper Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
Bus 15 522 Germanna Highway	From: US 522 Germanna Hwy To: Main Street S Town of Culpeper	0.12	5100	F	97%	1%	1%	0%	1%	0%	C	0.090	F	5500	F	
Bus Bus 15 29 522 Main St	From: Germanna Highway To: 204-3651 Orange Rd Town of Culpeper	0.26	12000	F	97%	1%	1%	0%	1%	0%	C	0.077	F	13000	F	
Bus Bus 15 29 522 Main St	From: 204-3651 Orange Rd To: US 522 Evans Street Town of Culpeper	0.59	18000	F	97%	1%	1%	0%	1%	0%	F	0.074	F	19000	F	
Bus Bus 15 29 Main St	From: US 522 Evans Street To: Begin SR 229 Town of Culpeper	0.20	28000	F	97%	1%	1%	0%	1%	0%	C	0.072	F	29000	F	
Bus Bus 15 29 229 Main St	From: Begin SR 229 To: SR 229, Madison Hwy Town of Culpeper	0.06	28000	F	97%	1%	1%	0%	1%	0%	C	0.072	F	29000	F	
Bus Bus 15 29 Madison Highway	From: SR 229, Main St To: Nottingham Street Town of Culpeper	0.22	22000	F	98%	0%	1%	0%	1%	0%	C	0.074	F	23000	F	
Bus Bus 15 29 Madison Highway	From: Nottingham Street To: NCL Culpeper Town of Culpeper	0.91	23000	F	97%	1%	1%	0%	1%	0%	C	0.075	F	24000	F	
Bus Bus 15 29 Madison Highway	From: NCL Culpeper To: US 15, US 29, 23-762 Culpeper County	2.07	11000	A	96%	0%	1%	1%	2%	0%	C	0.091	A	11000	A	
29 James Monroe Hwy	From: Madison County Line To: 23-603 White Shop Rd Culpeper County	2.79	20000	F	93%	1%	1%	1%	4%	0%	F	0.08	F	19000	F	
29 James Monroe Hwy	From: 23-603 White Shop Rd To: Bus US 29 South of Culpeper Culpeper County	3.65	27000	F	93%	1%	1%	1%	4%	0%	F	0.083	F	25000	F	
29 James Monroe Hwy	From: Bus US 29 South of Culpeper To: US 15 James Madison Hwy Culpeper County	1.02	20000	F	93%	1%	1%	1%	4%	0%	F	0.081	F	18000	F	
29 15 James Madison Hwy	From: US 15 James Madison Hwy To: US 522 Culpeper County	1.32	24000	F	93%	1%	1%	1%	4%	0%	F	0.081	F	22000	F	
29 15 James Madison Hwy	From: US 522 To: Bus US 15, Bus US 29 North of Culpeper Culpeper County	3.88	25000	F	90%	1%	1%	1%	6%	0%	C	0.083	F	23000	F	
29 15 James Madison Hwy	From: Bus US 15, Bus US 29 North of Culpeper To: 23-663 Alanthus Rd Culpeper County	2.65	26000	F	91%	1%	1%	1%	7%	0%	F	0.081	F	25000	F	
29 15 James Madison Hwy	From: 23-663 Alanthus Rd To: Bus US 15, Bus US 29 South of Remington Culpeper County	4.31	29000	F	91%	1%	1%	1%	7%	0%	F	0.083	F	28000	F	
29 15 James Madison Hwy	From: Bus US 15, Bus US 29 South of Remington To: Fauquier County Line Culpeper County	0.24	27000	F	91%	1%	1%	1%	7%	0%	F	0.083	F	27000	F	



Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Culpeper Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
Bus 29 Madison Rd	From: US 29 Culpeper County	0.28	16000	F	98%	1%	1%	0%	1%	0%	C	0.086	F	16000	F	
Bus 29 Madison Rd	To: SCL Culpeper From: Town of Culpeper	1.27	15000	F	98%	0%	1%	0%	0%	0%	C	0.085	F	16000	F	
Bus 29 Madison Rd	To: West Street From: Town of Culpeper	0.12	14000	F	98%	1%	1%	0%	1%	0%	F	0.078	F	15000	F	
Bus Bus 29 15 522 Main St	To: US 522, Bus US 15 Fredericksburg Rd From: Town of Culpeper	0.26	12000	F	97%	1%	1%	0%	1%	0%	C	0.077	F	13000	F	
Bus Bus 29 15 522 Main St	To: 204-3651 Orange Rd From: Town of Culpeper	0.59	18000	F	97%	1%	1%	0%	1%	0%	F	0.074	F	19000	F	
Bus Bus 29 15 Main St	To: US 522 EVANS STREET From: Town of Culpeper	0.20	28000	F	97%	1%	1%	0%	1%	0%	C	0.072	F	29000	F	
Bus Bus 29 15 229 Main St	To: Begin SR 229 From: Town of Culpeper	0.06	28000	F	97%	1%	1%	0%	1%	0%	C	0.072	F	29000	F	
Bus Bus 29 15 Madison Highway	To: SR 229, Madison Hwy From: Town of Culpeper	0.22	22000	F	98%	0%	1%	0%	1%	0%	C	0.074	F	23000	F	
Bus Bus 29 15 Madison Highway	To: NOTTINGHAM STREET From: Town of Culpeper	0.91	23000	F	97%	1%	1%	0%	1%	0%	C	0.075	F	24000	F	
Bus Bus 29 15 Madison Highway	To: NCL CULPEPER From: Culpeper County	2.07	11000	A	96%	0%	1%	1%	2%	0%	C	0.091	A	11000	A	
Bus Bus 29 15 Remington Rd	To: US 15 US 29, 23-762 From: Culpeper County	0.56	1800	F	97%	0%	1%	0%	1%	0%	C	0.096	F	1800	F	
211 Lee Highway	To: Fauquier County Line From: Culpeper County (Maint: 78)	2.95	7700	G	97%	1%	1%	1%	1%	0%	C	0.09	F	0.654	7900	G
211 Lee Highway	To: SR 229 Rixeyville Rd From: Culpeper County (Maint: 78)	0.95	14000	G	98%	1%	1%	0%	0%	0%	F	0.094	F	0.765	15000	G
Bus Bus 229 15 29 Main St	To: Fauquier County Line From: Town of Culpeper	0.06	28000	F	97%	1%	1%	0%	1%	0%	C	0.072	F	29000	F	
229 Main St	To: Begin SR 229 From: Town of Culpeper	0.93	8900	F	95%	2%	1%	1%	0%	0%	C	0.095	F	9500	F	
229 Rixeyville Rd	To: US 15 Bus From: Culpeper County	1.21	9900	F	98%	1%	1%	0%	0%	0%	C	0.095	F	10000	F	
	To: NCL Culpeper From: Culpeper County															
	To: 23-685 Chestnut Fork Rd; Catalpa From: Culpeper County															

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Culpeper Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
229 Rixeyville Rd	Culpeper County	4.92	7200	F	97%	1%	1%	1%	1%	0%	C	0.103	F	7300	F	
229 Rixeyville Rd	Culpeper County	5.45	6900	F	97%	1%	1%	1%	1%	0%	F	0.097	F	7000	F	
229 Rixeyville Rd	Culpeper County	2.15	6800	F	97%	1%	1%	1%	1%	0%	F	0.097	F	6900	F	
299 Madison Rd	Culpeper County	0.79	4200	F	98%	0%	1%	1%	1%	0%	C	0.092	F	4300	F	
522 Zachary Taylor Hwy	Culpeper County	6.36	5000	F	92%	0%	1%	3%	4%	0%	F	0.09	F	5100	F	
522 Zachary Taylor Hwy	Culpeper County	0.92	6800	F	92%	0%	1%	3%	4%	0%	C	0.091	F	7000	F	
522 3 Germanna Hwy	Culpeper County	0.32	14000	N	91%	1%	1%	2%	5%	0%	N	0.084	N	14000	N	
522 3 Germanna Hwy	Culpeper County	0.34	14000	F	91%	1%	1%	2%	5%	0%	C	0.084	F	14000	F	
522 3 Germanna Hwy	Town of Culpeper	0.96	8200	F	91%	1%	1%	2%	5%	0%	F	0.087	F	8700	F	
522 15 Germanna Highway	Town of Culpeper	0.12	5100	F	97%	1%	1%	0%	1%	0%	C	0.090	F	5500	F	
522 15 29 Main St	Town of Culpeper	0.26	12000	F	97%	1%	1%	0%	1%	0%	C	0.077	F	13000	F	
522 15 29 Main St	Town of Culpeper	0.59	18000	F	97%	1%	1%	0%	1%	0%	F	0.074	F	19000	F	
522 Evans St	Town of Culpeper	0.08	15000	F	97%	1%	1%	0%	1%	0%	F	0.08	F	16000	F	
522 Evans St	Town of Culpeper	1.44	11000	F	97%	1%	1%	0%	1%	0%	C	0.087	F	11000	F	
522 Sperryville Pike	Culpeper County	7.34	5300	F	96%	1%	1%	1%	1%	0%	C	0.083	F	5500	F	
522 Sperryville Pike	Culpeper County	0.93	2400	F	96%	1%	1%	1%	1%	0%	F	0.089	F	2500	F	

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Culpeper Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Culpeper County</b>																
(F715) Hubbards Rd	0.75	NA				From: FR-716, US 15						NA		NA		
						To: US 15, Bus US 15										
(F716)	0.06	NA				From: FR-715, US 15						NA		NA		
						To: Dead End										
(F717) Richlands Rd	0.48	NA				From: US 15 James Madison Hwy; 23-674						NA		NA		
						To: Dead End										
(F718)	0.09	NA				From: Dead End						NA		NA		
						To: 23-676; 23-678										
(F719)	0.17	NA				From: Dead End						NA		NA		
						To: Dead End										
(F720) Rabbit Run	0.32	NA				From: US 522 Germanna Hwy						NA		NA		
						To: Dead End										
(F721) Poor Farm Rd	0.73	NA				From: Dead End						NA		NA		
						To: Greens Corner Rd										
(600) York Rd	0.40	80	R			From: SR 3 W, Germanna Hwy						NA		NA		07/17/2002
						To: 23-663 Stevensburg Rd										
(600) York Rd	0.40	300	R			From: 23-705 Fairfield Lane						NA		NA		07/17/2002
						To: 23-705 Fairfield Lane										
(600) York Rd	0.20	170	R			From: SR 3 E, Germanna Hwy						NA		NA		07/17/2002
						To: SR 3 E, Germanna Hwy										
(601) Kettle Club Rd	0.55	70	R			From: 23-617 Winston Rd						NA		NA		08/02/2005
						To: 0.55 MN 23-617 Winston Rd										
(601) Kettle Club Rd	0.55	150	R			From: 23-720 Cedar Run Church Rd						NA		NA		08/02/2005
						To: 23-720 Cedar Run Church Rd										
(601) Kettle Club Rd	0.31	410	R			From: US 15 James Madison Hwy						NA		NA		07/15/2002
						To: US 15 James Madison Hwy										
(602) Mortons Lane	0.60	30	R			From: 23-649 Cedar Mountain Dr						NA		NA		09/16/2005
						To: 23-652 Mitchell Rd										
(603) White Shop Rd	0.30	1700	R			From: US 29 James Monroe Hwy						NA		NA		07/11/2002
						To: 23-657 Allens Lane										
(603) White Shop Rd	1.40	520	R			From: 23-643; 23-645						NA		NA		07/11/2002
						To: 23-643; 23-645										
(603) White Shop Rd	1.70	960	R			From: 23-692 Old Orange Rd						NA		NA		07/11/2002
						To: 23-692 Old Orange Rd										
(604) Emerald Hill Rd	1.60	50	R			From: 23-605 Major Brown Dr						NA		NA		08/23/2005
						To: Rappahannock County Line										
(605) Major Brown Dr	0.40	60	R			From: Madison County Line						NA		NA		08/23/2005
						To: 23-604 Emerald Hill Rd										
(605) Major Brown Dr	0.60	30	R			From: 23-704 House Hollow Rd						NA		NA		08/23/2005
						To: 23-704 House Hollow Rd										
(605) Major Brown Dr	1.00	30	R			From: Rappahannock County Line						NA		NA		08/23/2005
						To: Rappahannock County Line										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Culpeper Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Culpeper County</b>																
(606) Novum Rd	1.00	110	R								NA		NA			08/23/2005
From: Madison County Line																
To: 23-608 Oakland Rd																
(607) Cabin Rd	1.90	50	R								NA		NA			08/23/2005
From: Madison County Line; 23-606																
To: 23-644 Reva Rd																
(608) Oakland Rd	2.30	250	R								NA		NA			05/21/2002
From: Madison County Line																
To: 23-644 Reva Rd																
(609) Hoover Rd	2.00	1800	F	96%	1%	2%	1%	1%	0%	C	0.099	F	1900	F		2011
From: Madison County Line																
To: US 29 James Monroe Hwy																
(610) Maddens Tavern Rd	1.70	100	R								NA		NA			09/01/2005
From: 23-669 Carrico Mills Rd																
To: 23-724 Youngs Lane																
(610) Maddens Tavern Rd	1.01	260	R								NA		NA			09/01/2005
From: 23-647 Revercomb Rd																
(610) Eleys Ford Rd	1.02	1000	F	92%	1%	1%	4%	2%	0%	C	0.088	F	1000	F		2011
From: 23-620 S. Edwards Shop Rd																
(610) Eleys Ford Rd	2.52	880	F	92%	1%	1%	4%	2%	0%	F	0.101	F	900	F		2011
From: 23-731 White Rock Dr																
(610) Eleys Ford Rd	1.80	740	F	92%	1%	1%	4%	2%	0%	F	0.103	F	760	F		2011
From: 23-619 Richards Ferry Rd																
(610) Eleys Ford Rd	0.41	600	F	92%	1%	1%	4%	2%	0%	F	0.102	F	620	F		2011
From: 23-732 Halls Rd																
(610) Eleys Ford Rd	3.59	390	F	92%	1%	1%	4%	2%	0%	F	0.111	F	400	F		2011
From: Spotsylvania County Line																
To: Rappahannock County Line																
(611) Waterford Rd	2.50	510	F	97%	2%	1%	0%	0%	0%	F	0.111	F	520	F		2011
From: 23-618 Gray Horse Lane																
(611) Waterford Rd	2.50	850	F	97%	2%	1%	0%	0%	0%	C	0.106	F	860	F		2011
From: SR 229 Rixeyville Rd																
To: 23-1036 Shadow Dr																
(612) Wayland Rd	0.28	330	R								NA		NA			09/09/2005
From: SCL Culpeper																
To: US 211 Lee Highway																
(613) Waterloo Rd	0.02	540	R								NA		NA			06/26/2002
From: Rappahannock County Line; 78-613; Gap																
(613) Waterloo Rd	0.45	340	R								NA		NA			06/26/2002
From: 23-621 Riley Rd																
(613) Waterloo Rd	0.82	410	R								NA		NA			06/26/2002
From: 23-772 Dulin Dr																
(613) Waterloo Rd	2.58	260	R								NA		NA			06/26/2002
From: 23-622 Old Bridge Rd																
(613) Waterloo Rd	0.05	840	R								NA		NA			05/21/2009
From: Fauquier County Line																
To: Madison County Line																
(614) Locust Dale Rd	2.30	350	F	86%	2%	2%	9%	1%	0%	C	0.121	F	350	F		2011
From: 23-615 Rapidan Rd																
(615) Rapidan Rd	0.97	1200	F	91%	1%	1%	7%	1%	0%	C	0.094	F	1200	F		2011
From: Orange County Line																
To: 23-647 Willis Rd																
(615) Rapidan Rd	1.40	1200	F	91%	1%	1%	7%	1%	0%	F	0.093	F	1200	F		2011
From: 23-653 Wilhoite Lane																

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Culpeper Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Culpeper County</b>																
(615) Rapidan Rd	2.80	1300	F	91%	1%	1%	7%	1%	0%	F	0.096	F		1400	F	2011
						From: 23-653 Wilhoite Lane										
						To: 23-652 Mitchell Rd										
(615) Rapidan Rd	2.30	1600	F	91%	1%	1%	7%	1%	0%	F	0.093	F		1700	F	2011
						From: US 522 Zachary Taylor Hwy										
						To: US 522 Sperryville Pike										
(616) Woodland Church Rd	1.40	1100	R								NA			NA		05/30/2002
						From: 23-638 Cherry Hill Rd										
						To: 23-692 Old Orange Rd										
(617) Winston Rd	1.00	48	R								NA			NA		08/02/2005
						From: 23-601 Kettle Club Rd										
(617) Winston Rd	1.10	47	R								NA			NA		09/16/2005
						From: US-522 S, Zachary Taylor Hwy										
						To: US-522 N, Zachary Taylor Hwy										
(617) Raccoon Ford Rd	1.20	330	R								NA			NA		07/17/2002
						From: 23-652 Mitchell Rd										
(617) Raccoon Ford Rd	0.70	210	R								NA			NA		07/17/2002
						From: 23-654 Wilson Rd										
(617) Raccoon Ford Rd	3.00	50	R								NA			NA		09/13/2005
						From: 23-647 Algonquin Trail										
(617) Raccoon Ford Rd	0.70	180	R								NA			NA		09/23/2005
						From: Orange County Line										
(618) Gray Horse Lane	0.20	70	R								NA			NA		10/04/2005
						From: Dead End										
						To: 23-611 Waterford Rd										
(619) Richards Ferry Rd	0.30	760	R								NA			NA		06/15/2005
						From: 23-610 Eleys Ford Rd										
(619) Richards Ferry Rd	0.60	320	R								NA			NA		06/15/2005
						From: 0.30 ME 23-610 Eleys Ford Rd										
(619) Richards Ferry Rd	0.64	220	R								NA			NA		06/15/2005
						From: 23-701 Walkers Lane										
(619) Richards Ferry Rd	1.26	120	R								NA			NA		06/15/2005
						From: 0.64 ME 23-701 Walkers Lane										
(619) Richards Ferry Rd	1.70	40	R								NA			NA		06/15/2005
						From: 23-683 River Mill Rd										
(619) Richards Ferry Rd	0.30	30	R								NA			NA		06/15/2005
						From: 23-743 Beach Rd										
(619) Richards Ferry Rd	2.00	10	R								NA			NA		06/15/2005
						From: 0.30 ME 23-743 Beach Rd										
						To: Stafford County Line										
(620) Yellowbottom Rd	2.48	1000	R								NA			NA		06/15/2005
						From: SR 3 Germanna Hwy										
						To: 23-610 S, Eleys Ford Rd										
(620) Edwards Shop Rd	2.90	790	F	93%	1%	1%	5%	0%	0%	C	0.13	F		810	F	2011
						From: 23-610 N, Eleys Ford Rd										
(620) Edwards Shop Rd	1.50	880	F	93%	1%	1%	5%	0%	0%	F	0.129	F		900	F	2011
						From: 23-682 Fields Mill Rd										
(620) Edwards Shop Rd	1.30	1500	G	98%	0%	1%	1%	1%	0%	C	0.111	F	0.672	1500	G	2011
						From: 23-670 Corder Rd										
						To: Fauquier County Line										
(621) Lakota Rd	2.34	370	F	97%	0%	1%	1%	1%	0%	F	0.119	F		380	F	2011
						From: Fauquier County Line										
						To: 23-625 Ryland Chapel Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Culpeper Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Culpeper County</b>																
(621) Jeffersonton Rd	1.54	720	F	97%	0%	1%	1%	1%	0%	F	0.102	F		730	F	2011
						From: 23-625 Ryland Chapel Rd										
						To: 23-775 Ferguson Lane										
(621) Jeffersonton Rd	0.75	980	F	97%	0%	1%	1%	1%	0%	F	0.085	F		1000	F	2011
						From: 23-802 Springs Rd										
(621) Jeffersonton Rd	1.40	1800	F	97%	0%	1%	1%	1%	0%	C	0.089	F		1900	F	2011
						From: SR 229 Rixeyville Rd										
(621) Colvin Rd	1.26	1700	R								NA			NA		05/21/2009
						From: 23-787 Tonys Court										
(621) Colvin Rd	1.24	1600	R								NA			NA		05/21/2009
						From: US 211 Lee Highway										
(621) Riley Rd	0.30	320	R								NA			NA		06/26/2002
						To: 23-613 Waterloo Rd										
						From: US 211 Lee Highway										
(622) Old Bridge Rd	1.30	510	R								NA			NA		05/21/2009
						To: 23-613 Waterloo Rd										
						From: 23-621 Jeffersonton Rd										
(623) Myers Mill Rd	3.00	370	R								NA			NA		05/21/2009
						To: 23-802 Springs Rd										
						From: 23-626 Black Hill Rd										
(624) Sheads Mountain Rd	2.23	80	R								NA			NA		09/27/2005
						To: SR-229 N, Rixeyville Rd										
						From: SR-229 S, Rixeyville Rd										
(624) Oak Shade Rd	0.45	60	R								NA			NA		10/19/2005
						To: 23-726 Little Fork Church Rd										
(624) Oak Shade Rd	1.50	280	R								NA			NA		07/08/2002
						From: 23-693 Scottsville Rd										
(624) Oak Shade Rd	1.10	200	R								NA			NA		10/19/2005
						To: 23-625 Ryland Chapel Rd										
						From: 23-685 Chestnut Fork Rd										
(625) Mt Zion Church Rd	2.60	630	R								NA			NA		07/08/2002
						To: 23-711 Bleak Hill Rd										
(625) Mt Zion Church Rd	0.50	570	R								NA			NA		07/08/2002
						From: 23-663 Alanthus Rd										
(625) Mt Zion Church Rd	2.50	450	F	97%	2%	1%	0%	0%	0%	F	0.17	F		460	F	2011
						To: 23-640 Ryland Chapel Rd										
						From: 23-640; Mt Zion Church Rd										
(625) Ryland Chapel Rd	3.50	360	F	97%	2%	1%	0%	0%	0%	C	0.127	F		370	F	2011
						To: 23-621 Lakota Rd										
						From: 23-640 Docs Rd										
(626) Korea Rd	1.35	49	R								NA			NA		09/30/2005
						From: 1.35 ME 23-640 Docs Rd										
(626) Korea Rd	1.25	170	R								NA			NA		07/29/2009
						To: 23-611 N, Waterford Rd										
						From: 23-611 S, Waterford Rd										
(626) Holly Springs Rd	0.60	110	R								NA			NA		07/29/2009
						To: 23-639 Holly Spring Rd										
(626) Black Hill Rd	0.70	60	R								NA			NA		09/27/2005
						From: 23-624 Sheads Mountain Rd										
(626) Black Hill Rd	2.80	100	R								NA			NA		09/27/2005
						To: 2.80 MN 23-624 Sheads Mountain Rd										
(626) Black Hill Rd	0.01	1100	R								NA			NA		09/27/2005
						From: SR 229 Rixeyville Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Culpeper Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Culpeper County</b>																
(627) Homeland Rd	2.00	400	F	97%	2%	0%	0%	0%	0%	C	0.106	F		410	F	2011
(628) Curling Creek Lane	1.21	60	R									NA		NA		09/28/2005
(628) Weslyn Dr	1.50	80	R									NA		NA		09/28/2005
(628) Hazel River Rd	2.90	40	R									NA		NA		10/04/2005
(628) Hazel River Rd	0.10	100	R									NA		NA		10/04/2005
(628) Hazel River Rd	1.10	310	R									NA		NA		05/21/2009
(628) Butler Store Rd	1.30	150	R									NA		NA		05/21/2009
(629) Scotts Mill Rd	3.40	810	R									NA		NA		05/30/2002
(629) Settle School Rd	2.20	120	R									NA		NA		09/28/2005
(629) Settle School Rd	1.50	110	R									NA		NA		10/04/2005
(630) Jamesons Mill Rd	1.00	180	R									NA		NA		07/08/2002
(630) Jamesons Mill Rd	0.30	130	R									NA		NA		07/08/2002
(630) Jamesons Mill Rd	2.00	120	R									NA		NA		10/21/2005
(630) Jamesons Mill Rd	0.80	20	R									NA		NA		10/21/2005
(631) Muddy Run Lane	0.30	150	R									NA		NA		10/14/2005
(631) Muddy Run Lane	0.30	160	R									NA		NA		07/08/2002
(632) Dutch Hollow Rd	3.17	630	R									NA		NA		06/24/2002
(632) Dutch Hollow Rd	1.20	380	R									NA		NA		10/18/2005
(632) Dutch Hollow Rd	1.20	140	R									NA		NA		10/18/2005
(633) Reva Rd	0.11	2300	F	97%	1%	1%	1%	0%	0%	F	0.094	F		2300	F	2011
(633) Reva Rd	0.22	2100	F	97%	1%	1%	1%	0%	0%	C	0.094	F		2100	F	2011
(633) Hudson Mill Rd, Norman Rd	1.80	770	F	97%	1%	1%	1%	0%	0%	F	0.1	F		780	F	2011

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Culpeper Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Culpeper County</b>																
633	Norman Rd	0.80	790	R								NA		NA		05/28/2002
633	Norman Rd	1.60	1200	R								NA		NA		05/28/2002
633	Norman Rd	2.00	1400	R								NA		NA		05/28/2002
633	Stonehouse Mountain Rd	2.60	330	R								NA		NA		05/30/2002
633	Drogheda Mountain Rd	1.50	480	R								NA		NA		06/24/2002
633	Alum Springs Rd	0.70	660	R								NA		NA		06/24/2002
633	Alum Springs Rd	2.60	990	R								NA		NA		06/24/2002
634	Griffinsburg Rd	0.89	490	F	99%	1%	1%	0%	0%	0%	F	0.107	F	500	F	2011
634	Griffinsburg Rd	2.01	810	F	99%	1%	1%	0%	0%	0%	C	0.112	F	830	F	2011
635	Hazeland Lane	0.76	110	R								NA		NA		09/28/2005
636	Glebe Way	1.00	140	R								NA		NA		08/23/2005
637	Shanktown Rd	0.80	430	F	98%	2%	0%	0%	0%	0%	C	0.106	F	440	F	2011
637	Memory Lane	0.35	20	R								NA		NA		08/23/2005
638	Cherry Hill Rd	2.30	1600	R								NA		NA		05/30/2002
638	Alum Springs Rd	2.20	950	R								NA		NA		05/30/2002
639	Holly Spring Rd	0.40	110	R								NA		NA		05/21/2009
639	Holly Spring Rd	0.89	80	R								NA		NA		05/21/2009
639	Holly Spring Rd	1.49	470	R								NA		NA		09/27/2005
640	Docs Rd	0.50	200	R								NA		NA		10/04/2005
640	Docs Rd	1.05	140	R								NA		NA		10/04/2005
640	Monumental Mills Rd	1.70	480	F	98%	1%	0%	1%	0%	0%	F	0.101	F	500	F	2011
640	Monumental Mills Rd	2.50	940	F	98%	1%	0%	1%	0%	0%	C	0.097	F	960	F	2011



Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Culpeper Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Culpeper County</b>																
(640) Ryland Chapel Rd	3.20	290	F	98%	1%	0%	1%	0%	0%	F	0.114	F		300	F	2011
(641) Lakemont Dr	1.10	310	R								NA			NA		05/28/2002
(641) Mountain Run Lake Rd	0.40	2600	R								NA			NA		05/19/2009
(641) Gibson Mill Rd	2.49	930	R								NA			NA		05/19/2009
(642) Dove Hill Rd	1.70	100	R								NA			NA		07/29/2009
(642) Dove Hill Rd	1.60	430	R								NA			NA		09/16/2005
(643) North Merrimac Rd	2.93	710	R								NA			NA		07/29/2009
(643) South Merrimac Rd	1.64	800	F	97%	0%	1%	0%	0%	0%	C	0.096	F		820	F	2011
(644) Reva Rd	1.15	1400	F	97%	1%	1%	0%	0%	0%	C	0.098	F		1400	F	2011
(644) Reva Rd	0.90	1000	F	97%	1%	1%	0%	0%	0%	F	0.103	F		1100	F	2011
(644) Reva Rd	0.80	1000	F	97%	1%	1%	0%	0%	0%	F	0.104	F		1000	F	2011
(644) Reva Rd	1.00	1100	R								NA			NA		05/21/2002
(644) Reva Rd	1.41	520	R								NA			NA		08/23/2005
(644) Reva Rd	1.30	250	R								NA			NA		07/29/2009
(645) Kirtley Trail	0.60	180	R								NA			NA		05/21/2002
(645) Kirtley Trail	2.70	730	R								NA			NA		05/21/2002
(646) Old Stillhouse Rd	2.25	330	R								NA			NA		05/30/2002
(646) Old Stillhouse Rd	1.90	100	R								NA			NA		09/28/2005
(646) Old Stillhouse Rd	1.30	70	R								NA			NA		09/28/2005
(646) Old Stillhouse Rd	0.30	60	R								NA			NA		09/28/2005
(646) Old Stillhouse Rd	1.40	150	R								NA			NA		09/28/2005
(647) Willis Ford Rd	0.40	190	R								NA			NA		07/15/2002

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Culpeper Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Culpeper County</b>																
(647) Twin Mountains Rd	4.60	90	R								NA			NA		09/13/2005
(647) Twin Mountains Rd	0.70	240	R								NA			NA		07/15/2002
(647) Algonquin Trail	3.69	290	R								NA			NA		09/13/2005
(647) Algonquin Trail	0.60	190	R								NA			NA		09/13/2005
(647) Algonquin Trail	1.50	220	R								NA			NA		08/31/2005
(647) Batna Rd	0.70	390	F	91%	1%	1%	5%	2%	0%	F	0.114	F		400	F	2011
(647) Batna Rd	3.40	170	F	91%	1%	1%	5%	2%	0%	F	0.125	F		180	F	2011
(647) Revercomb Rd	0.90	1200	F	91%	1%	1%	5%	2%	0%	C	0.086	F		1300	F	2011
(648) Peacock Lane	0.80	20	R								NA			NA		09/14/2005
(648) Cedar Ridge Rd	1.40	120	R								NA			NA		07/11/2002
(649) Cedar Mountain Dr	1.61	600	R								NA			NA		07/15/2002
(649) Cedar Mountain Dr	2.11	920	R								NA			NA		07/15/2002
(650) Obannons Mill Rd	1.40	80	R								NA			NA		08/23/2005
(650) Obannons Mill Rd	0.70	80	R								NA			NA		05/21/2009
(650) Obannons Mill Rd	1.15	80	R								NA			NA		08/23/2005
(651) Hardy Lane	0.28	20	R								NA			NA		09/16/2005
(651) Hardy Lane	0.10	50	R								NA			NA		07/15/2002
(652) Mitchell Rd	1.42	520	R								NA			NA		07/29/2009
(652) Mitchell Rd	2.10	300	R								NA			NA		07/29/2009
(652) Mitchell Rd	1.20	20	R								NA			NA		09/13/2005
(652) Mitchell Rd	1.80	260	R								NA			NA		07/17/2002
(652) Mitchell Rd	0.40	480	R								NA			NA		07/17/2002

Virginia Department of Transportation  
 Traffic Engineering Division  
 2011  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Culpeper Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Culpeper County</b>																
(653) Wilhoite Lane	0.30	20	R											NA		09/13/2005
			From: Dead End													
			To: 23-615 Rapidan Rd													
(654) Wilson Rd	1.00	30	R											NA		09/13/2005
			From: Dead End													
			To: 23-617 Raccoon Ford Rd													
(655) Somerville Rd	0.65	40	R											NA		09/13/2005
			From: Dead End													
			To: 23-647 Twin Mountains Rd													
(655) Somerville Rd	1.70	80	R											NA		09/13/2005
			From: 23-689 Cedar Run Rd													
			To: 23-652 Mitchell Rd													
(655) Somerville Rd	0.60	210	R											NA		09/13/2005
			From: 23-652 Mitchell Rd													
			To: 23-658 Mt Pony Rd													
(656) Woolens Lane	0.80	200	R											NA		07/17/2002
			From: 23-652 Mitchell Rd													
			To: 23-658 Mt Pony Rd													
(657) General Winder Rd	1.10	90	R											NA		09/14/2005
			From: US 15 James Madison Hwy													
			To: 23-691 Carver School Lane													
(657) General Winder Rd	1.00	80	R											NA		09/14/2005
			From: Dead End: Gap													
			To: Madison County Line; 56-618 Waylands Mill Rd													
(657) Old Mill Rd	2.15	80	R											NA		10/11/2005
			From: 2.15 MN of CL													
			To: 23-645 E, Kirtley Trail													
(657) Old Mill Rd	0.30	310	R											NA		10/11/2005
			From: 23-645 W, Kirtley Trail													
			To: 23-603 White Shop Rd													
(657) Allens Lane	0.50	1000	R											NA		07/11/2002
			From: 23-603 White Shop Rd													
			To: SR 522													
(658) Mt Pony Rd	0.71	540	F	96%	2%	1%	0%	2%	0%	C	0.098	F	550	F	2011	
			From: 23-656 Woolens Lane													
			To: 23-662 Kibler Rd													
(658) Mt Pony Rd	1.91	430	F	96%	2%	1%	0%	2%	0%	F	0.104	F	440	F	2011	
			From: 23-662 Kibler Rd													
			To: 23-661 Blackjack Rd													
(658) Mt Pony Rd	2.00	320	R											NA		09/13/2005
			From: 23-641 Lakemont Dr													
			To: Dead End													
(660) Highland Rd	0.95	140	R											NA		08/31/2005
			From: Dead End													
			To: 23-647 Batna Rd													
(661) Blackjack Rd	1.40	110	R											NA		09/13/2005
			From: 23-647 Algonquin Trail													
			To: 23-658 Mt Pony Rd													
(661) Blackjack Rd	0.90	170	R											NA		08/31/2005
			From: 23-658 Mt Pony Rd													
			To: 23-662 Kibler Rd													
(661) Blackjack Rd	1.91	170	R											NA		09/02/2005
			From: 23-662 Kibler Rd													
			To: 23-663 Batna Rd													
(662) Kibler Rd	2.20	40	R											NA		09/02/2005
			From: 23-658 Mt Pony Rd													
			To: 23-661 Blackjack Rd													
(663) Batna Rd	2.64	470	F	87%	2%	1%	2%	8%	0%	C	0.093	F	480	F	2011	
			From: 23-647 Algonquin Trail													
			To: 23-661 Blackjack Rd													

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Culpeper Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Culpeper County</b>																
(663) Batna Rd	0.32	760	F	94%	1%	2%	1%	2%	0%	C	0.084	F		780	F	2011
			From: 23-661 Blackjack Rd													
			To: SR 3 Germanna Hwy													
(663) Stevensburg Rd	0.11	1400	F	96%	1%	2%	1%	0%	0%	C	0.097	F		1500	F	2011
			From: 23-600 York Rd													
(663) Stevensburg Rd	1.60	1500	F	95%	1%	2%	0%	1%	0%	F	0.107	F		1600	F	2011
			From: 23-666 Greens Corner Rd													
(663) Stevensburg Rd	1.27	440	F	95%	1%	2%	0%	1%	0%	C	0.111	F		450	F	2011
			From: 23-668 Swamp Poodle Lane													
(663) Stevensburg Rd	0.88	460	F	95%	1%	2%	0%	1%	0%	F	0.116	F		470	F	2011
			From: 23-684 Bel Pre Rd													
(663) Stevensburg Rd	0.35	580	F	95%	1%	2%	0%	1%	0%	F	0.109	F		600	F	2011
			From: 23-700 Mt Dumpling Rd													
(663) Stevensburg Rd	0.11	40	F	95%	1%	2%	0%	1%	0%	F	0.18	F		40	F	2011
			From: Dead End; NS RR; Gap													
(663) Alanthus Rd	0.14	3400	F	95%	1%	1%	0%	2%	0%	C	0.102	F		3500	F	2011
			From: 23-762 Brandy Rd; Gap													
(663) Alanthus Rd	0.08	2200	F	97%	0%	2%	0%	0%	0%	F	0.107	F		2300	F	2011
			From: US 15, US 29 James Madison Hwy													
(663) Alanthus Rd	1.18	1100	F	97%	0%	2%	0%	0%	0%	C	0.116	F		1200	F	2011
			From: 23-685 Fleetwood Heights Rd; Auburn Rd													
(663) Alanthus Rd	2.26	1000	F	97%	0%	2%	0%	0%	0%	F	0.114	F		1000	F	2011
			From: 23-679 Farley Rd													
			To: 23-625 Mt Zion Church Rd													
(664) Shiloh Church Rd	0.85	190	R								NA			NA		10/21/2005
			From: Dead End													
			To: 23-640 Ryland Chapel Rd													
(665) Inlet Rd	0.27	60	R								NA			NA		09/20/2005
			From: Dead End													
(665) Inlet Rd	0.02	990	R								NA			NA		09/20/2005
			From: 23-684 Bel Pre Rd													
			To: Bus US 15, Bus US 29 Madison Hwy													
(665) Inlet Rd	1.22	680	R								NA			NA		07/17/2002
			From: US 15 Bus; US 29 Bus Madison Hwy													
(665) Inlet Rd	0.50	500	R								NA			NA		07/17/2002
			From: 23-666 Bradford Rd													
			To: 23-685 Auburn Rd													
(666) Bradford Rd	2.56	350	R								NA			NA		07/17/2002
			From: 23-665 Inlet Rd													
(666) Braggs Corner Rd	1.02	6300	F	94%	0%	2%	1%	3%	0%	C	0.090	F		6500	F	2011
			From: Bus US 15, Bus US 29 Madison Hwy													
(666) Greens Corner Rd	0.65	4300	G	95%	3%	1%	0%	1%	0%	C	0.168	F	0.61	4300	G	2011
			From: US 15, US 29 James Madison Hwy													
(666) Greens Corner Rd	2.60	1100	R								NA			NA		07/29/2009
			From: 23-703 Jonas Rd													
			To: 23-663 Stevensburg Rd													
(667) Nalles Mill Rd	1.75	1900	R								NA			NA		07/29/2009
			From: ECL Culpeper													
			To: 23-666 Braggs Corner Rd													
(668) Swamp Poodle Lane	0.30	40	R								NA			NA		09/20/2005
			From: 23-663 Stevensburg Rd													
			To: Dead End													

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Culpeper Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Culpeper County</b>																
(669) Carrico Mills Rd	0.70	2400	F	96%	0%	From: SR 3 Germanna Hwy				C	0.108	F		2500	F	2011
(669) Carrico Mills Rd	0.90	2300	F	97%	0%	To: 23-610 Maddens Tavern Rd				F	0.110	F		2400	F	2011
(669) Carrico Mills Rd	2.10	2400	F	97%	0%	From: 23-672 Stones Mill Rd				F	0.107	F		2500	F	2011
(669) Carrico Mills Rd	2.05	2500	F	97%	0%	To: 23-675 Thoms Rd				C	0.109	F		2600	F	2011
(669) Carrico Mills Rd	0.15	2800	F	97%	0%	From: 23-734 Borst Lane				F	0.110	F		2800	F	2011
(669) Carrico Mills Rd	0.08	3500	F	97%	0%	To: 23-700 Mt Dumpling Rd				F	0.103	F		3600	F	2011
(670) Corder Rd	1.00	60	R			From: 23-762 Brandy Rd								NA		09/20/2005
(671) Childress Rd	1.00	70	R			To: 23-620 Edwards Shop Rd								NA		09/20/2005
(672) Stones Mill Rd	2.10	100	R			From: Dead End								NA		09/20/2005
(672) Stones Mill Rd	0.80	140	R			To: 23-672 Stones Mill Rd								NA		09/20/2005
(672) Stones Mill Rd	0.60	160	R			From: 23-669 Carrico Mills Rd								NA		09/20/2005
(672) Stones Mill Rd	0.50	150	R			To: 23-724 Youngs Lane								NA		09/20/2005
(672) Stones Mill Rd	0.50	130	R			From: 23-673 Newbys Shop Rd								NA		09/20/2005
(673) Newbys Shop Rd	1.80	100	R			To: 23-671 Childress Rd								NA		09/20/2005
(673) Newbys Shop Rd	0.40	200	R			From: 23-670 Corder Rd								NA		09/20/2005
(673) Newbys Shop Rd	1.00	220	R			To: 23-620 Edwards Shop Rd								NA		09/20/2005
(673) Newbys Shop Rd	2.37	500	R			From: 23-672 Stones Mill Rd								NA		09/20/2005
(674) Kellys Ford Rd	1.71	990	R			To: 23-675 S. Haughts Lane								NA		09/20/2005
(674) Kellys Ford Rd	1.40	1100	R			From: 23-675 N, Thoms Rd								NA		09/20/2005
(674) Kellys Ford Rd	1.90	1100	R			To: 23-674 Kellys Ford Rd								NA		09/20/2005
(675) Thoms Rd	1.60	60	R			From: 23-674 Kellys Ford Rd								NA		07/23/2002
(675) Thoms Rd	0.70	70	R			To: Bus US 15								NA		07/23/2002
(674) Kellys Ford Rd	1.71	990	R			From: US 15, US 29 James Madison Hwy; FR-717 Richlands Rd								NA		07/29/2009
(674) Kellys Ford Rd	1.40	1100	R			To: 23-673 Newbys Shop Rd								NA		09/29/2009
(674) Kellys Ford Rd	1.90	1100	R			From: 23-675 Haughts Lane								NA		09/29/2009
(675) Thoms Rd	1.60	60	R			To: 23-620 Edwards Shop Rd								NA		05/19/2009
(675) Thoms Rd	0.70	70	R			From: 23-669 Carrico Mills Rd								NA		09/20/2005
(675) Haughts Lane	0.90	30	R			To: 23-676 Berry Hill Rd								NA		09/20/2005
(675) Haughts Lane	0.90	30	R			From: 23-673 N, Newbys Shop Rd								NA		09/20/2005
(675) Haughts Lane	0.90	30	R			To: 23-673 S, Newbys Shop Rd								NA		09/20/2005
(675) Haughts Lane	0.90	30	R			From: 23-674 Kellys Ford Rd								NA		09/20/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Culpeper Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Culpeper County</b>																
(676) Berry Hill Rd	1.60	60	R									NA		NA		08/02/2005
						From: 23-675 Thoms Rd										
						To: 1.60 MN 23-675 Thoms Rd										
(676) Berry Hill Rd	0.20	190	R									NA		NA		08/02/2005
						From: 23-678 Elkwood Crossing										
						To: FR-718; 23-678										
(676) Berry Hill Rd	0.10	270	R									NA		NA		07/23/2002
						From: US 15; US 29 James Madison Hwy										
						To: US 15, US 29 James Madison Hwy										
(676) Beverly Ford Rd	1.03	320	R									NA		NA		08/04/2005
						From: 23-677; St James Church Rd										
						To: 23-677 Beverly Ford Rd										
(676) St James Church Rd	1.20	50	R									NA		NA		08/02/2005
						From: Dead End										
						To: 23-676 St James Church Rd; Beverly Ford Rd										
(677) Beverly Ford Rd	0.60	180	R									NA		NA		07/23/2002
						From: 0.60 MN 23-676										
(677) Beverly Ford Rd	1.40	20	R									NA		NA		07/23/2002
						From: Dead End										
						To: 23-676 Berry Hill Rd; FR-718										
(678) Elkwood Crossing	0.30	210	R									NA		NA		07/23/2002
						From: 23-674 Kellys Ford Rd										
						To: 23-663 Alanthus Rd										
(679) Farley Rd	1.35	110	R									NA		NA		08/02/2005
						From: Dead End										
						To: Dead End										
(680) Mitchell Ford Rd	0.95	30	R									NA		NA		08/31/2005
						From: 23-647 Batna Rd										
						To: Dead End										
(681) Jacobs Ford Rd	0.60	20	R									NA		NA		05/19/2009
						From: 23-751 Dragoon Rd										
(681) Jacobs Ford Rd	0.85	490	R									NA		NA		05/19/2009
						From: SR 3										
						To: 23-610 Eleys Ford Rd										
(682) Fields Mill Rd	0.30	190	R									NA		NA		07/29/2009
						From: 23-731 White Rock Dr										
(682) Fields Mill Rd	2.50	140	R									NA		NA		05/19/2009
						From: 23-620 Edwards Shop Rd										
						To: 23-619 Richards Ferry Rd										
(683) River Mill Rd	1.50	70	R									NA		NA		06/15/2005
						From: Dead End										
						To: 23-665 Inlet Rd										
(684) Bel Pre Rd	0.70	500	R									NA		NA		07/17/2002
						From: 23-706 Glen Ella Rd										
(684) Bel Pre Rd	2.20	270	R									NA		NA		07/17/2002
						From: 23-663 Stevensburg Rd										
						To: 23-729 Eggbornsville Rd										
(685) Chestnut Fork Rd	0.76	1200	F	98%	1%	1%	0%	0%	0%	F	0.097	F		1200	F	2011
						From: 23-632 Dutch Hollow Rd										
(685) Chestnut Fork Rd	0.49	2200	F	98%	1%	1%	0%	0%	0%	F	0.091	F		2200	F	2011
						From: SR 229 Rixeyville Rd										
(685) Chestnut Fork Rd	0.90	2100	F	98%	1%	1%	0%	0%	0%	C	0.104	F		2100	F	2011
						From: 23-761 W. Ridgelea Ave										
(685) Chestnut Fork Rd	0.22	1800	F	98%	1%	1%	0%	0%	0%	F	0.102	F		1900	F	2011
						From: 23-761 E. Ridgelea Ave										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Culpeper Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Culpeper County</b>																
(685) Auburn Rd	1.57	1100	F	98%	1%	1%	0%	0%	0%	F	0.100	F		1200	F	2011
(685) Auburn Rd	2.79	860	R								NA			NA		07/08/2002
(685) Fleetwood Heights Rd	2.25	320	R								NA			NA		07/23/2002
(686) Lovers Lane	0.57	2500	R								NA			NA		05/14/2009
(686) Lovers Lane	0.78	2100	R								NA			NA		05/14/2009
(686) Lovers Lane	0.40	1900	R								NA			NA		05/14/2009
(687) Church Rd	0.17	140	R								NA			NA		05/19/2009
(688) Countryside Lane	0.93	140	R								NA			NA		05/19/2009
(689) Cedar Run Rd	0.10	10	R								NA			NA		09/13/2005
(689) Cedar Run Rd	0.50	30	R								NA			NA		09/13/2005
(690) Louise Lane	0.09	30	R								NA			NA		09/14/2005
(691) Carver School Lane	0.30	130	R								NA			NA		07/11/2002
(692) Old Orange Rd	0.80	100	R								NA			NA		05/14/2009
(692) Old Orange Rd	0.80	260	R								NA			NA		07/29/2009
(692) Old Orange Rd	0.39	490	F	99%	0%	0%	0%	0%	0%	F	0.121	F		500	F	2011
(692) Old Orange Rd	0.16	640	F	99%	0%	0%	0%	0%	0%	F	0.100	F		660	F	2011
(692) Old Orange Rd	1.25	2200	F	99%	0%	0%	0%	0%	0%	C	0.101	F		2200	F	2011
(693) Scottsville Rd	1.89	60	R								NA			NA		10/19/2005
(693) Scottsville Rd	0.76	370	R								NA			NA		10/19/2005
(694) Ira Hoffman Hwy	1.58	6500	G	98%	1%	1%	1%	0%	0%	C	0.099	F	0.564	6500	G	2011
(695) Boston Dr	0.58	60	R								NA			NA		05/21/2002

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Culpeper Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Culpeper County</b>																
(696) Carter Lane	0.82	60	R										NA	NA		05/21/2009
(697) Woodland Court	0.06	30	R										NA	NA		09/08/2005
(698) Sycamore Lane	0.18	80	R										NA	NA		10/11/2005
(699) E Chandler St	0.30	2500	R										NA	NA		09/20/2005
(700) Mt Dumping Rd	0.16	610	F	95%	1%	3%	0%	1%	0%	C	0.092	F		630	F	2011
(701) Walkers Lane	1.00	140	R										NA	NA		06/15/2005
(702) Oak Dr	0.35	230	R										NA	NA		09/07/2005
(702) Oak Dr	0.09	60	R										NA	NA		09/07/2005
(703) Jonas Rd	1.35	150	R										NA	NA		07/29/2009
(704) House Hollow Rd	0.70	20	R										NA	NA		08/23/2005
(705) Fairfield Lane	0.07	40	R										NA	NA		08/31/2005
(706) Glen Ella Rd	2.50	60	R										NA	NA		09/20/2005
(707) Slate Mills Rd	1.14	430	F	96%	2%	1%	1%	0%	0%	F	0.094	F		440	F	2011
(707) Slate Mills Rd	0.66	530	F	96%	2%	1%	1%	0%	0%	F	0.090	F		540	F	2011
(707) Slate Mills Rd	0.39	640	F	96%	2%	1%	1%	0%	0%	F	0.088	F		650	F	2011
(707) Slate Mills Rd	0.30	620	F	96%	2%	1%	1%	0%	0%	C	0.089	F		630	F	2011
(708) Hazel River Church Rd	0.44	120	R										NA	NA		10/18/2005
(710) Clover Hill Rd	3.20	30	R										NA	NA		10/19/2005
(711) Bleak Hill Rd	2.00	210	R										NA	NA		07/29/2009
(712) Scott St	0.13	100	R										NA	NA		05/28/2002



Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Culpeper Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Culpeper County</b>																
(713) Dulaney Rd	1.70	60	R											NA		10/04/2005
(714) Dunkard Church Rd	0.30	140	R											NA		10/04/2005
(714) Dunkard Church Rd	1.70	560	R											NA		05/30/2002
(715) Duncan Trail	2.95	220	R											NA		05/21/2002
(716) Whippoorwill Lane	0.08	230	R											NA		05/28/2002
(716) Whippoorwill Lane	0.02	160	R											NA		05/28/2002
(716) Whippoorwill Lane	0.60	310	R											NA		08/23/2005
(716) Whippoorwill Lane	1.00	290	R											NA		09/07/2005
(717) Piedmont Springs Rd	0.49	210	R											NA		05/28/2002
(718) Mountain Run Lake Rd	1.50	2200	R											NA		05/28/2002
(719) Mountain Run Lake Rd	1.50	1500	R											NA		05/28/2002
(720) Cedar Run Church Rd	1.36	120	R											NA		07/29/2009
(720) Cedar Run Church Rd	0.59	210	R											NA		05/14/2009
(721) White Oak Rd	1.10	100	R											NA		08/02/2005
(721) White Oak Rd	2.90	40	R											NA		07/11/2002
(722) Slaughters Mill Rd	1.10	140	R											NA		09/16/2005
(723) Stringfellow Rd	1.60	10	R											NA		1999
(724) Youngs Lane	1.60	110	R											NA		09/20/2005
(725) Little Oak Dr	0.13	140	R											NA		09/07/2005
(726) Little Fork Church Rd	0.20	350	R											NA		07/08/2002

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Culpeper Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Culpeper County</b>																
(727) Thomasson Lane	0.26	270	R								NA		NA			09/30/2005
From: 23-729 Eggbornsville Rd																
To: 23-728 Heather Lane																
(728) Heather Lane	0.07	130	R								NA		NA			09/30/2005
From: 23-727 Thomasson Lane																
To: Dead End																
(729) Eggbornsville Rd	1.18	4200	F	97%	1%	1%	1%	1%	0%	C	0.093	F	4300	F		2011
From: SR 229 Rixeyville Rd																
To: 23-1050 Longwood Dr																
(729) Eggbornsville Rd	0.32	4200	F	97%	1%	1%	1%	1%	0%	F	0.093	F	4300	F		2011
From: 23-685 Chestnut Fork Rd																
To: 23-638 E. Alum Springs Rd																
(729) Eggbornsville Rd	0.44	4700	F	97%	1%	1%	1%	1%	0%	F	0.098	F	4800	F		2011
From: 23-638 W. Cherry Hill Rd																
To: 23-629 N. Settle School Rd																
(729) Eggbornsville Rd	0.45	4300	F	97%	1%	1%	1%	1%	0%	F	0.098	F	4300	F		2011
From: 23-638 W. Cherry Hill Rd																
To: 23-714 Dunkard Church Rd																
(729) Eggbornsville Rd	3.70	2200	F	97%	1%	1%	1%	1%	0%	F	0.094	F	2300	F		2011
From: 23-629 N. Settle School Rd																
To: 23-714 Dunkard Church Rd																
(729) Eggbornsville Rd	0.16	2300	F	97%	1%	1%	1%	1%	0%	F	0.094	F	2400	F		2011
From: 23-714 Dunkard Church Rd																
To: 23-713 Dulaney Rd																
(729) Eggbornsville Rd	3.18	1300	F	97%	1%	1%	1%	1%	0%	F	0.098	F	1400	F		2011
From: 23-713 Dulaney Rd																
To: Rappahannock County Line																
(730) Indian Run Rd	2.00	90	R								NA		NA			07/29/2009
From: 23-639 Holly Spring Rd																
To: Rappahannock County Line																
(731) White Rock Dr	1.10	30	R								NA		NA			07/29/2009
From: 23-682 Fields Mill Rd																
To: 23-610 Eleys Ford Rd																
(732) Halls Rd	0.96	210	R								NA		NA			05/19/2009
From: Dead End																
To: 23-1090																
(732) Halls Rd	0.29	340	R								NA		NA			05/19/2009
From: 23-1090																
To: 23-610 Eleys Ford Rd																
(733) Curtis Mill Lane	1.25	190	R								NA		NA			06/15/2005
From: Dead End																
To: 23-610 Eleys Ford Rd																
(734) Borst Lane	0.65	130	R								NA		NA			08/02/2005
From: 23-669 Carrico Mills Rd																
To: Dead End																
(735) Jennings Rd	0.60	30	R								NA		NA			06/13/2005
From: Dead End																
To: 23-610 Eleys Ford Rd																
(736) Willis Ford Rd	1.16	80	R								NA		NA			09/13/2005
From: 23-647 Twin Mountains Rd; Willis Ford Rd																
To: End State Maintenance																
(737) Gray St	0.20	200	R								NA		NA			10/18/2005
From: 23-738 Old Turnpike Rd																
To: Dead End																
(738) Old Turnpike Rd	0.37	170	R								NA		NA			05/30/2002
From: US 522 W. Sperryville Pike																
To: 23-629 Scotts Mill Rd																
(738) Old Turnpike Rd	0.43	320	R								NA		NA			05/30/2002
From: 23-629 Scotts Mill Rd																
To: US 522 E. Sperryville Pike																

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Culpeper Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Culpeper County</b>																
(739) Clay Hill Rd	0.40	50	R			From: SR 3 Germanna Hwy					NA			NA		08/31/2005
						To: Dead End										
(740) Birmingham Rd	0.47	320	R			From: US 29 James Monroe Hwy					NA			NA		09/07/2005
						To: Dead End										
(741) Essex St	0.17	130	R			From: US 522 Sperryville Pike					NA			NA		05/30/2002
						To: Dead End										
(742) Scantlin Mountain Rd	0.50	110	R			From: 23-638 Cherry Hill Rd					NA			NA		11/30/2005
						To: Dead End										
(743) Beach Rd	0.60	20	R			From: Dead End					NA			NA		06/15/2005
						To: 23-619 Richards Ferry Rd										
(744) Woodward Lane	0.58	200	R			From: Dead End					NA			NA		09/30/2005
						To: 23-627 Homeland Rd										
(745) Lanes Farm Lane	0.54	220	R			From: Dead End					NA			NA		05/19/2009
						To: US 522 Sperryville Pike										
(746) Settletown Place	0.75	290	R			From: Dead End					NA			NA		05/19/2009
						To: 23-714 Dunkard Church Rd										
(747) Dogwood Lane	0.24	110	R			From: 23-1014 Dennis St					NA			NA		09/09/2005
						To: 23-1013 Douglas St										
(747) Dogwood Lane	0.12	240	R			From: 23-616 Woodland Church Rd					NA			NA		09/09/2005
						To: Dead End										
(748) Bruces Lane	0.30	260	R			From: Dead End					NA			NA		09/09/2005
						To: US 522 Sperryville Pike										
(749) Grindstone Rd	0.70	190	R			From: Rappahannock County Line					NA			NA		08/23/2005
						To: 23-707 Slate Mills Rd										
(750) Ellis Rd	0.40	90	R			From: SR 3 Germanna Hwy					NA			NA		09/01/2005
						To: Dead End										
(751) Dragoon Rd	0.60	390	R			From: Dead End					NA			NA		05/19/2009
						To: 23-681 Jacobs Ford Rd										
(752) Camp Rd	0.50	400	R			From: Dead End					NA			NA		07/11/2002
						To: 23-645 Kirtley Trail										
(753) Dawn Ave	0.30	140	R			From: 23-738 Old Turnpike Rd					NA			NA		11/30/2005
						To: Dead End										
(755) Elkwood Dr	0.17	30	R			From: Dead End					NA			NA		07/23/2002
						To: 23-674 Kellys Ford Rd										
(755) Elkwood Dr	0.15	10	R			From: Dead End					NA			NA		07/23/2002
						To: Dead End										
(756) Heritage Dr	0.26	100	R			From: 23-643 North Merrimac Rd					NA			NA		09/08/2005
						To: Dead End										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Culpeper Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Culpeper County</b>																
(757) Fox Neck Rd	0.33	10	R								NA			NA		08/31/2005
(758) Yowell Dr	0.22	80	R								NA			NA		10/18/2005
(759) Smith Court	0.08	45	R								NA			NA		05/28/2002
(760) Fox Hill Rd	0.32	160	R								NA			NA		08/23/2005
(761) Ridgelea Ave	0.21	200	R								NA			NA		10/14/2005
(761) Ridgelea Ave	0.54	160	R								NA			NA		10/14/2005
(762) Brandy Rd	0.35	2500	F	90%	1%	3%	4%	2%	0%	C	0.088	F		2600	F	2011
(762) Brandy Rd	0.14	2400	F	90%	1%	3%	4%	2%	0%	F	0.088	F		2400	F	2011
(762) Brandy Rd	1.87	2000	F	92%	1%	3%	1%	3%	0%	C	0.087	F		2000	F	2011
(762) Brandy Rd	0.09	3500	F	92%	1%	3%	1%	3%	0%	F	0.091	F		3600	F	2011
(762) Brandy Rd	0.14	70	R								NA			NA		07/08/2002
(763) St Jameson Rd	0.70	300	R								NA			NA		09/09/2005
(764) Mountain Run Lane	0.28	90	R								NA			NA		09/08/2005
(764) Mountain Run Lane	0.17	240	R								NA			NA		09/08/2005
(765) Carleton Dr	0.19	80	R								NA			NA		1999
(766) General A P Hill Ave	0.15	10	R								NA			NA		1999
(767) General Lee Ave	0.28	330	R								NA			NA		09/09/2005
(767) General Lee Ave	0.11	110	R								NA			NA		09/09/2005
(768)	0.19	130	R								NA			NA		09/09/2005
(769) Shady Lane	0.18	100	R								NA			NA		09/08/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Culpeper Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Culpeper County</b>																
(770) Laurel Valley Place	0.21	1400	R								NA			NA		10/18/2005
(771) Catalpa Dr	0.26	350	R								NA			NA		10/14/2005
(772) Dulin Dr	0.65	220	R								NA			NA		08/03/2005
(773) Autumn Rd	0.10	46	R								NA			NA		09/14/2005
(774) Carpenters Branch Rd	0.61	120	R								NA			NA		07/08/2002
(775) Ferguson Lane	0.45	160	R								NA			NA		07/29/2009
(776) Industrial Rd	0.16	1000	R								NA			NA		09/13/2005
(777) Beverly Ct	0.08	140	R								NA			NA		10/14/2005
(778) Roys Lane	0.20	140	R								NA			NA		10/04/2005
(779) Kelly Ridge Rd	0.20	10	R								NA			NA		07/23/2002
(780) Review Rd	0.14	80	R								NA			NA		07/08/2002
(781) Beaver Dam Rd	0.16	120	R								NA			NA		10/19/2005
(781) Beaver Dam Rd	0.12	210	R								NA			NA		10/19/2005
(782) Hidden Lane	0.19	80	R								NA			NA		10/19/2005
(782) Hillcrest Lane	0.20	100	R								NA			NA		10/19/2005
(785)	0.39	NA									NA			NA		
(786) Airpark Dr	0.47	2300	R								NA			NA		08/02/2005
(787) Tonys Court	0.23	110	R								NA			NA		08/05/2005
(789)	0.22	70	R								NA			NA		07/23/2002

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Culpeper Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Culpeper County</b>																
(790)	0.35	NA				From: 23-799					NA			NA		
						To: Dead End										
(794)	0.03	NA				From: 23-658 Mt Pony Rd					NA			NA		
						To: Dead End										
(795)	0.24	80	R			From: 23-685 Fleetwood Heights Rd					NA			NA		08/02/2005
						To: 23- 676 Beverly Ford Rd										
(799)	1.35	NA				From: ECL Culpeper					NA			NA		
						To: 23-667 Nalles Mill Rd										
(802) Springs Rd	1.00	920	F	97%	1%	1%	0%	0%	0%	C	0.091	F		940	F	2011
						From: SR 229 Rixeyville Rd										
(802) Springs Rd	0.40	1000	F	97%	1%	1%	0%	0%	0%	F	0.086	F		1100	F	2011
						From: 23-693 Scottsville Rd										
(802) Springs Rd	0.17	1600	F	97%	1%	1%	0%	0%	0%	F	0.09	F		1600	F	2011
						From: 23-621 S. Jefferson Rd										
(802) Springs Rd	2.65	1400	R			From: 23-621 N. Jefferson Rd					NA			NA		07/08/2002
						To: Fauquier County Line										
(810) Horseshoe Court	0.52	180	R			From: 23-633 S. Alum Springs Rd					NA			NA		06/24/2002
						To: 23-633 N. Alum Springs Rd										
(820) Willow Creek Lane	0.29	130	R			From: 23-665 Inlet Rd					NA			NA		10/14/2005
						To: Cul-de-Sac										
(850) Alphin Lane	0.30	420	R			From: 23-633 Norman Rd					NA			NA		09/07/2005
						To: 23-851 Tinsley Place										
(850) Alphin Lane	0.36	180	R			From: 23-851 Tinsley Place					NA			NA		09/07/2005
						To: 23-852 Kathleene Ct										
(850) Alphin Lane	0.16	50	R			From: 23-852 Kathleene Ct					NA			NA		05/28/2002
						To: 23-853 Lake Rillhurst Rd										
(851) Tinsley Place	0.59	360	R			From: 23-850 Alphin Lane					NA			NA		09/07/2005
						To: 23-853 Lake Rillhurst Rd										
(851) Tinsley Place	0.05	40	R			From: 23-853 Lake Rillhurst Rd					NA			NA		09/07/2005
						To: Cul-de-Sac										
(852) Kathleene Ct	0.08	60	R			From: 23-850 Alphin Lane					NA			NA		09/07/2005
						To: Cul-de-Sac										
(853) Lake Rillhurst Rd	0.35	40	R			From: 23-850 Alphin Lane					NA			NA		09/07/2005
						To: 23-851 Tinsley Place										
(854)	0.39	NA				From: Dead End					NA			NA		
						To: 23-1035 Rillhurst Dr										
(855)	0.08	NA				From: Dead End					NA			NA		
						To: 23-1035 Rillhurst Dr										
(856)	0.13	NA				From: 23-1035 Rillhurst Dr					NA			NA		
						To: Dead End										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Culpeper Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Culpeper County</b>																
(900)	0.03	270	R											NA		07/15/2002
(930) Freindship Way	0.28	1600	R											NA		07/11/2002
(1000) Ryan Court	0.20	90	R											NA		09/07/2005
(1001) Randle Lane	0.22	430	R											NA		08/17/2005
(1001) Randle Lane	0.07	330	R											NA		08/17/2005
(1001) Randle Lane	0.10	170	R											NA		08/17/2005
(1001) Randle Lane	0.06	100	R											NA		08/12/2005
(1002) Lake Court	0.15	120	R											NA		08/17/2005
(1003) Bonnie Court	0.13	60	R											NA		08/17/2005
(1004) Woodlawn Place	0.25	70	R											NA		08/17/2005
(1004) Woodlawn Place	0.10	190	R											NA		08/17/2005
(1005) Bonnie Court	0.05	30	R											NA		08/17/2005
(1006) Ridge Court	0.14	170	R											NA		08/17/2005
(1007) Equestrian Lane	0.28	80	R											NA		10/14/2005
(1008) Glenmore Court	0.20	110	R											NA		1999
(1009) Riverbend Lane	2.63	70	R											NA		08/23/2005
(1010) General JEB Stuart Lane	0.20	190	R											NA		09/09/2005
(1011) Bunker Ridge Dr	0.26	110	R											NA		10/14/2005
(1012) Lindann Lane	0.11	50	R											NA		06/24/2002
(1012) Lindann Lane	0.12	40	R											NA		06/24/2002

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Culpeper Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Culpeper County</b>																
(1013) Douglas St	0.13	30	R			From: Dead End					NA		NA			09/09/2005
(1013) Douglas St	0.16	190	R			From: 23-1014 Dennis St					NA		NA			09/09/2005
						To: 23-747 Dogwood Lane										
(1014) Dennis St	0.21	80	R			From: 23-1013 Douglas St					NA		NA			09/09/2005
						To: Dead End										
(1015) General Longstreet Ave	0.09	280	R			From: US 522 Sperryville Pike					NA		NA			09/09/2005
						To: Dead End										
(1016) Greenhouse Rd	0.13	45	R			From: 23-786 Airpark Dr					NA		NA			07/23/2002
						To: Dead End										
(1017) Bridle Court	0.13	50	R			From: 23-1009 Riverbend Lane					NA		NA			06/26/2002
						To: Cul-de-Sac										
(1018) Hunters Grove Lane	0.33	80	R			From: Cul-de-Sac					NA		NA			06/26/2002
						To: 23-1009 Riverbend Lane										
(1019) Glen Verdant Dr	0.34	90	R			From: SR 229 Rixeyville Rd					NA		NA			06/26/2002
						To: Dead End										
(1020) Over St	0.11	190	R			From: 23-1021 Crestview Place					NA		NA			09/07/2005
						To: 23-643 North Merrimac Rd										
(1021) Crestview Place	0.06	40	R			From: Dead End					NA		NA			09/07/2005
						To: 23-1020 Over St										
(1021) Crestview Place	0.06	50	R			From: Dead End					NA		NA			09/07/2005
						To: Dead End										
(1022) Brenridge Dr	0.99	110	R			From: 23-663 Alanthus Rd					NA		NA			07/17/2002
						To: 23-663 Alanthus Rd										
(1023) Montanus Dr	0.13	NA				From: 23-1285 Burgandine Ave					NA		NA			
						To: End State Maintenance										
(1023) Montanus Dr	0.66	1400	R			From: Bus US 15, Bus US 29 Madison Highway					NA		NA			07/29/2009
						To: 23-666 Braggs Corner Rd										
(1024) Snaffle Lane	0.12	70	R			From: 23-1107					NA		NA			08/19/2005
						To: Dead End										
(1025) Henretty Dr	0.26	210	R			From: 23-718 Mountain Run Lake Rd					NA		NA			08/17/2005
						To: Dead End										
(1026) J Bren Court	0.12	NA				From: 23-1022 Brenridge Dr					NA		NA			
						To: Cul-de-Sac										
(1027) Trey Compton Court	0.09	NA				From: 23-1022 Brenridge Dr					NA		NA			
						To: Cul-de-Sac										
(1030) Fox Chase Lane	1.63	280	R			From: 23-633 W, Norman Rd					NA		NA			05/28/2002
						To: 23-633 E, Norman Rd										



Virginia Department of Transportation  
 Traffic Engineering Division  
 2011  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Culpeper Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Culpeper County</b>																
(1031) Colvin St	0.04	20	R								NA			NA		05/28/2002
(1032) Fox Dr	0.11	20	R								NA			NA		05/28/2002
(1033)	0.43	NA									NA			NA		
(1034)	0.20	60	R								NA			NA		10/18/2005
(1035) Rillhurst Dr	1.13	140	R								NA			NA		09/07/2005
(1036) Shadow Dr	0.47	520	R								NA			NA		09/09/2005
(1036) Shadow Dr	0.21	NA									NA			NA		
(1036) Shadow Dr	0.81	NA									NA			NA		
(1037) Broadview Lane	0.08	40	R								NA			NA		05/28/2002
(1037) Broadview Lane	0.32	140	R								NA			NA		10/14/2005
(1037) Broadview Lane	0.12	340	R								NA			NA		10/14/2005
(1038) Montavista Lane	0.14	130	R								NA			NA		10/14/2005
(1039) Westwind Lane	0.53	190	R								NA			NA		10/14/2005
(1039) Westwind Lane	0.09	180	R								NA			NA		10/14/2005
(1040) Conner Dr	0.08	190	R								NA			NA		09/07/2005
(1040) Conner Dr	0.28	70	R								NA			NA		09/07/2005
(1041) Comer Court	0.10	70	R								NA			NA		09/07/2005
(1042) Windmill Way	0.31	470	R								NA			NA		10/14/2005
(1042) Windmill Way	0.21	NA									NA			NA		
(1042) Windmill Way	0.28	NA									NA			NA		
(1042) Windmill Way	0.07	NA									NA			NA		

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Culpeper Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Culpeper County</b>																
1043 Brinker Court	0.15	90	R			From: 23-1042 Windmill Way					NA			NA		10/14/2005
						To: Cul-de-Sac										
1044 Holland Ct	0.20	NA				From: 23-1042 Windmill Way					NA			NA		
						To: Dead End										
1045 Stoney Run Dr	0.49	90	R			From: 23-634 Griffinsburg Rd					NA			NA		05/21/2002
						To: 23-716 Whippoorwill Lane										
1046 Brook Court	0.20	30	R			From: Cul-de-Sac					NA			NA		05/21/2002
						To: 23-1045 Stoney Run Dr										
1047 Tennis Court	0.17	45	R			From: Cul-de-Sac					NA			NA		05/21/2002
						To: 23-1045 Stoney Run Dr										
1048	0.20	NA				From: Dead End					NA			NA		
						To: 23-643 North Merrimac Rd										
1049	0.16	80	R			From: Cul-de-Sac					NA			NA		10/18/2005
						To: 23-625 Mt Zion Church Rd										
1050 Longwood Dr	0.20	140	R			From: Cul-de-Sac					NA			NA		10/14/2005
						To: 23-729 Eggbornsville Rd										
1051	0.19	100	R			From: Cul-de-Sac					NA			NA		05/28/2002
						To: 23-685 Chestnut Fork Rd										
1052 Amsterdam Ct	0.17	NA				From: 23-1042 Windmill Way					NA			NA		
						To: Dead End										
1053 Dutch Dr	0.57	NA				From: 23-632 Dutch Hollow Rd					NA			NA		
						To: 23-1042 Windmill Way										
1053 Dutch Dr	0.59	NA				From: 23-1042 Windmill Way					NA			NA		
						To: 23-1042 Windmill Way										
1054 Tullip Bulb Ct	0.07	NA				From: 23-1042 Windmill Way					NA			NA		
						To: Dead End										
1055 Nethers Ct	0.11	NA				From: 23-1053 Dutch Dr					NA			NA		
						To: Dead End										
1058 Corbins Way Dr	0.10	110	R			From: 23-603 White Shop Rd					NA			NA		09/16/2005
						To: 23-1059 Corbin Court										
1058 Corbins Way Dr	0.10	80	R			From: 23-1059 Corbin Court					NA			NA		09/16/2005
						To: Cul-de-Sac										
1059 Corbin Court	0.06	20	R			From: 23-1058 Corbins Way Dr					NA			NA		1999
						To: Cul-de-Sac										
1060 Clemair Dr	0.15	300	R			From: SR 229 Rixeyville Rd					NA			NA		10/18/2005
						To: 23-1061 Robin Rd										
1060 Clemair Dr	0.23	150	R			From: 23-1061 Robin Rd					NA			NA		10/18/2005
						To: 23-1062 Temple Lane										
1060 Clemair Dr	0.08	140	R			From: 23-1062 Temple Lane					NA			NA		10/18/2005
						To: Dead End										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Culpeper Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Culpeper County</b>																
(1061) Robin Rd	0.21	150	R			From: 23-1060 Clemair Dr					NA		NA			10/18/2005
						To: 23-1062 Temple Lane										
(1062) Temple Lane	0.12	90	R			From: 23-1061 Robin Rd					NA		NA			10/18/2005
						To: 23-1060 Clemair Dr										
(1063) Aiken Court	0.18	60	R			From: 23-1066 Wildwood Circle					NA		NA			09/28/2005
						To: Cul-de-Sac										
(1064) St James Court	0.18	10	R			From: 23-1066 Wildwood Circle					NA		NA			09/28/2005
						To: Cul-de-Sac										
(1065) Wildwood Forest Blvd	0.14	590	R			From: 23-1066 Begin Loop					NA		NA			06/26/2002
						To: US 211 Lee Hwy										
(1066) Wildwood Circle	1.30	270	R			From: 23-1065 Begin Loop					NA		NA			06/26/2002
						To: End Loop										
(1067) Strickler Place	0.14	40	R			From: 23-1066 W, Wildwood Circle					NA		NA			06/26/2002
						To: 23-1066 E, Wildwood Circle										
(1068) Priest Lane	0.16	40	R			From: Rappahannock County Line					NA		NA			06/26/2002
						To: 23-1066 Wildwood Circle										
(1069) Riverside Dr	0.09	60	R			From: 23-613 Waterloo Rd					NA		NA			08/03/2005
						To: Cul-de-Sac										
(1070) Freeman Dr	0.34	960	R			From: US 211 Lee Highway					NA		NA			08/03/2005
						To: 23-1071 Ashley Court										
(1070) Freeman Dr	0.45	770	R			From: 23-1071 Ashley Court					NA		NA			08/03/2005
						To: 23-613 Waterloo Rd										
(1071) Ashley Court	0.13	49	R			From: Cul-de-Sac					NA		NA			08/03/2005
						To: 23-1070 Freeman Dr										
(1072) Kelly Court	0.12	60	R			From: US 211 Lee Highway					NA		NA			08/03/2005
						To: Cul-de-Sac										
(1073) Lee High Dr	0.15	80	R			From: US 211 Lee Highway					NA		NA			08/03/2005
						To: Cul-de-Sac										
(1075) Berkshire Dr	0.32	430	R			From: Dead End					NA		NA			09/27/2005
						To: 23-1078 Brighton Place										
(1075) Berkshire Dr	0.13	570	R			From: 23-1078 Brighton Place					NA		NA			09/27/2005
						To: 23-1077 Durham Place										
(1075) Berkshire Dr	0.12	670	R			From: 23-1077 Durham Place					NA		NA			09/27/2005
						To: 23-1076 Donnington Court										
(1075) Berkshire Dr	0.10	750	R			From: 23-1076 Donnington Court					NA		NA			09/27/2005
						To: SR 229 Rixeyville Rd										
(1076) Donnington Court	0.34	130	R			From: 23-1075 Berkshire Dr					NA		NA			09/27/2005
						To: Cul-de-Sac										
(1077) Durham Place	0.18	150	R			From: 23-1075 Berkshire Dr					NA		NA			09/27/2005
						To: Cul-de-Sac										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Culpeper Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Culpeper County</b>																
(1078) Brighton Place	0.42	150	R									NA		NA		09/27/2005
(1079) Southampton Dr	1.04	590	R									NA		NA		06/26/2002
(1080) Kent Court	0.07	50	R									NA		NA		06/26/2002
(1081) South Cambridge Way	0.15	110	R									NA		NA		06/26/2002
(1082) North Cambridge Way	0.07	40	R									NA		NA		06/26/2002
(1083) Bournbrook Lane	0.46	300	R									NA		NA		09/27/2005
(1083) Somerset Dr	0.11	560	R									NA		NA		06/26/2002
(1083) Somerset Dr	1.12	460	R									NA		NA		09/27/2005
(1084) Middleton Court	0.10	60	R									NA		NA		06/26/2002
(1085) Pepperstock Lane	0.20	100	R									NA		NA		09/27/2005
(1086) Welton Pond Court	0.14	80	R									NA		NA		09/27/2005
(1087) Shadow Springs Court	0.20	45	R									NA		NA		10/18/2005
(1088) Kettlebrook Landing	0.05	60	R									NA		NA		09/27/2005
(1089)	0.27	NA										NA		NA		
(1090)	0.06	70	R									NA		NA		09/27/2005
(1090)	0.15	190	R									NA		NA		08/03/2005
(1091)	0.06	40	R									NA		NA		07/29/2002
(1092)	0.05	NA										NA		NA		
(1093)	0.08	NA										NA		NA		

Virginia Department of Transportation  
 Traffic Engineering Division  
 2011  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Culpeper Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Culpeper County</b>																
(1094)	0.09	NA											NA			
(1095)	0.18	NA											NA			
(1096)	Alexander Court	0.10	80	R									NA			10/14/2005
(1097)	Signal Hill Rd	0.22	80	R									NA			09/09/2005
(1097)	Signal Hill Rd	0.07	210	R									NA			09/09/2005
(1098)	Overlook Court	0.05	120	R									NA			09/09/2005
(1100)	Walker Rd	0.20	160	R									NA			08/19/2005
(1101)	Williams Dr	0.47	70	R									NA			08/19/2005
(1102)	Cedar Ave	0.10	170	R									NA			08/19/2005
(1103)	Fox Hill Lane	0.16	100	R									NA			08/19/2005
(1104)	Rolling Hills Dr	0.23	100	R									NA			08/19/2005
(1104)	Rolling Hills Dr	0.23	220	R									NA			08/19/2005
(1104)	Rolling Hills Dr	0.10	100	R									NA			08/19/2005
(1105)	White Pine Lane	0.12	170	R									NA			08/19/2005
(1106)		0.17	280	R									NA			05/28/2002
(1106)		0.26	40	R									NA			08/19/2005
(1107)		0.08	NA										NA			
(1107)		0.06	160	R									NA			05/28/2002
(1107)		0.49	40	R									NA			08/19/2005
(1108)	Martingale Court	0.07	20	R									NA			05/28/2002

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Culpeper Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Culpeper County</b>																
(1109) Canterbury Court	0.11	50	R								NA		NA			05/28/2002
(1110) Lewis Dr	0.13	50	R								NA		NA			05/28/2002
(1111) Woods Rd	0.13	160	R								NA		NA			08/19/2005
(1112) East Court	0.06	120	R								NA		NA			08/19/2005
(1112) East Court	0.08	60	R								NA		NA			08/19/2005
(1113) Leander View	0.17	110	R								NA		NA			07/10/2002
(1114) Proctor Court	0.07	50	R								NA		NA			07/10/2002
(1115) Colonial Dr	0.30	130	R								NA		NA			09/13/2005
(1116)	0.10	NA									NA		NA			
(1117)	0.26	NA									NA		NA			
(1118)	0.18	NA									NA		NA			
(1119)	0.11	NA									NA		NA			
(1120) Pelham View Rd	0.10	250	R								NA		NA			08/17/2005
(1120) Pelham View Rd	0.19	130	R								NA		NA			08/17/2005
(1121) Hawthorne Ave	0.10	200	R								NA		NA			08/17/2005
(1121) Hawthorne Ave	0.24	110	R								NA		NA			08/17/2005
(1122) Ivy Lane	0.16	80	R								NA		NA			08/17/2005
(1122) Ivy Lane	0.06	140	R								NA		NA			08/12/2005
(1122) Ivy Lane	0.04	60	R								NA		NA			08/12/2005
(1123) Sweetwater Court	0.08	80	R								NA		NA			08/12/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Culpeper Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Culpeper County</b>																
(1125) Miller Dr	0.34	80	R								NA			NA		08/02/2005
(1125) Miller Dr	0.35	220	R								NA			NA		08/02/2005
(1126) Pauline Court	0.06	60	R								NA			NA		08/02/2005
(1126) Pauline Court	0.08	60	R								NA			NA		08/02/2005
(1128)	0.05	NA									NA			NA		
(1129)	0.08	NA									NA			NA		
(1129)	0.21	NA									NA			NA		
(1130) Buck Run Court	0.20	60	R								NA			NA		08/02/2005
(1131) Springfield Circle	0.41	110	R								NA			NA		10/18/2005
(1131) Springfield Circle	0.50	130	R								NA			NA		10/18/2005
(1132) Old Village Court	0.05	40	R								NA			NA		10/18/2005
(1133) Lindsay Court	0.13	60	R								NA			NA		10/18/2005
(1135) Justin Lane	0.06	160	R								NA			NA		1999
(1136) Countryside Circle	0.93	200	R								NA			NA		10/19/2005
(1137)	0.20	NA									NA			NA		
(1140) Celestine Acres	0.32	90	R								NA			NA		05/30/2002
(1141) Bay Court	0.08	40	R								NA			NA		05/30/2002
(1142) Hampton Lane	0.14	90	R								NA			NA		09/02/2005
(1143) Whitestone Court	0.24	110	R								NA			NA		07/11/2002
(1144)	0.17	NA									NA			NA		

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Culpeper Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Culpeper County</b>																
(1145) Store Rd	0.10	190	R								NA			NA		09/08/2005
(1146) Jann Court	0.19	80	R								NA			NA		09/08/2005
(1147) Sumpter Rd	0.33	70	R								NA			NA		09/02/2005
(1148) Monitor Rd	0.48	310	R								NA			NA		09/02/2005
(1149) Federal Court	0.06	40	R								NA			NA		05/30/2002
(1150) Clair Manor Dr	0.38	550	R								NA			NA		08/19/2005
(1150) Clair Manor Dr	0.21	600	R								NA			NA		08/23/2005
(1150) Clair Manor Dr	0.36	190	R								NA			NA		08/19/2005
(1151)	0.05	80	R								NA			NA		08/23/2005
(1152) Clair Mist Court	0.11	60	R								NA			NA		08/19/2005
(1153) Clairmont Rd	0.08	620	R								NA			NA		08/23/2005
(1154) Pimlico Circle	0.48	50	R								NA			NA		08/23/2005
(1155) Belle Clair Rd	0.15	70	R								NA			NA		07/11/2002
(1156) Edgehill Place	0.18	70	R								NA			NA		08/19/2005
(1157) Chateau Rd	0.14	60	R								NA			NA		07/11/2002
(1158) Forest View Lane	0.05	30	R								NA			NA		08/19/2005
(1159) Bleumont Court	0.06	40	R								NA			NA		07/11/2002
(1161)	0.77	NA									NA			NA		
(1162)	0.23	NA									NA			NA		



Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Culpeper Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Culpeper County</b>																
(1163)	0.22	NA					From: 23-1036 Shadow Dr					NA		NA		
							To: Dead End									
(1164) Fernwood Court	0.13	70	R				From: Cul-de-Sac					NA		NA		09/02/2005
							To: 23-717 Piedmont Springs Rd									
(1165) Winterwood Court	0.19	120	R				From: 23-717 Piedmont Springs Rd					NA		NA		09/02/2005
							To: Cul-de-Sac									
(1166)	0.50	NA					From: Dead End					NA		NA		
							To: Dead End									
(1167)	0.09	NA					From: Dead End					NA		NA		
							To: 23-1166									
(1168)	0.12	NA					From: 23-621 Colvin Rd					NA		NA		
							To: 23-1166									
(1169)	0.10	NA					From: 23-1166					NA		NA		
							To: Dead End									
(1170) Quail Ridge Dr	0.67	830	R				From: 23-626 Black Hill Rd					NA		NA		06/24/2002
							To: 23-1171 Running Quail Trail									
(1170) Quail Ridge Dr	1.30	310	R				From: 23-639 Holly Spring Rd					NA		NA		06/24/2002
							To: 23-1170 Quail Ridge Drive									
(1171) Running Quail Trail	0.91	480	R				From: 23-1173 N, Covey Circle					NA		NA		06/24/2002
							To: Dead End									
(1171) Running Quail Trail	0.53	140	R				From: Dead End					NA		NA		09/28/2005
							To: 23-1171 S, Running Quail Trail									
(1172) Bird Call Court	0.09	50	R				From: 23-1171 Running Quail Trail					NA		NA		06/24/2002
							To: 23-1171 S, Running Quail Trail									
(1173) Covey Circle	0.79	180	R				From: 23-1171 N, Running Quail Trail					NA		NA		06/24/2002
							To: 23-1180 Pheasant Court									
(1173) Covey Circle	0.45	90	R				From: 23-1170 Quail Ridge Dr					NA		NA		09/28/2005
							To: 23-1173 Covey Circle									
(1173) Covey Circle	0.41	90	N				From: 23-1170 Quail Ridge Dr					NA		NA		09/28/2005
							To: 23-1173 Covey Circle									
(1174) English Setter Court	0.07	45	R				From: Dead End					NA		NA		06/24/2002
							To: Dead End									
(1175) Labrador Court	0.25	80	R				From: Dead End					NA		NA		06/24/2002
							To: 23-1170 Quail Ridge Dr									
(1176) Lespedeza Court	0.24	70	R				From: Dead End					NA		NA		06/24/2002
							To: 23-1170 Quail Ridge Dr									
(1177) Autumn Olive Court	0.25	120	R				From: Dead End					NA		NA		06/24/2002
							To: 23-1170 Quail Ridge Dr									
(1178) Callback Court	0.15	50	R				From: Dead End					NA		NA		06/24/2002
							To: 23-1177 Autumn Olive Court									

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Culpeper Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Culpeper County</b>																
(1179) Ringneck Court	0.14	40	R				23-1170 Quail Ridge Dr				NA			NA		06/24/2002
							Dead End									
(1180) Pheasant Court	0.20	46	R				23-1173 Covey Circle				NA			NA		09/23/2005
							Cul-de-Sac									
(1181)	0.16	NA					23-1183				NA			NA		
							Dead End									
(1182)	0.10	NA					Dead End				NA			NA		
							23-1183									
(1183)	0.50	NA					23-1173 Covey Circle				NA			NA		
							23-1171 Running Quail Trail									
(1184) Hunters Trail Dr	0.41	70	R				23-1173 Covey Circle				NA			NA		09/23/2005
							23-1171 Running Quail Trail									
(1185) Grouse Court	0.17	310	R				23-1171 Running Quail Trail				NA			NA		11/30/2005
							Dead End									
(1190) Pond View Court	0.22	70	R				23-1191 Reid Hill Dr				NA			NA		11/30/2005
							Dead End									
(1191) Reid Hill Dr	0.04	NA					23-625 Mt Zion Church Rd				NA			NA		
							23-1190 Pond View Court									
(1197)	0.21	NA					23-1198; 23-1199				NA			NA		
							US 15 James Madison Hwy									
(1198)	0.11	NA					Dead End				NA			NA		
							23-1197									
(1199)	0.07	NA					23-1197				NA			NA		
							Dead End									
(1200)	0.39	NA					23-621 Colvin Rd				NA			NA		
							Dead End									
(1201)	0.37	NA					23-621 Colvin Rd				NA			NA		
							Dead End									
(1202)	0.20	NA					23-1200				NA			NA		
							23-1201									
(1203)	0.09	NA					23-1201				NA			NA		
							Dead End									
(1204)	0.45	NA					23-621 Colvin Rd				NA			NA		
							Dead End									
(1220)	0.22	NA					23-625 Mt Zion Church Rd				NA			NA		
							Dead End									
(1221)	0.08	NA					Dead End				NA			NA		
							23-1220									

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Culpeper Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Culpeper County</b>																
(1222)	0.11	NA				From: 23-1220					NA			NA		
						To: Dead End										
(1230)	0.14	NA				From: Dead End					NA			NA		
						To: 23-666 Brages Corner Rd										
(1235)	0.16	NA				From: 23-645 Kirtley Trail					NA			NA		
						To: Dead End										
(1236)	0.15	NA				From: 23-645 Kirtley Trail					NA			NA		
						To: Dead End										
(1243)	0.26	NA				From: Dead End					NA			NA		
						To: 23-744 Woodward Lane										
(1248)	0.25	NA				From: SR-00229(B)/					NA			NA		
						To: Dead End/										
(1249)	0.06	NA				From: Dead End/					NA			NA		
						To: 23-01248(B)/										
(1250)	0.30	NA				From: Dead End					NA			NA		
						To: 23-718 Mountain Run Lake Rd										
(1285) Burgandine Ave	0.19	NA				From: 23-694 Ira Hoffman Hwy					NA			NA		
						To: 23-1023 Montanus Dr										
(1286) Woodridge Ct	0.07	NA				From: Dead End					NA			NA		
						To: 23-1285 Burgandine Ave										
(9486)	0.25	270	R			From: US 15 James Madison Hwy					NA			NA		10/25/2005
						To: Piedmont Voc Sch										
(9537) Acheivement Dr	0.37	3000	R			From: SR 229 Rixeyville Rd					NA			NA		10/25/2005
						To: 0.37 ME SR 229 Rixeyville Rd										
(9537) Acheivement Dr	0.17	2700	R			From: 0.54 ME SR 229 Rixeyville Rd					NA			NA		10/25/2005
						To: 0.57 ME SR 229 Rixeyville Rd										
(9537) Acheivement Dr	0.03	2400	R			From: 0.57 ME SR 229 Rixeyville Rd					NA			NA		10/25/2005
						To: 23-694										
(9566) Simms Dr	0.25	1600	R			From: US 15 James Madison Hwy					NA			NA		10/25/2005
						To: Sample Elem Sch										
<b>Town of Culpeper</b>																
(1 <sub>204</sub> ) West St/Old Rixeyville Rd	0.82	3600	F	98%	1%	1%	0%	0%	0%	C	0.104	F		3800	F	2011
						From: Evans Street										
						To: Grandview Avenue										
(1 <sub>204</sub> ) Old Rixeyville Rd	0.07	1500	F	98%	1%	1%	0%	0%	0%	F	0.113	F		1600	F	2011
						From: Main Street N										
						To: Germanna Highway										
(3651 <sub>204</sub> ) Orange Rd	0.33	6300	F	94%	1%	1%	3%	1%	0%	C	0.095	F		6700	F	2011
						From: Main Street										
						To: Main Street										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Culpeper Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Culpeper</b>																
3652 204 Chandler St	0.17	670	F	97%	1%	1%	1%	1%	0%	F	0.104	F		710	F	2011
			From: West Street													
			To: East Street													
3652 204 Chandler St	0.75	850	F	97%	1%	1%	1%	1%	0%	C	0.107	F		900	F	2011
			From: ECL Culpeper													
			To: Orange Road													
3653 204 Laurel St	0.84	2400	F	98%	0%	1%	0%	0%	0%	C	0.083	F		2500	F	2011
			From: Madison Road													
			To: US 15 Bus Main Street N													
3656 204 Piedmont St	0.27	4400	F	99%	0%	1%	0%	0%	0%	F	0.087	F		4600	F	2011
			From: Old Brandy Road													
			To: Piedmont St													
3656 204 Old Brandy Rd	0.20	4500	F	99%	0%	1%	0%	0%	0%	C	0.088	F		4800	F	2011
			From: Wine St													
			To: Wine Street													
3656 204 Old Brandy Rd	0.56	4200	F	99%	0%	1%	0%	0%	0%	F	0.109	F		4500	F	2011
			From: US 15 Bus James Madison Hwy													
			To: Madison Street													
3657 204 West St	0.91	3800	F	99%	0%	1%	0%	0%	0%	C	0.098	F		4100	F	2011
			From: Evans Street													
			To: 23-666 Brags Corner Rd													
US 15, US 29		16000	G	90%	1%	1%	1%	7%	0%	C	0.086	F	0.652	16000	G	2011
			From: Bus US 15, Bus US 29													
			To: Bus US 15, Bus US 29													
<b>Town of Culpeper</b>																
Bus US 15; Bus US 29		22000	G	97%	1%	1%	0%	1%	0%	C	NA			22000	G	2011
			From: Nalles Mill Rd													
			To: Ira Hoffman Ln													
Cameron St		440	F								0.17	F		470	F	2011
			From: Blue Ridge Ave													
			To: US 29 Bus S Main St													
East St		5100	F								0.103	F		5100	F	2011
			From: Walter Street													
			To: Mason Street													
Fairview Rd		260	F								0.135	F		280	F	2011
			From: SR 229 Main St													
			To: Hendrick St													
Madison Rd		22000	G	98%	0%	1%	0%	1%	0%	C	NA			22000	G	2011
			From: Saunders St													
			To: Oak Lawn Dr													
S Blue Ridge Ave		4500	G	100%	0%	0%	0%	0%	0%	C	NA			4500	G	2011
			From: Oak Lawn Blvd													
			To: Spring St													
S East St		6200	G	97%	0%	1%	1%	1%	0%	C	NA			6200	G	2011
			From: E Chandler St													
			To: E Locust St													
Sperryville Pike		8200	G	96%	1%	1%	1%	1%	0%	C	NA			8200	G	2011
			From: WCL Culpeper													
			To: Wayland Rd													
SR 3		11000	G	96%	1%	1%	1%	2%	0%	C	NA			11000	G	2011
			From: Industry Dr													
			To: McDevitt Dr													
Sunset Lane		5700	G	99%	1%	0%	0%	0%	0%	C	NA			5700	G	2011
			From: Madison Rd													
			To: Redbud St													
Virginia Avenue		5100	F								0.087	F		5100	F	2011
			From: Sperryville Pike													
			To: First Street													