

**2011**  
**Virginia Department of Transportation**  
**Daily Traffic Volume Estimates**  
**Including Vehicle Classification Estimates**

where available

**Jurisdiction Report**

**65**

Northampton County  
Town of Cape Charles  
Town of Cheriton  
Town of Eastville  
Town of Exmore  
Town of Nassawadox

Prepared By  
**Virginia Department of Transportation**  
**Traffic Engineering Division**

In Cooperation With  
**U.S. Department of Transportation**  
**Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## Publication Notes

### Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

## Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

### QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

### QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

# Route Shield Legend

## Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Frontage Road (F precedes frontage route number)



Secondary Route

## Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Northampton Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
13 Chesapeake Bay Bridge Tunnel	Northampton County (Maint: TOL)	19.14	8800	G	92%	1%	1%	1%	6%	0%	F	0.077	F	0.508	8300	G
13 Lankford Hwy	Northampton County	4.78	9400	G	92%	1%	1%	1%	6%	0%	F	0.072	F	0.507	8900	G
13 Lankford Hwy	Northampton County	4.56	11000	G	92%	1%	1%	1%	6%	0%	F	0.074	F	0.515	11000	G
13 Lankford Hwy	Northampton County	1.28	13000	G	92%	1%	1%	1%	6%	0%	F	0.076	F	0.532	12000	G
13 Lankford Hwy	Town of Cheriton (Maint: 65)	0.07	13000	N	92%	1%	1%	1%	6%	0%	N	0.076	N	0.532	12000	N
13 Lankford Hwy	Northampton County	0.29	13000	N	92%	1%	1%	1%	6%	0%	N	0.076	N	0.532	12000	N
13 Lankford Hwy	Town of Cheriton (Maint: 65)	0.07	13000	N	92%	1%	1%	1%	6%	0%	N	0.076	N	0.532	12000	N
13 Lankford Hwy	Town of Cheriton (Maint: 65)	0.48	14000	G	92%	1%	1%	1%	6%	0%	F	0.077	F	0.502	13000	G
13 Lankford Hwy	Northampton County	2.73	14000	N	92%	1%	1%	1%	6%	0%	N	0.077	N	0.502	13000	N
13 Lankford Hwy	Northampton County	1.06	13000	G	92%	1%	1%	1%	6%	0%	F	0.076	F	0.513	12000	G
13 Lankford Hwy	Town of Eastville (Maint: 65)	0.24	13000	N	92%	1%	1%	1%	6%	0%	N	0.076	N	0.513	12000	N
13 Lankford Hwy	Northampton County	1.03	13000	N	92%	1%	1%	1%	6%	0%	N	0.076	N	0.513	12000	N
13 Lankford Hwy	Northampton County	2.45	13000	G	92%	1%	1%	1%	6%	0%	F	0.088	F	0.503	13000	G
13 Lankford Hwy	Northampton County	3.29	14000	G	92%	1%	1%	1%	6%	0%	F	0.08	F	0.524	13000	G
13 Lankford Hwy	Northampton County	2.41	14000	G	92%	1%	1%	1%	6%	0%	F	0.08	F	0.51	13000	G
13 Lankford Hwy	Town of Nassawadox (Maint: 65)	0.85	14000	N	92%	1%	1%	1%	6%	0%	N	0.08	N	0.51	13000	N
13 Lankford Hwy	Town of Nassawadox (Maint: 65)	0.13	16000	G	92%	1%	1%	1%	6%	0%	F	0.079	F	0.542	15000	G
13 Lankford Hwy	Northampton County	2.63	16000	N	92%	1%	1%	1%	6%	0%	N	0.079	N	0.542	15000	N

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Northampton Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
13 Lankford Hwy	From: Northampton County To: Bus US 13 S of Exmore	1.25	17000	G	92%	1%	1%	1%	6%	0%	F	0.079	F	0.558	16000	G
13 Lankford Hwy	From: Town of Exmore (Maint: 65) To: SCL Exmore	0.15	17000	N	92%	1%	1%	1%	6%	0%	N	0.079	N	0.558	16000	N
13 Lankford Hwy	From: Town of Exmore (Maint: 65) To: SR 183 Exmore	0.52	18000	G	92%	1%	1%	1%	6%	0%	F	0.080	F	0.531	17000	G
13 Lankford Hwy	From: Town of Exmore (Maint: 65) To: SR 178 Belle Haven Rd	0.21	16000	G	92%	1%	1%	1%	6%	0%	F	0.079	F	0.51	15000	G
13 Lankford Hwy	From: Northampton County To: NCL Exmore	0.14	16000	N	92%	1%	1%	1%	6%	0%	N	0.079	N	0.51	15000	N
13 Lankford Hwy	From: Accomack County (Maint: 65) To: Bus US 13 Exmore; 65-687 US 13 Bus Exmore; 65-687	0.19	18000	G	92%	1%	1%	1%	6%	0%	F	0.079	F	0.512	17000	G
Bus 13 Main St	From: Northampton County To: US 13 S of Exmore	0.40	2500	G	97%	1%	1%	0%	0%	0%	C	0.100	F	0.508	2500	G
Bus 13 Main St	From: Town of Exmore (Maint: 65) To: SCL Exmore	1.10	2500	N	97%	1%	1%	0%	0%	0%	N	0.100	N	0.508	2500	N
Bus 13 Lincoln Ave	From: Town of Exmore (Maint: 65) To: SR 178 Belle Haven Rd	0.47	2500	N	97%	1%	1%	0%	0%	0%	N	0.100	N	0.508	2500	N
Bus 13 Lincoln Ave	From: Northampton County To: NCL Exmore	0.17	2500	N	97%	1%	1%	0%	0%	0%	N	0.100	N	0.508	2500	N
Bus 13 Courthouse Rd	From: Northampton County To: US 13 S of Eastville	1.17	1400	G	96%	2%	1%	0%	1%	0%	C	0.112	F	0.609	1400	G
Bus 13 Courthouse Rd	From: Town of Eastville (Maint: 65) To: SCL Eastville	0.17	1400	N	96%	2%	1%	0%	1%	0%	N	0.112	N	0.609	1400	N
Bus 13 Courthouse Rd	From: Town of Eastville (Maint: 65) To: 65-631 Eastville	0.19	1700	G	96%	2%	1%	0%	1%	0%	F	0.131	F	0.542	1700	G
Bus 13 Courthouse Rd	From: Northampton County To: NCL Eastville	1.18	1700	N	96%	2%	1%	0%	1%	0%	N	0.131	N	0.542	1700	N
Bus 13 Bayside Dr	From: Northampton County To: US 13 S of Cheriton	0.80	2100	G	97%	1%	1%	1%	1%	0%	C	0.102	F	0.591	2200	G
Bus 13 Bayside Dr	From: Town of Cheriton (Maint: 65) To: SCL Cheriton	0.79	2100	N	97%	1%	1%	1%	1%	0%	N	0.102	N	0.591	2200	N
	From: Town of Cheriton (Maint: 65) To: US 13 Cheriton															



Virginia Department of Transportation  
 Traffic Engineering Division  
 2011  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Northampton Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
178 Main St	Town of Exmore (Maint: 65)	0.36	2200	G	97%	1%	1%	0%	1%	0%	C	0.101	F	0.545	2300	G
	From: Bus US 13, Lincoln St															
	To: US 13 Lankford Hwy															
178 Belle Haven Rd	Town of Exmore (Maint: 65)	0.15	NA									NA			NA	
	From: SCL Belle Haven															
	To: NCL Exmore															
178 Belle Haven Rd	Town of Belle Haven (Maint: 65)	0.35	NA									NA			NA	
	From: Accomack County Line															
	To: 65-613 Near Silver Beach															
183 Occohannock Neck Rd	Northampton County	6.94	1800	G	96%	0%	1%	1%	2%	0%	C	0.108	F	0.505	1800	G
	From: WCL Exmore															
	To: Bus US 13															
183 Occohannock Neck Rd	Town of Exmore (Maint: 65)	0.51	1500	G	96%	0%	1%	1%	2%	0%	F	0.14	F	0.57	1500	G
	From: 65-1101 Pine St; 65-1106 Washington Ave															
	To: 65-1105 Fig St; 65-1112 Randolph Ave															
184 Bay Ave; Mason Ave	Town of Cape Charles (Maint: 65)	1.21	1600	G	97%	1%	1%	1%	1%	0%	F	0.117	F	0.542	1600	G
	From: Heritage Acres Ct															
	To: ECL Cape Charles															
184 Stone Rd	Town of Cape Charles (Maint: 65)	0.21	1600	N	97%	1%	1%	1%	1%	0%	N	0.117	N	0.542	1600	N
	From: 65-1105 Fig St; 65-1112 Randolph Ave															
	To: Heritage Acres Ct															
184 Stone Rd	Town of Cape Charles (Maint: 65)	0.06	3700	G	97%	1%	1%	1%	1%	0%	C	0.104	F	0.524	3800	G
	From: ECL Cape Charles															
	To: US 13 South of Bayview															
184 Stone Rd	Northampton County	1.72	3700	N	97%	1%	1%	1%	1%	0%	N	0.104	N	0.524	3800	N
	From: US 13 South of Bayview															
	To: 65-1101 Pine St; 65-1106 Washington Ave															

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Northampton County</b>																
(F681) Latimers Bluff Rd	0.57	390	R											NA		07/31/2007
(F682) Morris Court	0.13	180	R											NA		07/31/2007
(600) Seaside Rd	0.20	380	R											NA		09/15/2010
(600) Seaside Rd	1.55	220	R											NA		09/15/2010
(600) Seaside Rd	1.35	350	R											NA		09/15/2010
(600) Seaside Rd	2.20	370	G	94%	1%	1%	3%	1%	0%	F	0.104	F	0.524	380	G	2011
(600) Seaside Rd	2.90	220	R											NA		09/15/2010
(600) Seaside Rd	1.30	230	R											NA		09/15/2010
(600) Seaside Rd	1.90	460	G	94%	1%	1%	3%	1%	0%	F	0.095	F	0.557	470	G	2011
(600) Seaside Rd	1.50	450	G	94%	1%	1%	3%	1%	0%	F	0.107	F	0.57	460	G	2011
(600) Seaside Rd	3.10	410	R											NA		09/15/2010
(600) Seaside Rd	2.29	280	G	94%	1%	1%	3%	1%	0%	C	0.100	F	0.567	280	G	2011
(600) Seaside Rd	1.13	280	R											NA		09/15/2010
(600) Seaside Rd	1.40	240	R											NA		10/26/2010
(600) Seaside Rd	1.76	440	R											NA		10/26/2010
(600) Seaside Rd	1.26	390	R											NA		10/26/2010
(600) Seaside Rd	1.30	550	R											NA		10/26/2010
(600) Seaside Rd	1.38	470	R											NA		09/22/2010
<b>Town of Nassawadox</b>																
(600) Seaside Rd	0.29	190	R											NA		10/26/2010
(600) Seaside Dr	0.20	850	G	95%	2%	2%	0%	1%	0%	C	0.103	F	0.506	870	G	2011
<b>Northampton County</b>																
(600) Seaside Dr	3.25	700	G	95%	2%	2%	0%	1%	0%	F	0.115	F	0.547	720	G	2011
(600) Seaside Dr	2.25	860	G	95%	2%	2%	0%	1%	0%	F	0.117	F	0.522	880	G	2011

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Northampton County</b>																
(601) County Line Rd	0.56	930	R											NA		09/22/2010
			From: Accomack County Line													
			To: 65-600 Seaside Dr													
(602) Cemetery Rd	1.14	1500	R											NA		10/13/2010
			From: SR 183 Occohannock Neck Rd													
			To: WCL Belle Haven													
<b>Town of Belle Haven</b>																
(602) Cemetery Rd	0.06	900	R											NA		10/13/2010
			From: WCL Belle Haven													
			To: 01-602 Lee St													
<b>Northampton County</b>																
(603) Willis Wharf Rd	0.10	30	R											NA		10/26/2010
			From: Dead End													
			To: 65-1203 Hog Island Lane													
(603) Willis Wharf Rd	0.70	480	R											NA		10/26/2010
			From: 65-660 Ballard Dr													
(603) Willis Wharf Rd	0.40	850	G	97%	1%	1%	1%	1%	0%	F	0.108	F	0.553	870	G	2011
			To: 65-1201 Major Ct													
(603) Willis Wharf Rd	0.85	950	G	97%	1%	1%	1%	1%	0%	C	0.105	F	0.524	970	G	2011
			To: ECL Exmore													
<b>Town of Exmore</b>																
(603) Willis Wharf Rd	0.36	2400	G	97%	1%	1%	1%	1%	0%	F	0.109	F	0.612	2500	G	2011
			From: ECL Exmore													
			To: Bus US 13 Main St													
<b>Northampton County</b>																
(604) Bayside Dr	0.12	2000	G	96%	2%	1%	0%	1%	0%	F	0.100	F	0.579	2100	G	2011
			From: 65-618 Hadlock Lane													
			To: US 13 Lankford Hwy													
(604) Oakland Dr	0.08	1400	G	96%	2%	1%	0%	1%	0%	F	0.095	F	0.551	1400	G	2011
			From: Bus US 13 Main St													
(604) Oakland Dr	0.60	1300	G	96%	2%	1%	0%	1%	0%	C	0.130	F	0.539	1300	G	2011
			To: 65-600 Seaside Rd													
(605) Milton Ames Dr	1.30	380	R											NA		10/13/2010
			From: 65-606 Wardtown Rd													
			To: 65-618 N, Bayside Rd													
(605) Brickhouse Dr	0.70	330	R											NA		10/13/2010
			From: 65-618 S, Bayside Rd													
			To: US 13 Lankford Hwy													
<b>Town of Nassawadox</b>																
(606) Rogers Dr	0.20	950	G	96%	1%	1%	0%	2%	0%	F	0.099	F	0.523	970	G	2011
			From: 65-600 Seaside Rd													
			To: US 13 Lankford Hwy													
(606) Rogers Dr	0.58	1500	G	96%	1%	1%	0%	2%	0%	C	0.101	F	0.548	1500	G	2011
			From: WCL Nassawadox													
<b>Northampton County</b>																
(606) Rogers Dr	0.19	1400	G	96%	1%	1%	0%	2%	0%	F	0.109	F	0.559	1400	G	2011
			From: WCL Nassawadox													
			To: 65-618 Bayside Dr													
(606) Rogers Dr	0.60	660	R											NA		10/13/2010
			From: 65-610 Short St													
(606) Wardtown Rd	1.30	580	R											NA		10/13/2010
			From: 65-605 Milton Ames Dr													
(606) Wardtown Rd	1.20	550	R											NA		10/13/2010
			From: 65-607 N, TB Rd													
(606) Wardtown Rd	1.20	570	R											NA		10/13/2010
			From: SR 183 W, Occohannock Neck Rd													

Virginia Department of Transportation  
 Traffic Engineering Division  
 2011  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Northampton County</b>																
(606) Morleys Wharf Rd	1.00	120	R											NA		10/13/2010
(607) Stewarts Wharf Rd	1.60	48	R											NA		09/22/2010
(607) TB Rd	2.20	170	R											NA		09/22/2010
(608) Brownsville Rd	1.20	180	R											NA		09/22/2010
(609) Franktown Rd	0.67	750	R											NA		09/22/2010
<b>Town of Nassawadox</b>																
(609) Franktown Rd	0.15	960	R											NA		09/22/2010
(609) Franktown Rd	0.17	1500	G	98%	0%	1%	0%	0%	0%	F	0.091	F	0.568	1500	G	2011
(609) Franktown Rd	0.16	1500	G	98%	0%	1%	0%	0%	0%	C	0.094	F	0.544	1500	G	2011
(609) Franktown Rd	0.17	190	R											NA		09/22/2010
<b>Northampton County</b>																
(610) Short St	0.94	340	R											NA		09/22/2010
(611) Concord Wharf Rd	1.30	350	R											NA		10/13/2010
(612) Old Neck Rd	2.00	150	R											NA		10/13/2010
(613)	0.01	40	R											NA		10/13/2010
(613)	0.05	45	R											NA		10/13/2010
(613)	0.53	520	R											NA		10/13/2010
(613)	1.91	510	G	93%	1%	2%	0%	5%	0%	C	0.114	F	0.65	520	G	2011
(614) James Wharf Rd	0.45	70	R											NA		10/13/2010
(614) James Wharf Rd	0.80	490	R											NA		10/13/2010
(615) Saltworks Rd	2.50	520	R											NA		10/13/2010
(616) Cedar Cottage Rd	0.50	60	R											NA		10/13/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Northampton County</b>																
(617) Bayford Rd	1.98	870	R								NA			NA		09/21/2010
						From: Dead End										
(617) Bayford Rd	0.72	890	R								NA			NA		09/21/2010
						From: 65-679 Denwood Rd										
(617) Bayford Rd	1.63	360	G	91%	4%	2%	2%	1%	0%	C	0.114	F	0.571	370	G	2011
						From: 65-618 Bayside Rd										
(617) Red Bank Rd	0.89	200	R								NA			NA		09/22/2010
						From: US 13 Lankford Hwy										
(617) Red Bank Rd	0.99	120	R								NA			NA		09/22/2010
						From: 65-600 Seaside Rd										
						To: Dead End										
(618) Bayside Rd	0.41	560	R								NA			NA		09/22/2010
						From: US 13 Lankford Hwy										
(618) Bayside Rd	1.56	500	R								NA			NA		09/22/2010
						From: 65-627 Young St										
(618) Johnsontown Rd	1.46	250	R								NA			NA		09/22/2010
						From: 65-622 S; Johnsontown Rd										
						To: 65-622 S, Bayside Rd										
(618) Johnsontown Rd	0.94	280	R								NA			NA		09/21/2010
						From: 65-620 Treherneville Rd										
(618) Bayside Rd	6.54	970	G	97%	1%	1%	1%	1%	0%	C	0.109	F	0.594	990	G	2011
						From: 65-619 S, Bayside Rd										
						To: 65-619 S, Johnsontown Rd										
(618) Hadlock Lane	0.16	30	R								NA			NA		09/23/2010
						From: 65-604; Hadlock Lane										
						To: 65-604 Bayside Rd										
						To: Dead End										
(619) Church Neck Rd	3.33	360	R								NA			NA		09/21/2010
						From: 65-1515 Peacock Lane										
(619) Church Neck Rd	0.85	530	R								NA			NA		09/21/2010
						From: 65-622 W, Glebe Rd										
(619) Bayside Rd	1.22	590	G	97%	1%	1%	0%	1%	0%	C	0.12	F	0.544	600	G	2011
						From: 65-622 E, Bayside Rd										
(619) Bayside Rd	0.20	620	G	97%	1%	1%	0%	1%	0%	F	0.122	F	0.544	630	G	2011
						From: 65-695 Cedar Grove Farm Rd										
						To: 65-618 S, Bayside Rd; Johnsontown Rd										
(619) Cabarrus Dr	1.30	760	R								NA			NA		09/23/2010
						From: 65-618 N, Bayside Rd										
						To: 65-617 W, Bayford Rd										
(619) Giddens Rd	0.96	1000	R								NA			NA		09/23/2010
						From: 65-617 E, Bayford Rd										
						To: SCL Nassawadox										
<b>Town of Nassawadox</b>																
(619) Giddens Rd	0.04	890	R								NA			NA		04/25/2001
						From: SCL Nassawadox										
						To: 65-609 Franktown Rd										
<b>Northampton County</b>																
(620) Birdsnest Dr	0.80	670	R								NA			NA		09/21/2010
						From: 65-618 Johnsontown Rd										
(620) Birdsnest Dr	0.80	320	R								NA			NA		09/21/2010
						From: US 13 Lankford Hwy										
(620) Locust Lawn Dr	1.00	90	R								NA			NA		09/21/2010
						From: 65-600 S, Seaside Rd										
						To: 65-600 N, Seaside Rd										
						To: Dead End										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Northampton County</b>																
(621) Goshen Rd	1.04	40	R								NA		NA			09/21/2010
(622) Glebe Rd	1.23	70	R								NA		NA			09/21/2010
(622) Bayside Rd	1.58	110	R								NA		NA			09/21/2010
(622) Trehernvielle Dr	1.01	200	R								NA		NA			09/22/2010
(622) Trehernvielle Dr	1.10	190	R								NA		NA			09/22/2010
(623) Harmontown Rd	1.10	50	R								NA		NA			09/22/2010
(624) Capeville Dr	0.60	130	G	97%	1%	1%	1%	0%	0%	F	0.144	F	0.6	130	G	2011
(624) Capeville Dr	0.66	280	G	97%	1%	1%	1%	0%	0%	C	0.119	F	0.514	280	G	2011
(624) Capeville Dr	0.04	610	N	98%	1%	1%	0%	0%	0%	N	0.118	N	0.581	630	N	2011
(624) Dunton Cove Dr	0.80	120	R								NA		NA			10/14/2010
(625) Sylvan Scene Dr	1.00	60	R								NA		NA			10/14/2010
(625) Sylvan Scene Dr	1.00	390	R								NA		NA			09/22/2010
(626)	0.05	630	R								NA		NA			09/22/2010
(627) Young St	0.26	1000	R								NA		NA			10/07/2010
(627) Machipongo Dr	0.07	270	R								NA		NA			10/07/2010
(627) Machipongo Dr	1.18	350	R								NA		NA			10/07/2010
(627) Box Tree Dr	0.80	30	R								NA		NA			10/07/2010
(628) Wilsonia Neck Dr	1.50	310	R								NA		NA			10/14/2010
(628) Wilsonia Neck Dr	1.70	520	R								NA		NA			10/14/2010
(628) James Allen Dr	1.10	240	R								NA		NA			10/14/2010
(629) Webb Island Dr	1.00	190	R								NA		NA			09/22/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Northampton County</b>																
(630) Old Town Neck Rd	2.80	320	R								NA		NA			09/22/2010
(630) Cherrydale Dr	1.23	460	R								NA		NA			09/22/2010
<b>Town of Eastville</b>																
(631) Willow Oak Rd	0.43	1200	G	97%	2%	1%	0%	0%	0%	C	0.101	F	0.535	1300	G	2011
(631) Willow Oak Rd	0.42	690	G	97%	2%	1%	0%	0%	0%	F	0.113	F	0.512	710	G	2011
<b>Northampton County</b>																
(631) Indiantown Rd	0.45	510	G	97%	2%	1%	0%	0%	0%	F	0.12	F	0.508	520	G	2011
(631) Indiantown Rd	1.00	130	R								NA		NA			04/22/2010
(632) Indian Walk Lane	0.70	20	R								NA		NA			09/22/2010
(633) Captain Howe Lane	0.30	370	R								NA		NA			09/22/2010
(633) Simpkins Dr	1.40	130	R								NA		NA			09/22/2010
(634) Savage Neck Dr	3.15	160	R								NA		NA			09/22/2010
(634) Savage Neck Dr	1.20	550	G	96%	1%	1%	1%	1%	0%	F	0.106	F	0.536	560	G	2011
(634) Savage Neck Dr	1.20	670	G	96%	1%	1%	1%	1%	0%	C	0.129	F	0.506	680	G	2011
(635) Batchelers Branch Rd	0.35	150	R								NA		NA			10/13/2010
(636) Mount Hebron Rd	1.60	450	G	95%	2%	2%	2%	0%	0%	C	0.125	F	0.655	460	G	2011
(637) Pat Town Rd	1.50	380	R								NA		NA			10/13/2010
<b>Town of Cheriton</b>																
(638) Mill St	0.46	560	R								NA		NA			10/07/2010
<b>Northampton County</b>																
(638) Mill St	0.20	150	R								NA		NA			04/18/2001
<b>Town of Cheriton</b>																
(639) Sunnyside Rd	0.42	2000	G	96%	1%	1%	2%	1%	0%	C	0.095	F	0.561	2000	G	2011
(639) Sunnyside Rd	0.26	1700	G	96%	1%	1%	2%	1%	0%	F	0.094	F	0.624	1700	G	2011

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Northampton County</b>																
(639) Sunnyside Rd	2.03	830	G	96%	1%	ECL Cheriton				F	0.106	F	0.506	850	G	2011
(639) Sunnyside Rd	0.13	530	R			65-1801 Broadwater Circle					NA			NA		10/06/2010
						Dead End										
(640) Bellevue Lane	0.40	47	R			Dead End					NA			NA		10/06/2010
						65-680 E, Townfield Dr										
(640) Wilkins Dr	0.92	150	R			65-680 W, Townfield Dr					NA			NA		10/06/2010
						65-663 Cherrystone Rd										
(641) Parsons Circle	0.18	730	R			65-642 Old Cape Charles Rd; Parsons Circle					NA			NA		10/07/2010
(641) Parsons Circle	0.52	340	R			SR 184 Stone Rd					NA			NA		10/07/2010
(641) Bayview Circle	0.56	680	R			US 13 Lankford Hwy					NA			NA		10/07/2010
(641) Bayview Circle	0.16	1300	G	98%	1%	Bus US 13 Bayside Rd				C	0.103	F	0.504	1300	G	2011
						65-684 Culls Dr										
(641) Culls Dr	0.77	180	R			65-684 Bayview Circle					NA			NA		09/22/2010
(641) Culls Dr	0.40	60	R			65-649 Raymond Lane					NA			NA		09/22/2010
						Dead End										
(642) Seaview Dr	1.28	510	G	95%	0%	65-600 Seaside Rd				F	0.12	F	0.537	520	G	2011
						65-684 S, Bayview Circle; Fairview Rd										
(642) Bayville Circle	0.30	1200	G	95%	0%	65-684 N, Bayview Circle				F	0.099	F	0.504	1200	G	2011
(642) Parsons Circle	0.59	620	G	95%	0%	US 13 Lankford Hwy				F	0.105	F	0.654	640	G	2011
(642) Old Cape Charles Rd	1.70	1100	G	95%	0%	65-641 Parsons Circle				C	0.108	F	0.708	1100	G	2011
(642) Old Cape Charles Rd	0.17	820	G	95%	0%	65-1108 Bayshore Rd				F	0.114	F	0.683	840	G	2011
						ECL Cape Charles										
<b>Town of Cape Charles</b>																
(642) Old Cape Charles Rd	0.08	990	G	95%	0%	ECL Cape Charles				F	0.114	N	0.683	980	G	2011
(642) Nectarine St	0.06	170	R			SR 184 Bay Ave; Mason Ave					NA			NA		09/22/2010
(642) Nectarine St	0.06	170	R			65-1112 Randolph Ave					NA			NA		09/22/2010
(642) Nectarine St	0.08	140	R			65-1111 Tazewell Ave					NA			NA		09/22/2010
(642) Nectarine St	0.07	100	R			65-1110 Monroe Ave					NA			NA		09/22/2010
(642) Nectarine St	0.05	60	R			65-1104 Madison Ave					NA			NA		09/22/2010
(642) Nectarine St	0.07	100	R			65-1103 Jefferson Ave					NA			NA		09/22/2010
						65-1106 Washington Ave										



Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Northampton County</b>																
(643) Plantation Dr	1.40	350	R											NA		10/07/2010
(644) Custom Tomb Dr	1.88	170	R											NA		10/06/2010
(644) Arlington Rd	0.80	630	R											NA		10/06/2010
(645) Cedar Grove Rd	0.23	260	G	97%	0%	2%	0%	1%	0%	C	0.11	F	0.667	270	G	2011
(645) Arlington Rd	0.24	190	G	97%	0%	2%	0%	1%	0%	F	0.119	F	0.559	200	G	2011
(645) Arlington Rd	3.01	390	G	97%	0%	2%	0%	1%	0%	F	0.129	F	0.515	400	G	2011
(645) Arlington Rd	0.24	490	R											NA		10/06/2010
(646) Picketts Harbor Rd	0.90	60	R											NA		10/06/2010
(646) Townsend Dr	0.74	410	G	98%	1%	1%	0%	0%	0%	F	0.126	F	0.528	420	G	2011
(646) Townsend Dr	0.56	410	G	98%	1%	1%	0%	0%	0%	C	0.094	F	0.5	420	G	2011
(646) Martins Landing Rd	0.60	1100	R											NA		09/15/2010
(647)	0.30	30	R											NA		10/06/2010
(648) Stumptown Dr	0.35	150	R											NA		10/06/2010
(648) Stumptown Dr	0.45	60	R											NA		10/06/2010
(649) Raymond Lane	0.40	60	R											NA		10/06/2010
(650) Cheapside Rd	1.10	200	R											NA		10/06/2010
(651) Chesapeake Ave	0.15	20	R											NA		10/06/2010
(652) Cathey Ave	0.23	690	R											NA		10/06/2010
(652) Broadwater Rd	1.39	890	R											NA		10/06/2010
(654) Miles Wharf Rd	0.62	140	R											NA		10/13/2010
(655) Magotha Rd	1.00	170	R											NA		10/13/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Northampton County</b>																
(657) Sparrow Point Rd	1.75	100	R									NA		NA		10/13/2010
(658) Walnut Grove Lane	0.35	160	R									NA		NA		10/07/2010
(659) Church St	0.14	210	R									NA		NA		10/07/2010
(660) Ballard Dr	0.70	240	R									NA		NA		10/07/2010
(661) Obedience Lane	0.37	30	R									NA		NA		10/26/2010
(662) Indian Village Rd	0.82	10	R									NA		NA		10/26/2010
(663) Cherrystone Rd	1.47	150	G	98%	1%	1%	0%	0%	0%	F	0.143	F	0.6	150	G	2011
(663) Cherrystone Rd	0.55	380	G	98%	1%	1%	0%	0%	0%	C	0.114	F	0.522	390	G	2011
(664) Jacobus Creek Rd	1.50	190	R									NA		NA		11/02/2010
(665) Old Castle Rd	1.10	60	R									NA		NA		11/02/2010
(665) Elkington Rd	0.70	60	R									NA		NA		07/31/2007
(666) Smith Beach Rd	1.75	580	R									NA		NA		11/02/2010
(667) Benders Lane	0.20	80	R									NA		NA		11/02/2010
(668) Robin Rd	1.00	30	R									NA		NA		11/02/2010
(669) Vincent Lane	0.40	150	R									NA		NA		11/02/2010
(670) James Circle	0.37	80	R									NA		NA		11/09/2010
(671) Oakland Farm Rd	0.90	10	R									NA		NA		11/02/2010
(672) Johnson Cove Rd	0.70	60	R									NA		NA		10/13/2010
(673) Harrington Dr	0.40	80	R									NA		NA		10/26/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Northampton County</b>																
(674) Kendall Grove Rd	1.25	48	R											NA		11/09/2010
From: Dead End																
To: US 13 Lankford Hwy																
(675) Press Lane	0.20	220	R											NA		10/26/2010
From: 65-636 Mount Hebron Rd																
To: Dead End																
(676) Sturgis House Dr	0.60	120	R											NA		10/13/2010
From: Dead End																
To: SR 183 Occohannock Neck Rd																
(677) Prettyman Circle	0.16	30	R											NA		10/13/2010
From: 65-685 Deagonal St																
To: 65-613 MID																
(677) Prettyman Circle	1.70	90	R											NA		11/09/2010
From: 65-613 SOUTH																
To: 65-613 EAST																
<b>Town of Nassawadox</b>																
(678) Pine Ave	0.35	280	R											NA		11/09/2010
From: 65-606 Rogers Dr																
To: US 13 Lankford Hwy																
<b>Northampton County</b>																
(679) Denwood Rd	0.90	440	R											NA		09/21/2010
From: Dead End																
To: 65-617 Bayford Rd																
<b>Town of Cheriton</b>																
(680) Townfield Dr, Cherrystone Rd	0.84	610	G	97%	2%	0%	0%	0%	0%	C	0.109	F	0.515	620	G	2011
From: Bus US 13																
To: WCL Cheriton																
<b>Northampton County</b>																
(680) Townfield Dr	0.04	610	N	97%	2%	0%	0%	0%	0%	N	0.109	N	0.515	620	N	2011
From: WCL Cheriton																
To: US 13 Lankford Hwy																
(680) Townfield Dr	0.96	470	G	97%	2%	0%	0%	0%	0%	F	0.125	F	0.655	480	G	2011
From: US 13 Lankford Hwy																
To: 65-640 Wilkins Dr																
(680) Townfield Dr	0.83	690	R											NA		11/02/2010
From: 65-640 Wilkins Dr																
To: Dead End																
<b>Town of Nassawadox</b>																
(681) Hospital Ave	0.50	3200	G	99%	0%	0%	0%	0%	0%	C	0.095	F	0.621	3300	G	2011
From: 65-609 Franktown Rd																
To: 65-606 Rogers Dr																
<b>Northampton County</b>																
(682) Jacobia Lane	1.10	210	R											NA		10/07/2010
From: Dead End																
To: US 13 Lankford Hwy																
(683) Siding Rd	0.40	720	R											NA		07/31/2007
From: US 13 Lankford Hwy																
To: 65-624 Capeville Dr																
(683) Capeville Dr	0.45	610	G	98%	1%	1%	0%	0%	0%	C	0.118	F	0.581	630	G	2011
From: 65-624 Siding Rd																
To: 65-600 Seaside Rd																
(684) Fairview Rd	0.89	330	G	94%	4%	2%	0%	0%	0%	C	0.177	F	0.586	330	G	2011
From: US 13 Lankford Hwy																
To: 65-642 S. Seaview Dr																
(684) Bayview Circle	1.10	920	G	94%	4%	2%	0%	0%	0%	F	0.107	F	0.530	940	G	2011
From: 65-642 S. Seaview Dr																
To: 65-641 Culls Dr																
(685) Deagonal St	0.13	40	R											NA		10/07/2010
From: 65-613																
To: 65-677 Prettyman Circle																

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Northampton County</b>																	
(685) Deagonal St	0.24	10	R			From: 65-677 Prettyman Circle					NA			NA		10/07/2010	
						To: Dead End											
(686) Kellam Dr	0.30	60	R			From: Dead End					NA			NA		10/13/2010	
						To: 65-677 Prettyman Circle											
<b>Town of Belle Haven</b>																	
(687) Tower Way	0.15	290	R			From: SR 178 Belle Haven Rd					NA			NA		10/13/2010	
						To: ECL Belle Haven											
<b>Northampton County</b>																	
(687) Tower Way	0.23	290	R			From: ECL Belle Haven					NA			NA		04/25/2001	
						To: US 13; Bus US 13											
(688) Hare Valley Dr	0.80	340	R			From: 65-618 Bayside Rd					NA			NA		10/07/2010	
						To: US 13 Lankford Hwy											
(689) Pear Cottage Dr	0.28	10	R			From: Dead End					NA			NA		10/07/2010	
						To: 65-628 Wilsonia Neck Dr											
(690) Poplar Grove Rd	0.50	48	R			From: 65-600 Seaside Rd					NA			NA		10/07/2010	
						To: Dead End											
(691) Downing Beach Rd	0.50	120	R			From: Dead End					NA			NA		10/13/2010	
						To: 65-613											
(692) Happy Union Dr	1.30	60	R			From: Dead End					NA			NA		10/13/2010	
						To: 65-606 Wardtown Rd											
<b>Town of Exmore</b>																	
(693) Wainhouse Rd	0.03	40	R			From: Dead End					NA			NA		10/13/2010	
						To: SCL Belle Haven											
<b>Town of Belle Haven</b>																	
(693) Wainhouse Rd	0.30	110	R			From: SCL Belle Haven					NA			NA		04/25/2001	
						To: Dead End											
<b>Northampton County</b>																	
(694) Terry Lane	0.10	60	R			From: Dead End					NA			NA		10/07/2010	
						To: 65-603 Willis Wharf Rd											
(695) Cedar Grove Farm Rd	0.85	40	R			From: Dead End					NA			NA		10/07/2010	
						To: 65-619 Bayside Rd											
(696) Harmony Rd	0.40	20	R			From: 65-655 Magotha Rd					NA			NA		10/07/2010	
						To: 65-646 Martins Landing Rd											
(697) Beverly Lane	0.25	670	R			From: 65-637 Pat Town Rd					NA			NA		10/07/2010	
						To: Dead End											
(698) Adron St	0.12	130	R			From: Dead End					NA			NA		10/26/2010	
						To: 65-700 Cross St											
(698) Adron St	0.08	360	R			From: 65-652 Cathey Ave					NA			NA		10/26/2010	
						To: Dead End											
(699) Baxley Lane	0.11	30	R			From: Dead End					NA			NA		10/13/2010	
						To: 65-617 Red Bank Rd											

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Northampton County</b>																
(700) Cross St	0.06	80	R								NA		NA			10/26/2010
<b>Town of Nassawadox</b>																
(701) Shell St	0.15	48	R								NA		NA			10/13/2010
<b>Northampton County</b>																
(702) Kelly Cove Rd	0.18	90	R								NA		NA			10/13/2010
(703) Beetle St	0.09	250	R								NA		NA			10/06/2010
(704) Kiptopeke Dr	0.21	240	R								NA		NA			07/31/2007
(704) Kiptopeke Dr	0.40	360	R								NA		NA			10/06/2010
(705) Kirwan Hall Lane	0.70	40	R								NA		NA			11/02/2010
<b>Town of Nassawadox</b>																
(706) Church Ct	0.23	180	R								NA		NA			10/13/2010
<b>Northampton County</b>																
(707) Mattasippy Dr	0.20	40	R								NA		NA			11/09/2010
(708) Narrow Channel Dr	0.43	90	R								NA		NA			11/09/2010
(709) Battle Point Rd	0.91	180	R								NA		NA			10/13/2010
(709) Battle Point Rd	0.23	290	R								NA		NA			10/13/2010
(710) Hallidon Dr	0.25	50	R								NA		NA			10/13/2010
(711) Long Point Rd	1.00	30	R								NA		NA			10/13/2010
<b>Town of Nassawadox</b>																
(712) Mill St	0.17	190	R								NA		NA			10/02/2010
<b>Northampton County</b>																
(713) Mackatouces Point Rd	1.00	260	R								NA		NA			10/13/2010
<b>Town of Nassawadox</b>																
(714) Woodstock Dr	0.24	190	R								NA		NA			10/26/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Northampton County</b>																
(715) Red Back Ct	0.13	20	R								NA		NA			11/09/2010
(716) Smaw Dr	0.24	120	R								NA		NA			10/06/2010
(717) Doggett Lane	0.09	60	R								NA		NA			10/06/2010
(718) Latimer Siding Rd	0.18	160	R								NA		NA			09/15/2010
(719) Peaceful Lakes Dr	0.77	70	R								NA		NA			10/13/2010
(719) Peaceful Lakes Dr	0.43	190	R								NA		NA			10/13/2010
(720) Hideaway Cove Rd	0.62	70	R								NA		NA			10/13/2010
(720) Hideaway Cove Rd	0.12	60	R								NA		NA			10/12/2010
(721) Hideaway Lane	0.06	6	R								NA		NA			10/13/2010
(723) Chesawadox Dr	0.60	20	R								NA		NA			10/12/2010
(724) Peaceful Pond Dr	0.57	46	R								NA		NA			10/13/2010
<b>Town of Nassawadox</b>																
(725)	0.06	80	R								NA		NA			10/13/2010
<b>Northampton County</b>																
(729) Chesapeake Dr	0.17	8	R								NA		NA			10/12/2010
(730) Jones Cove Dr	0.70	70	R								NA		NA			10/02/2010
(735)	0.32	20	R								NA		NA			09/14/2010
(740) Clearview Rd	0.51	110	R								NA		NA			10/12/2010
(741) Clearview Way	0.13	45	R								NA		NA			10/13/2010
(846)	1.98	460	R								NA		NA			11/09/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Exmore</b>																
(1001) Bank Ave	0.06	80	R			From: 65-1033 Charnock St					NA			NA		10/26/2010
(1001) Bank Ave	0.05	140	R			To: 65-1009 Lee St					NA			NA		10/26/2010
(1001) Bank Ave	0.05	260	R			From: 65-1010 Jackson St					NA			NA		10/26/2010
(1001) Bank Ave	0.05	300	R			To: 65-1015 Fourth St					NA			NA		10/26/2010
(1001) Bank Ave	0.04	900	R			From: 65-1016 Third St					NA			NA		10/26/2010
(1001) Bank Ave	0.06	930	R			To: 65-1017 Broad St					NA			NA		10/26/2010
(1001) Bank Ave	0.10	900	R			From: Bus US 13					NA			NA		10/26/2010
(1002) Front St	0.03	360	R			To: 65-1002 Front St					NA			NA		10/26/2010
(1002) Front St	0.06	370	R			From: 65-603 Willis Wharf Rd					NA			NA		10/26/2010
(1002) Front St	0.22	640	R			To: 65-1003 Commercial Ave					NA			NA		10/26/2010
(1002) Front St	0.22	640	R			From: 65-1003 Commercial St					NA			NA		10/26/2010
(1002) Front St	0.22	640	R			To: 65-1001 Bank Ave					NA			NA		10/26/2010
(1003) Commercial St	0.06	1000	R			From: Bus US 13					NA			NA		10/26/2010
(1003) Commercial St	0.06	1000	R			To: 65-1002 Front St					NA			NA		10/26/2010
(1004) Monroe Ave	0.04	240	R			From: SR 183 Occohannock Neck Rd					NA			NA		10/26/2010
(1004) Monroe Ave	0.06	190	R			To: 65-1024 Grayson St					NA			NA		10/26/2010
(1004) Monroe Ave	0.10	130	R			From: 65-1030 Washington					NA			NA		10/26/2010
(1004) Monroe Ave	0.18	110	R			To: 65-1031 Jefferson St					NA			NA		10/26/2010
(1004) Monroe Ave	0.18	110	R			From: 65-1028 Madison Ave					NA			NA		10/26/2010
(1005) Elm St	0.09	230	R			To: 65-603 Willis Wharf Rd					NA			NA		10/26/2010
(1006) Myrtle St	0.09	360	R			From: 65-1007 Browne Ave					NA			NA		10/26/2010
(1006) Myrtle St	0.10	110	R			To: 65-603 Willis Wharf Rd					NA			NA		10/26/2010
(1006) Myrtle St	0.10	110	R			From: 65-1007 Browne Ave					NA			NA		10/26/2010
(1007) Browne Ave	0.08	90	R			To: 65-1034 York Circle					NA			NA		10/26/2010
(1007) Browne Ave	0.08	90	R			From: 65-1011 Virginia					NA			NA		10/26/2010
(1007) Browne Ave	0.07	30	R			To: 65-1005 Elm St					NA			NA		10/26/2010
(1008) Poplar Ave	0.15	130	R			From: 65-1006 Myrtle St					NA			NA		10/26/2010
(1008) Poplar Ave	0.15	130	R			To: 65-1010 Jackson St					NA			NA		10/26/2010
(1009) Lee St	0.07	47	R			From: 65-1017 Broad St					NA			NA		10/26/2010
(1009) Lee St	0.07	47	R			To: 65-1014 Roosevelt Ave					NA			NA		10/26/2010
(1009) Lee St	0.07	47	R			From: 65-1001 Bank Ave					NA			NA		10/26/2010

Virginia Department of Transportation  
 Traffic Engineering Division  
 2011  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Exmore</b>																
(1009) Lee St	0.09	100	R			From: 65-1001 Bank Ave					NA			NA		10/26/2010
(1009) Lee St	0.06	160	R			To: SR 183 Occohannock Neck Rd					NA			NA		10/26/2010
(1009) Lee St	0.10	160	R			From: 65-1030 Washington					NA			NA		10/26/2010
(1009) Lee St	0.03	50	R			To: 65-1031 Jefferson St					NA			NA		10/26/2010
						To: Dead End										
(1010) Jackson St	0.05	10	R			From: 65-1045 Holly Circle					NA			NA		10/26/2010
(1010) Jackson St	0.07	80	R			To: 65-1026 Park Ave					NA			NA		10/26/2010
(1010) Jackson St	0.07	110	R			From: 65-1008 Poplar Ave					NA			NA		10/26/2010
(1010) Jackson St	0.07	180	R			To: 65-1014 Roosevelt Ave					NA			NA		10/26/2010
						To: 65-1001 Westfield Ave										
(1011) Virginia Ave	0.09	740	R			From: 65-603 Willis Wharf Rd					NA			NA		10/26/2010
(1011) Virginia Ave	0.39	620	R			To: 65-1007 Browne Ave					NA			NA		10/26/2010
						To: Dead End										
(1012) Stockton Lane	0.09	140	R			From: SR 183 Occohannock Neck Rd					NA			NA		11/09/2010
						To: Dead End										
(1014) Roosevelt Ave	0.05	100	R			From: 65-1009 Lee St					NA			NA		10/27/2010
(1014) Roosevelt Ave	0.06	160	R			To: 65-1010 Jackson St					NA			NA		10/27/2010
(1014) Roosevelt Ave	0.05	240	R			From: 65-1015 Fourth St					NA			NA		10/27/2010
(1014) Roosevelt Ave	0.04	90	R			To: 65-1016 Third St					NA			NA		10/27/2010
						To: 65-1017 Broad St										
(1015) Fourth St	0.08	80	R			From: 65-1014 Roosevelt Ave					NA			NA		10/26/2010
						To: 65-1001 Bank Ave										
(1016) Third St	0.08	50	R			From: 65-1014 Roosevelt Ave					NA			NA		10/27/2010
						To: 65-1001 Bank Ave										
(1017) Broad St	0.15	540	R			From: 65-1043 Benjamin St					NA			NA		10/26/2010
(1017) Broad St	0.25	500	R			To: 65-1027 Bright Ave					NA			NA		10/26/2010
						To: 65-1001 Westfield Ave										
(1018) Ann Ave	0.11	110	R			From: Bus US 13					NA			NA		11/02/2010
						To: 65-1023 Houston										
(1019) Temple Dr	0.04	170	R			From: Bus US 13 Main St					NA			NA		11/02/2010
						To: ECL Exmore										



Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Northampton County</b>																
1019 Temple Dr	0.09	40	R			From: ECL Exmore					NA			NA		11/02/2010
						To: Dead End										
<b>Town of Exmore</b>																
1021 Westmore Rd	0.05	590	N			From: 65-1050 Westmore Court					NA			NA		09/23/2010
						To: 65-1040 Manor St										
<b>Northampton County</b>																
1021 Westmore Rd	0.04	590	R			From: 65-1040 Manor St					NA			NA		09/23/2010
						To: SCL Exmore										
<b>Town of Exmore</b>																
1021 Westmore Rd	0.15	610	R			From: SCL Exmore					NA			NA		11/08/2010
						To: SR 183 Occohannock Neck Rd										
1022 Blunt St	0.06	60	R			From: Dead End					NA			NA		11/02/2010
						To: SR 183 Occohannock Neck Rd										
1023 Houston Ave	0.05	70	R			From: 65-1024 Grayson Ave					NA			NA		10/26/2010
						To: 65-1018 Anne Ave										
1023 Houston Ave	0.09	70	R			From: 65-1025 Carolyn Ave					NA			NA		10/26/2010
						To: 65-1032 Pacific Ave										
1023 Houston Ave	0.02	130	R			From: NCL Exmore					NA			NA		10/26/2010
						To: 65-1004 Monroe Ave										
1024 Grayson Ave	0.08	90	R			From: Bus US 13					NA			NA		10/26/2010
						To: 65-1023 Houston Ave										
1024 Grayson Ave	0.11	70	R			From: Dead End					NA			NA		10/26/2010
						To: Dead End										
1025 Carolyn Ave	0.06	30	R			From: 65-1039 Holman Ave					NA			NA		10/26/2010
						To: Bus US 13										
1025 Carolyn Ave	0.10	90	R			From: 65-1023 Houston					NA			NA		10/26/2010
						To: Dead End										
1025 Carolyn Ave	0.09	3	R			From: 65-1010 Jackson St					NA			NA		10/26/2010
						To: 65-1044 Holly Circle										
1026 Park Ave	0.11	120	R			From: 65-1017 Broad St					NA			NA		10/26/2010
						To: 65-1017 Broad St										
1026 Park Ave	0.04	240	R			From: Bus US 13					NA			NA		10/26/2010
						To: 65-1004 Monroe										
1027 Bright Ave	0.09	250	R			From: SR 178 Belle Haven Rd					NA			NA		10/26/2010
						To: SR 178 Belle Haven Rd										
1028 Madison Ave	0.08	110	R			From: SR 178 Belle Haven Rd					NA			NA		10/26/2010
						To: SR 178 Belle Haven Rd										

Virginia Department of Transportation  
 Traffic Engineering Division  
 2011  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Exmore</b>																
1029 Vine Court	0.04	90	R											NA		10/26/2010
1030 Washington St	0.09	70	R											NA		10/26/2010
1030 Washington St	0.08	100	R											NA		10/26/2010
1031 Jefferson St	0.07	150	R											NA		10/26/2010
1031 Jefferson St	0.08	210	R											NA		10/26/2010
1032 Houston Ave	0.09	100	R											NA		10/26/2010
1032 Houston Ave	0.03	40	R											NA		10/26/2010
1033 Charnock St	0.07	30	R											NA		11/02/2010
1033 Charnock St	0.09	100	R											NA		11/02/2010
1034 York Circle	0.06	47	R											NA		11/02/2010
1035 York Circle	0.06	50	R											NA		11/02/2010
1036 York Circle	0.08	60	R											NA		11/02/2010
1037 Crown St	0.24	160	R											NA		11/02/2010
1038 Atlantic Ave	0.05	10	R											NA		11/02/2010
1038 Atlantic Ave	0.03	30	R											NA		11/02/2010
1039 Holman Ave	0.13	100	R											NA		11/02/2010
1039 Holman Ave	0.16	40	R											NA		11/02/2010
1040 Manor St	0.11	230	R											NA		09/23/2010
1041 Westmore Place	0.22	220	R											NA		11/08/2010
1041 Westmore Place	0.04	48	R											NA		10/13/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Northampton County</b>																
(1042) Hadlock Rd	0.06	1300	R			From: 65-700 Cross St					NA			NA		10/13/2010
(1042) Hadlock Rd	0.22	310	R			From: 65-652 Cathey Ave					NA			NA		07/31/2007
						To: SCL Exmore										
<b>Town of Exmore</b>																
(1042) Hadlock Rd	0.21	610	R			From: SCL Exmore					NA			NA		09/18/2001
						To: Bus US 13										
<b>Northampton County</b>																
(1043) Benjamin St	0.15	1300	R			From: US 13 Lankford Hwy					NA			NA		07/31/2007
						To: WCL Exmore										
<b>Town of Exmore</b>																
(1043) Benjamin St	0.14	1300	R			From: WCL Exmore					NA			NA		09/18/2001
(1043) Benjamin St	0.08	970	R			From: 65-1017 Broad St					NA			NA		11/02/2010
						To: Bus US 13										
(1044) Holly Circle	0.05	260	R			From: 65-1045 Holly Circle					NA			NA		10/26/2010
						To: 65-1026 Park Ave										
(1045) Holly Circle	0.10	80	R			From: 65-1010 Jackson St					NA			NA		11/09/2010
						To: 65-1044 Holly Circle										
(1046) Commonwealth Ave	0.20	40	R			From: 65-1011 Virginia Ave					NA			NA		11/09/2010
						To: 65-1011 Virginia Ave										
(1048)	0.03	110	R			From: Dead End					NA			NA		07/31/2007
						To: 65-1011 Virginia Ave										
(1049) Gum Tree Lane	0.05	110	R			From: 65-1011 Virginia Ave					NA			NA		07/31/2007
						To: Dead End										
(1050) Westmore Court	0.25	180	R			From: US 13 Lankford Hwy					NA			NA		07/31/2007
						To: Dead End										
(1051) Westmore Dr	0.05	160	R			From: 65-1050 Westmore Court					NA			NA		07/31/2007
						To: 65-1040 Manor St										
(1052) Westmore Lane	0.02	60	R			From: Dead End					NA			NA		07/31/2007
(1052) Westmore Lane	0.08	250	R			From: 65-1041 Westmore Place					NA			NA		11/09/2010
						To: Dead End										
<b>Town of Nassawadox</b>																
(1070) Rescue Lane	0.23	130	R			From: 65-678 Pine Ave					NA			NA		11/09/2010
						To: Dead End										
<b>Northampton County</b>																
(1080) Holly Bluff Dr	0.44	230	R			From: 65-609 Wellington Neck Rd					NA			NA		07/31/2007
						To: Dead End										
<b>Town of Cane Charles</b>																
(1101) Pine St	0.06	710	R			From: SR 184 S, Bay Ave; Mason Ave					NA			NA		11/09/2010
						To: 65-1112 Randolph Ave										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Cape Charles</b>																
(1101) Pine St	0.06	420	R								NA			NA		09/21/2010
(1101) Pine St	0.06	170	R								NA			NA		09/21/2010
(1101) Pine St	0.07	80	R								NA			NA		09/21/2010
(1101) Pine St	0.06	120	R								NA			NA		09/21/2010
(1101) Pine St	0.06	140	R								NA			NA		09/21/2010
(1102) Strawberry St	0.05	990	R								NA			NA		09/14/2010
(1102) Strawberry St	0.06	790	R								NA			NA		09/14/2010
(1102) Strawberry St	0.06	290	R								NA			NA		09/14/2010
(1102) Strawberry St	0.03	380	R								NA			NA		09/14/2010
(1102) Strawberry St	0.03	420	R								NA			NA		09/14/2010
(1102) Strawberry St	0.06	90	R								NA			NA		09/14/2010
(1102) Strawberry St	0.06	120	R								NA			NA		09/14/2010
(1103) Jefferson Ave	0.05	110	R								NA			NA		09/15/2010
(1103) Jefferson Ave	0.02	90	R								NA			NA		09/15/2010
(1103) Jefferson Ave	0.13	120	R								NA			NA		09/15/2010
(1103) Jefferson Ave	0.05	170	R								NA			NA		09/15/2010
(1103) Jefferson Ave	0.06	210	R								NA			NA		09/15/2010
(1103) Jefferson Ave	0.12	180	R								NA			NA		09/15/2010
(1103) Jefferson Ave	0.12	230	R								NA			NA		09/15/2010
(1104) Madison Ave	0.05	100	R								NA			NA		10/06/2010
(1104) Madison Ave	0.04	110	R								NA			NA		10/06/2010
(1104) Madison Ave	0.13	160	R								NA			NA		10/06/2010
(1104) Madison Ave	0.06	280	R								NA			NA		10/06/2010
(1104) Madison Ave	0.07	150	R								NA			NA		10/06/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Cape Charles</b>																
(1104) Madison Ave	0.12	200	R									NA		NA		10/06/2010
(1104) Madison Ave	0.12	700	R									NA		NA		10/06/2010
(1105) Fig St	0.10	1500	R									NA		NA		10/06/2010
(1105) Fig St	0.11	880	R									NA		NA		10/06/2010
(1105) Fig St	0.38	870	R									NA		NA		10/07/2010
(1106) Washington Ave	0.13	350	R									NA		NA		10/07/2010
(1106) Washington Ave	0.06	360	R									NA		NA		10/07/2010
(1106) Washington Ave	0.06	410	R									NA		NA		10/07/2010
(1106) Washington Ave	0.12	420	R									NA		NA		10/07/2010
(1106) Washington Ave	0.12	290	R									NA		NA		10/07/2010
(1107) Harbor Ave	0.06	340	R									NA		NA		10/07/2010
(1107) Harbor Ave	0.06	210	R									NA		NA		10/07/2010
(1107) Harbor Ave	0.06	230	R									NA		NA		10/07/2010
(1107) Harbor Ave	0.07	220	R									NA		NA		10/07/2010
(1107) Harbor Ave	0.06	190	R									NA		NA		10/07/2010
(1108) Marina Dr	0.23	90	R									NA		NA		10/07/2010
(1108) Marina Dr	0.32	1000	R									NA		NA		10/07/2010
(1109) Peach St	0.05	320	R									NA		NA		10/07/2010
(1109) Peach St	0.05	100	R									NA		NA		10/07/2010
(1109) Peach St	0.03	140	R									NA		NA		10/07/2010
(1109) Peach St	0.06	110	R									NA		NA		10/07/2010
(1109) Peach St	0.06	90	R									NA		NA		10/07/2010
(1110) Monroe Ave	0.06	180	R									NA		NA		10/07/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Cape Charles</b>																
(1110) Monroe Ave	0.03	220	R								NA			NA		10/07/2010
(1110) Monroe Ave	0.11	130	R								NA			NA		10/07/2010
(1110) Monroe Ave	0.11	150	R								NA			NA		10/07/2010
(1110) Monroe Ave	0.11	240	R								NA			NA		10/07/2010
(1110) Monroe Ave	0.09	160	R								NA			NA		10/07/2010
(1111) Tazewell Ave	0.07	130	R								NA			NA		11/02/2010
(1111) Tazewell Ave	0.05	180	R								NA			NA		11/02/2010
(1111) Tazewell Ave	0.17	230	R								NA			NA		11/02/2010
(1111) Tazewell Ave	0.07	420	R								NA			NA		11/02/2010
(1111) Tazewell Ave	0.12	310	R								NA			NA		11/02/2010
(1111) Tazewell Ave	0.12	320	R								NA			NA		11/02/2010
(1111) Tazewell Ave	0.10	310	R								NA			NA		11/02/2010
(1112) Randolph Ave	0.08	290	R								NA			NA		11/02/2010
(1112) Randolph Ave	0.06	350	R								NA			NA		11/02/2010
(1112) Randolph Ave	0.11	810	R								NA			NA		11/02/2010
(1112) Randolph Ave	0.06	1000	R								NA			NA		11/02/2010
(1112) Randolph Ave	0.07	1100	R								NA			NA		11/02/2010
(1112) Randolph Ave	0.12	1200	R								NA			NA		11/02/2010
(1112) Randolph Ave	0.12	1500	R								NA			NA		11/02/2010
(1113) Plum St	0.05	310	R								NA			NA		11/02/2010
(1113) Plum St	0.05	350	R								NA			NA		11/02/2010
(1113) Plum St	0.06	230	R								NA			NA		11/02/2010
(1113) Plum St	0.07	390	R								NA			NA		11/02/2010
(1113) Plum St	0.06	310	R								NA			NA		11/02/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Cape Charles</b>																
1113 Plum St	0.05	270	R									NA		NA		11/02/2010
1114 Fulcher St	0.08	330	R									NA		NA		11/02/2010
1114 Fulcher St	0.07	170	R									NA		NA		11/02/2010
1115 Park Row	0.06	40	R									NA		NA		11/02/2010
1116	0.08	870	R									NA		NA		11/02/2010
1117	0.33	610	R									NA		NA		11/02/2010
<b>Northampton County</b>																
1120 Eden Meadows Way	0.42	350	R									NA		NA		09/15/2010
1122 Pine Meadows Way	0.62	350	R									NA		NA		09/15/2010
1123 Elm Tree Ct	0.08	70	R									NA		NA		09/15/2010
1124 Spruce Tree Ct	0.05	40	R									NA		NA		09/15/2010
1130 Harbour Lane	0.70	100	R									NA		NA		09/15/2010
1134 Bluff Dr	0.97	350	R									NA		NA		10/06/2010
1135 Bluff Ct	0.12	40	R									NA		NA		10/06/2010
1140 Wilsonia Shore Dr	0.82	110	R									NA		NA		10/06/2010
1141 Wilsonia Dr	0.99	40	R									NA		NA		10/06/2010
1142 Wilsonia Harbor Lane	0.20	30	R									NA		NA		10/06/2010
1143 Wilsonia Harbor	0.07	30	R									NA		NA		10/06/2010
1143 Wilsonia Harbor	0.23	30	R									NA		NA		07/31/2007
1144	0.30	20	R									NA		NA		11/02/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Northampton County</b>																
(1144)	0.25	20	R								NA			NA		11/02/2010
(1201) Major Ct	0.10	80	R								NA			NA		10/14/2010
(1202) Bowen Circle	0.10	150	R								NA			NA		10/14/2010
(1203) Hog Island Lane	0.12	47	R								NA			NA		10/14/2010
(1204) Parting Creek Rd	0.10	310	R								NA			NA		10/14/2010
(1204) Parting Creek Rd	0.20	140	R								NA			NA		10/14/2010
(1210) Ashby Rd	0.29	220	R								NA			NA		10/13/2010
(1211) Occohannock Blvd	0.30	210	R								NA			NA		10/13/2010
(1212) Highland Ct	0.08	40	R								NA			NA		10/13/2010
(1230) Hare Valley Trail	0.20	220	R								NA			NA		10/13/2010
(1231) Hare Valley Court	0.02	70	R								NA			NA		10/13/2010
<b>Town of Cheriton</b>																
(1301) Stoakley Rd	0.48	180	R								NA			NA		10/07/2010
<b>Northampton County</b>																
(1302) Banks Rd	0.30	20	R								NA			NA		09/14/2010
(1303) Banks Rd	0.30	450	R								NA			NA		10/07/2010
<b>Town of Cheriton</b>																
(1304) Maple Dr	0.25	240	R								NA			NA		10/07/2010
<b>Northampton County</b>																
(1305) Casey Lane	0.34	120	R								NA			NA		10/07/2010
<b>Town of Cheriton</b>																
(1305) Casey Lane	0.06	30	R								NA			NA		09/27/2001
(1306) Wilson Rd	0.10	320	R								NA			NA		10/07/2010



Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Cheriton</b>																
(1306) Wilson Rd	0.03	240	R			From: 65-1308 Holland Dr To: 65-1318 Wilson Ct					NA			NA		10/07/2010
(1308) Holland Dr	0.24	100	R			From: Bus US 13 To: 65-1306 Wilson Rd					NA			NA		10/07/2010
(1309) Sunnyside Rd	0.05	49	R			From: Dead End To: 65-1313 Pine View Rd					NA			NA		10/07/2010
(1309) Sunnyside Rd	0.05	100	R			From: 65-1310 Huntington St To: 65-1310 Huntington St					NA			NA		10/07/2010
(1309) Sunnyside Rd	0.18	410	R			From: 65-1309 Sunnyside Rd To: Bus US 13 ; 65-639					NA			NA		10/07/2010
(1310) Huntington Rd	0.09	140	R			From: 65-1314 To: 65-680 Townfield Dr					NA			NA		10/07/2010
(1310) Huntington Rd	0.08	120	R			From: 65-642 Seaview Dr To: Dead End					NA			NA		10/07/2010
<b>Northampton County</b>																
(1311) Fisher Ct	0.34	530	R			From: Dead End To: 65-1303 Banks Rd					NA			NA		10/07/2010
(1312) Mildreds Lane	0.16	50	R			From: 65-1309 Sunnyside Rd To: 65-1314					NA			NA		10/07/2010
<b>Town of Cheriton</b>																
(1313) Pine View Rd	0.08	70	R			From: 65-1313 Pine View Rd To: 65-1310 Huntington Rd					NA			NA		10/07/2010
(1314)	0.05	30	R			From: 65-639 Sunnyside Rd To: 65-1316; 65-1317					NA			NA		10/07/2010
<b>Northampton County</b>																
(1315) Cheriton Dr	0.11	210	R			From: 65-1316; 65-131 To: Dead End					NA			NA		10/07/2010
(1315) Cheriton Dr	0.06	40	R			From: 65-1315; 65-1317 To: Dead End					NA			NA		10/07/2010
(1316) Eastway Ct	0.04	70	R			From: Dead End To: 65-1315; 65-1316					NA			NA		10/07/2010
(1317)	0.04	70	R			From: 65-1306 Wilson Rd To: End Loop					NA			NA		10/07/2010
<b>Town of Cheriton</b>																
(1318) Wilson Ct	0.50	190	R			From: 65-641 Parsons Circle To: 65-1321 Tower Hill Circle					NA			NA		09/14/2010
<b>Northampton County</b>																
(1320) Kings Creek Pkwy	0.12	190	R			From: 65-1320 Kings Creek Pkwy To: 65-1322 Bunburry Plantation Lane					NA			NA		09/14/2010

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Northampton County</b>																
1322	Bunburry Plantation Lane	0.22	190	R			From: 65-1324; 65-1325 Verlinda Landing					NA		NA		09/14/2010
							To: 65-1321 Tower Hill Circle									
1323	Bowden Landing	0.08	8	R			From: Dead End					NA		NA		09/14/2010
							To: 65-1325 Verlinda Landing									
1324	Verlinda Landing S	0.18	80	R			From: Dead End					NA		NA		09/14/2010
							To: 65-1322 Bunburry Plantation Lane									
1325	Verlinda Landing N	0.27	190	R			From: 65-1322 Bunburry Plantation Lane					NA		NA		09/14/2010
							To: Dead End									
1401	Machipongo Lane	0.27	150	R			From: 65-627 Machipongo Dr					NA		NA		10/07/2010
							To: Dead End									
1501	Bannister St	0.20	2	R			From: Dead End					NA		NA		09/22/2010
							To: 65-1504 Seay Rd									
1501	Bannister St	0.20	200	R			From: 65-1504 Seay Rd					NA		NA		09/22/2010
							To: 65-622 Trehernvielle Dr									
1502	Kates Dr	0.20	300	R			From: 65-1503 Harmon Rd					NA		NA		09/22/2010
							To: 65-1504 Seay Rd									
1502	Kates Dr	0.15	520	R			From: 65-1504 Seay Rd					NA		NA		09/22/2010
							To: US 13 Lankford Hwy									
1503	Harmon Rd	0.15	320	R			From: Dead End					NA		NA		09/22/2010
							To: 65-1502 Kates Dr									
1504	Seay Rd	0.35	620	R			From: 65-1502 Kates Dr					NA		NA		09/22/2010
							To: 65-1501 Bannister St									
1509	Pheasant Court	0.04	40	R			From: 65-1510 Swan Dr					NA		NA		09/24/2010
							To: Dead End									
1510	Swan Dr	0.60	20	R			From: Dead End					NA		NA		09/24/2010
							To: 65-1511 Swan Lane									
1510	Swan Dr	0.17	110	R			From: 65-1511 Swan Lane					NA		NA		09/23/2010
							To: 65-619 Church Neck Rd									
1511	Swan Lane	0.08	45	R			From: Cul-de-Sac					NA		NA		09/24/2010
							To: 65-1510 Swan Dr									
1512	Heron Dr	0.58	250	R			From: Cul-de-Sac					NA		NA		09/24/2010
							To: 65-1519 Bluefish Lane									
1512	Heron Dr	0.56	140	R			From: 65-1519 Bluefish Lane					NA		NA		09/24/2010
							To: 65-619 Church Neck Rd									
1513	Trout Lane	0.66	200	R			From: Cul-de-Sac					NA		NA		09/24/2010
							To: 65-1512 Heron Dr									
1514	Mallard Lane	0.16	40	R			From: Cul-de-Sac					NA		NA		09/24/2010
							To: 65-619 Church Neck Rd									
1515	Peacock Lane	0.09	10	R			From: Cul-de-Sac					NA		NA		09/24/2010
							To: 65-1516 Pintail Court									

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Northampton County</b>																
(1515) Peacock Lane	0.06	30	R			From: 65-1516 Pintail Court					NA			NA		09/24/2010
(1515) Peacock Lane	0.07	70	R			From: 65-1517 Blue Teal Lane					NA			NA		09/24/2010
						To: 65-619 Church Neck Rd										
(1516) Pintail Court	0.06	10	R			From: Cul-de-Sac					NA			NA		09/24/2010
						To: 65-1515 Peacock Lane										
(1517) Blue Teal Lane	0.29	70	R			From: Cul-de-Sac					NA			NA		09/24/2010
						To: 65-1515 Peacock Lane										
(1518) Channel Bass Lane	0.15	60	R			From: 65-1513 Trout Lane					NA			NA		09/24/2010
						To: 65-1512 Heron Dr										
(1519) Bluefish Lane	0.06	20	R			From: Cul-de-Sac					NA			NA		09/24/2010
						To: 65-1512 Heron Dr										
(1520) Black Drum Lane	0.13	70	R			From: 65-1512 Heron Dr					NA			NA		09/24/2010
						To: Cul-de-Sac										
(1521) Cardinal Court	0.02	7	R			From: 65-1510 Swan Dr					NA			NA		09/23/2010
						To: Cul-de-Sac										
(1522) Quail Lane	0.09	40	R			From: 65-1510 Swan Dr					NA			NA		09/24/2010
						To: 65-1523 Snipe Lane										
(1523) Snipe Lane	0.06	20	R			From: Cul-de-Sac					NA			NA		09/23/2010
						To: 65-1522 Quail Lane										
(1524) Spoon Bill Lane	0.05	10	R			From: Cul-de-Sac					NA			NA		09/23/2010
						To: 65-1512 Heron Dr										
(1525)	0.03	3	R			From: Dead End					NA			NA		07/31/2007
						To: 65-1510 Swan Dr; 65-1511 Swan Lane										
(1526)	0.03	280	R			From: 65-1512 Heron Dr					NA			NA		07/31/2007
						To: Dead End										
<b>Town of Eastville</b>																
(1601) James St	0.13	130	R			From: 65-631 Willow Oak Rd					NA			NA		11/02/2010
						To: ECL Eastville										
<b>Northampton County</b>																
(1602) Rockefeller Lane	0.15	130	R			From: 65-631 Indiantown Rd					NA			NA		11/02/2010
						To: Dead End										
<b>Town of Eastville</b>																
(1603) Holland Ct	0.20	230	R			From: SCL Eastville					NA			NA		11/02/2010
						To: 65-631 Willow Oak Rd										
(1604) Debedeavon Lane	0.08	160	R			From: WCL Eastville					NA			NA		11/02/2010
						To: Bus US 13, Courthouse Rd										
(1605) Tyson Circle	0.38	180	R			From: 65-631 W, Crossroad Ave					NA			NA		11/02/2010
						To: 65-631 E, Crossroad Ave										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Eastville</b>																
(1606)	0.14	350	R				From: 65-631 W, Willow Oak Rd				NA		NA		11/02/2010	
							To: 65-631 E, Willow Oak Rd									
<b>Northampton County</b>																
(1610) Meadows Dr	0.15	320	R				From: Cul-de-Sac				NA		NA		11/02/2010	
(1610) Meadows Dr	0.09	170	R				From: 65-1611 Meadowood Lane				NA		NA		11/02/2010	
							To: 65-633 Captain Howe Lane									
(1611) Meadowood Lane	0.06	50	R				From: Cul-de-Sac				NA		NA		11/02/2010	
							To: 65-1610 Meadows Dr									
(1701) Bell Lane	0.40	80	R				From: US 13 Lankford Hwy				NA		NA		10/06/2010	
							To: Dead End									
(1702) Martins Siding Rd	0.35	100	R				From: US 13 Lankford Hwy				NA		NA		10/06/2010	
							To: Dead End									
(1703) Reedtown Lane	0.25	80	R				From: US 13 Lankford Hwy				NA		NA		10/06/2010	
							To: Dead End									
(1801) Broadwater Circle	0.36	60	R				From: 65-639 W, Sunnyside Rd				NA		NA		10/06/2010	
							To: 65-639 E, Sunnyside Rd									
(1802) Crumb Hill Rd	0.75	670	R				From: 65-639 Sunnyside Rd				NA		NA		10/06/2010	
							To: Dead End									
(1803)	0.10	230	R				From: 65-639 W, Sunnyside Rd				NA		NA		10/06/2010	
							To: 65-639 E, Sunnyside Rd									
(1901) Sand Hill Rd	1.40	310	R				From: 65-1904 Lake Dr				NA		NA		10/06/2010	
							To: 65-645 Arlington Rd									
(1902) Blueberry Dr	0.20	80	R				From: 65-1903 Blueberry Dr				NA		NA		10/06/2010	
							To: 65-1901 Guys Neck Rd									
(1903) Blueberry Dr	0.30	160	R				From: 65-1902 Blueberry Dr				NA		NA		10/06/2010	
							To: 65-645 Arlington Rd									
(1904) Lake Dr	0.40	90	R				From: Cul-de-Sac				NA		NA		10/06/2010	
							To: 65-1901 Sand Hill Rd									
(1905) Sand Hill Dr	0.62	70	R				From: 65-1904 Lake Dr; 65-1901 Sand Hill Rd				NA		NA		10/06/2010	
							To: Dead End									
(9290) Bus Loop Access Rd	0.20	420	R				From: 65-684 Fairview Rd				NA		NA		10/07/2010	
							To: 65-684 Fairview Rd									
(9291)	0.09	990	R				From: 65-627 Young St				NA		NA		10/07/2010	
							To: Machipongo Elem Sch									
(9293) Bus Loop Access Rd	0.10	90	R				From: 65-600 Seaside Dr				NA		NA		10/07/2010	
							To: 65-600 Seaside Dr									
(9585)	0.25	1800	R				From: US 13				NA		NA		10/07/2010	
							To: Northampton HS									

Virginia Department of Transportation  
 Traffic Engineering Division  
 2011  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Northampton County</b>																	
(9586)	0.40	580	R	From: 65-627 Young St											NA	NA	10/07/2010
				To: Northampton Jr HS													