

2011
Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates
where available

Jurisdiction Report

66

Northumberland County

Prepared By
Virginia Department of Transportation
Traffic Engineering Division

In Cooperation With
U.S. Department of Transportation
Federal Highway Administration

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Frontage Road (F precedes frontage route number)



Secondary Route

Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
 Traffic Engineering Division
 2011
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Northumberland Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
From: []																
200 Jesse DuPont Memorial Hwy	Northumberland County	5.09	5200	F	97%	1%	1%	1%	1%	0%	F	0.093	F	5400	F	
To: []																
From: []																
200 Jesse DuPont Memorial Hwy	Northumberland County	5.09	5200	F	97%	1%	1%	1%	1%	0%	C	0.090	F	5400	F	
To: []																
From: []																
201 Courthouse Rd	Northumberland County	6.92	1800	G	97%	0%	1%	1%	1%	0%	F	NA		1900	G	
To: []																
From: []																
202 Hampton Hall Rd	Northumberland County	3.52	2800	F	91%	1%	1%	3%	5%	0%	C	0.097	F	2800	F	
To: []																
From: []																
360 Richmond Rd	Northumberland County	3.19	5600	G	95%	0%	1%	1%	1%	0%	F	NA		5900	G	
To: []																
From: []																
360 Northumberland Hwy	Northumberland County	0.39	8400	F	95%	1%	1%	2%	2%	0%	F	0.085	F	8600	F	
To: []																
From: []																
360 Northumberland Hwy	Northumberland County	6.74	7400	F	95%	1%	1%	2%	2%	0%	F	0.087	F	7500	F	
To: []																
From: []																
360 Northumberland Hwy	Northumberland County	7.91	5400	F	95%	1%	1%	2%	2%	0%	C	0.083	F	5600	F	
To: []																
From: []																
360 Northumberland Hwy	Northumberland County	3.05	4700	F	95%	1%	1%	2%	2%	0%	F	0.085	F	4900	F	
To: []																
From: []																
360 Northumberland Hwy	Northumberland County	2.14	2700	F	95%	1%	1%	2%	2%	0%	F	0.082	F	2800	F	
To: []																
From: []																
360 Main St	Northumberland County	0.45	840	F	95%	1%	1%	2%	2%	0%	F	0.13	F	870	F	
To: []																

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(603) 51 Chestnut Grove Rd	0.01	90	N			From: Northumberland Co Line To: 51-615 W, Beanes Rd					NA			NA		02/16/2011
(615) 51 Beanes Rd	0.20	570	N	97%	0%	1%	1%	1%	0%	N	0.1	N		590	N	2011
(615) 51 Beanes Rd	0.07	570	N	97%	0%	1%	1%	1%	0%	N	0.1	N		590	N	2011
(615) 51 Beanes Rd	0.26	570	N	97%	0%	1%	1%	1%	0%	N	0.1	N		590	N	2011
(615) 51 Beanes Rd	0.13	570	N	97%	0%	1%	1%	1%	0%	N	0.1	N		590	N	2011
(615) 51 Beanes Rd	0.02	570	N	97%	0%	1%	1%	1%	0%	N	0.1	N		590	N	2011
(615) 51 Crawfords Corner Rd	0.05	510	N	97%	0%	1%	1%	1%	0%	N	0.118	N		520	N	2011
(600) 600 Ridge Rd	1.10	770	F	98%	0%	0%	1%	1%	0%	F	0.104	F		780	F	2011
(600) 600 Ridge Rd	0.90	1200	F	98%	0%	0%	1%	1%	0%	F	0.103	F		1200	F	2011
(600) 600 Ridge Rd	2.69	1300	F	98%	0%	0%	1%	1%	0%	C	0.101	F		1300	F	2011
(600) 600 Gibeon Rd	0.10	1600	F	98%	0%	1%	1%	1%	0%	F	0.1	F		1600	F	2011
(600) 600 Gibeon Rd	1.60	710	F	98%	0%	1%	1%	1%	0%	C	0.103	F		720	F	2011
(600) 600 Gibeon Rd	0.70	460	R									NA		NA		03/18/2008
(600) 600 Gibeon Rd	0.20	250	R									NA		NA		03/18/2008
(601) 601 Bunker Hill Rd	1.40	20	R									NA		NA		03/20/2008
(601) 601 Gilliams Rd	0.70	9	R									NA		NA		03/20/2008
(601) 601 Dodlyt Rd & Bush Mill Rd	4.70	310	R									NA		NA		03/20/2008
(601) 601 Rows Landing Rd	1.10	80	R									NA		NA		03/24/2008
(602) 602 Eagle Point Rd	1.26	150	R									NA		NA		06/08/2011
Lancaster County																
(603) 603 Chestnut Grove Lane	0.04	180	R									NA		NA		06/02/2011
Northumberland County																
(603) 603 Georgetown Rd	3.10	100	R									NA		NA		03/24/2008
(603) 603 Mallard Bay Dr	0.82	150	R									NA		NA		03/24/2008

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
604	Dodlyt Rd	2.60	410	R								NA		NA		06/06/2011
604	Hazard Rd	1.80	160	R								NA		NA		06/08/2011
604	Indian Valley Rd	2.78	390	F	94%	2%	2%	1%	0%	0%	C	0.1	F	390	F	2011
604	Sydners Millpond Rd	4.00	400	R								NA		NA		06/28/2011
604	Mob Neck Rd	2.55	460	R								NA		NA		06/30/2011
604	Mob Neck Rd	0.94	240	R								NA		NA		06/30/2011
604	Mob Neck Rd	0.11	60	R								NA		NA		06/30/2011
604	Mob Neck Rd	0.06	20	R								NA		NA		06/30/2011
605	Mt Olive Rd	1.60	340	F	95%	2%	2%	1%	0%	0%	C	0.127	F	350	F	2011
605	Mt Olive Rd	1.25	170	R								NA		NA		04/09/2008
605	Mt Olive Rd	5.08	150	R								NA		NA		04/09/2008
606	Shiloh School Rd	0.60	340	R								NA		NA		05/19/2008
606	Shiloh School Rd	1.50	260	R								NA		NA		05/19/2008
606	Cloverdale Rd	0.65	30	R								NA		NA		04/09/2008
Lancaster County																
607	Ditchley Rd	0.04	910	F	98%	0%	1%	1%	0%	0%	F	0.095	F	930	F	2011
Northumberland County																
607	Ditchley Rd	1.16	590	F	98%	0%	1%	1%	0%	0%	C	0.103	F	600	F	2011
607	Ditchley Rd	1.10	260	R								NA		NA		04/09/2008
608	Bluff Point Rd	2.19	1900	G	96%	0%	1%	3%	0%	0%	C	NA		2000	G	2011
608	Jarvis Point Rd	1.50	90	R								NA		NA		05/24/2011
609	Browns Store Rd	2.48	1100	F	96%	0%	1%	1%	1%	0%	C	0.085	F	1200	F	2011
609	Remo Rd	1.45	1900	F	98%	1%	1%	0%	0%	0%	C	0.091	F	2000	F	2011

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Northumberland County																	
609	Remo Rd	0.82	760	F	98%	1%	1%	0%	0%	0%	F	0.101	F	790	F	2011	
							From: 66-665 W, Mila Rd										
							To: 66-665 E, Millpoint Dr										
609	Remo Rd	1.55	590	R								NA		NA		05/19/2008	
							From: 66-1010 Skipjack Dr										
							To: 66-1031 Ingram Bay Dr										
609	Harveys Neck Rd	0.50	150	R								NA		NA		05/19/2008	
							From: Lancaster County Line; 51-615										
610	Light St	1.30	930	F	97%	0%	1%	1%	1%	0%	C	0.101	F	950	F	2011	
							From: 66-642 Knights Run Rd										
610	Sampsons Wharf Rd	1.10	400	R								NA		NA		03/24/2008	
							From: 66-748 Locust Grove Lane										
610	Sampsons Wharf Rd	0.50	180	R								NA		NA		03/24/2008	
							From: 66-602 Eagle Point Rd										
610	Sampsons Wharf Rd	0.70	40	R								NA		NA		06/08/2011	
							From: Dead End										
611	Lara Ridge Rd	1.20	120	R								NA		NA		03/20/2008	
							From: 66-601 W; Dodlyt Rd & Bush Mill Rd; Gilliams Rd										
							To: 66-601 E; Gilliams Rd; Bunker Hill Rd										
611	Gilliams Rd	1.80	20	R								NA		NA		03/20/2008	
							From: SR 201 Courthouse Rd										
612	Coan Stage Rd	3.10	490	R								NA		NA		03/18/2008	
							From: 66-600 Richmond County Line										
612	Forrest Landing Rd	0.16	170	R								NA		NA		03/27/2008	
							From: US 360 Northumberland Hwy										
612	Forrest Landing Rd	0.31	150	R								NA		NA		03/27/2008	
							From: Future 66-824										
612	Forrest Landing Rd	0.60	60	R								NA		NA		03/27/2008	
							From: 66-613 Mill Wood Lane										
612	Forrest Landing Rd	0.20	20	R								NA		NA		03/27/2008	
							From: 0.60 ME 66-613										
							To: Dead End										
613	Mill Wood Lane	0.60	30	R								NA		NA		03/27/2008	
							From: 66-612 Forrest Landing Rd										
							To: Dead End										
614	Walmsley Rd	2.99	580	F	98%	0%	0%	0%	1%	0%	C	0.104	F	590	F	2011	
							From: 66-600 Ridge Rd										
							To: US 360 S, Northumberland Hwy										
614	Lake Rd	1.30	1300	F	96%	1%	1%	1%	2%	0%	C	0.086	F	1300	F	2011	
							From: US 360 N, Northumberland Hwy										
614	Lake Rd	1.01	960	F	96%	1%	1%	1%	2%	0%	F	0.093	F	990	F	2011	
							From: 66-629 N, Bundick Rd										
614	Lake Rd	0.20	330	R								NA		NA		03/27/2008	
							From: 66-627 S, Lake Landing Rd										
614	Lake Rd	0.80	250	R								NA		NA		03/27/2008	
							From: 66-627 N, Honest Point Rd										
							To: Dead End										
616	Luttrellville Rd	0.39	670	R								NA		NA		03/20/2008	
							From: 66-600 Richmond County Line										
							To: US 360 Richmond Rd										
617	Lively Hope Rd	1.70	690	F	97%	1%	1%	1%	0%	0%	C	0.113	F	710	F	2011	
							From: 66-600 Gibeon Rd										
							To: 66-619 S, Deer Run Rd										

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(617) Lively Hope Rd	1.30	790	F	97%	1%	1%	1%	0%	0%	F	0.105	F		810	F	2011
(617) Henderson Dr	0.20	40	R									NA		NA		03/18/2008
(617) Gardys Mill Rd	1.10	370	R									NA		NA		03/18/2008
(618) Fallintown Rd	0.50	270	R									NA		NA		03/18/2008
(618) Fruit Plain Rd	2.50	220	R									NA		NA		03/18/2008
(619) Valley Dr	1.20	220	R									NA		NA		03/18/2008
(619) Deer Run Rd	0.90	270	R									NA		NA		03/18/2008
(620) Kissinger Spring Rd	1.50	210	R									NA		NA		04/02/2008
(620) Hatches Ave	0.95	180	R									NA		NA		04/02/2008
(620) Hatches Ave	0.05	30	R									NA		NA		04/02/2008
(621) Mundy Point Rd	3.07	440	F	92%	1%	2%	4%	2%	0%	C	0.117	F		450	F	2011
(622) Harry Hogan Rd	0.85	470	F	97%	0%	1%	2%	0%	0%	C	0.126	F		480	F	2011
(622) Harry Hogan Rd	1.80	300	F	97%	0%	1%	2%	0%	0%	F	0.121	F		310	F	2011
(623) Melrose Rd	1.50	290	R									NA		NA		04/02/2008
(624) Lewisetta Rd	1.30	1600	F	95%	0%	1%	1%	2%	0%	C	0.099	F		1600	F	2011
(624) Lewisetta Rd	2.70	1100	F	95%	0%	1%	1%	2%	0%	F	0.101	F		1100	F	2011
(624) Lewisetta Rd	1.98	380	F	95%	0%	1%	1%	2%	0%	F	0.134	F		390	F	2011
(624) River Rd	0.90	130	F	95%	0%	1%	1%	2%	0%	F	0.13	F		130	F	2011
(625) Cowart Rd	0.65	340	R									NA		NA		04/02/2008
(625) Cowart Rd	1.05	140	R									NA		NA		04/02/2008
(626) Glebe Rd	1.20	200	R									NA		NA		03/27/2008

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(627) Honest Point Rd	0.38	70	R									NA		NA		03/27/2008
(627) Honest Point Rd	0.80	100	R									NA		NA		03/27/2008
(627) Lake Landing Rd	0.90	380	R									NA		NA		03/27/2008
(627) Lake Landing Rd	0.10	200	R									NA		NA		03/27/2008
(628) Coan Haven Rd	0.96	100	R									NA		NA		03/27/2008
(629) Coan Harbour Rd	0.15	40	R									NA		NA		03/27/2008
(629) Coan Harbour Rd	1.14	290	R									NA		NA		03/27/2008
(629) Bundick Rd	0.43	270	R									NA		NA		03/27/2008
(629) Bundick Rd	0.40	130	R									NA		NA		03/27/2008
(629) Coan Wharf Rd	1.70	120	R									NA		NA		04/30/2008
(629) Coan Wharf Rd	0.90	230	R									NA		NA		04/30/2008
(629) Font Hill Rd	2.30	230	R									NA		NA		05/05/2008
(629) Hull Harbor Rd	0.80	270	R									NA		NA		05/05/2008
(629) Hull Harbor Rd	0.10	150	R									NA		NA		05/05/2008
(630) Walnut Point Rd	2.00	830	F	92%	0%	1%	3%	4%	0%	C	0.088	F		850	F	2011
(630) Walnut Point Rd	2.55	170	R									NA		NA		04/30/2008
(630) Walnut Point Rd	0.75	30	R									NA		NA		04/30/2008
(631) Clarketown Rd	1.30	130	R									NA		NA		08/15/2011
(631) Clarketown Rd	0.30	10	R									NA		NA		08/15/2011
(632) Kingston Rd	1.00	310	R									NA		NA		03/24/2008
(633) Pole Thicket Rd	0.40	45	R									NA		NA		03/18/2008
(634) Spring Rd	1.87	300	F	98%	0%	0%	1%	0%	0%	C	0.110	F		310	F	2011

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(634) Mantua Rd	0.48	50	R									NA		NA		06/21/2011
(635) Sandy Beach Rd	1.45	200	R									NA		NA		05/05/2008
(636) Avalon Lane	0.20	1700	R									NA		NA		05/05/2008
(636) Newmans Neck Rd	2.40	660	R									NA		NA		05/05/2008
(636) Newmans Neck Rd	0.70	750	R									NA		NA		05/05/2008
(636) Newmans Neck Rd	1.23	140	R									NA		NA		05/05/2008
(637) Betts Bottom	1.10	170	R									NA		NA		05/05/2008
(638) Coan Church Rd	2.40	20	R									NA		NA		03/20/2008
(639) Cedar Point Rd	0.46	30	R									NA		NA		03/24/2008
(639) Cedar Point Rd	1.04	270	R									NA		NA		03/24/2008
(640) Pumpkin Hill Rd	1.40	160	R									NA		NA		03/24/2008
(640) Hull Neck Rd	1.50	990	R									NA		NA		05/13/2008
(640) Hull Neck Rd	2.55	300	R									NA		NA		05/13/2008
(640) Hull Neck Rd	1.35	120	R									NA		NA		05/13/2008
(640) Marshalls Beach Rd	0.73	40	R									NA		NA		05/13/2008
(641) Lampkintown Rd	0.70	420	R									NA		NA		07/05/2011
(642) Knights Run Rd	1.20	790	G	95%	1%	3%	1%	1%	0%	F	NA		840	G		2011
(642) Knights Run Rd	1.59	850	G	95%	1%	3%	1%	1%	0%	C	NA		910	G		2011
(643) Vir-Mar Beach Rd	0.70	130	R									NA		NA		08/18/2011
(644) Main St	0.43	850	G	97%	0%	2%	0%	1%	0%	C	NA		910	G		2011
(644) Reed Ave	0.50	140	G	97%	2%	1%	0%	0%	0%	F	NA		140	G		2011

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(644) Blackberry Rd	1.50	270	F	97%	2%	1%	0%	0%	0%	F	0.115	F		280	F	2011
						From: 66-657 Fleeton Rd										
						To: 66-652 Gaskins Beach Rd										
(644) Sunny Bank Rd	0.90	580	F	97%	2%	1%	0%	0%	0%	C	0.104	F		610	F	2011
						From: 66-652 Gaskins Beach Rd, Sunny Bank Rd										
(644) Sunny Bank Rd	0.94	450	G	97%	2%	1%	0%	0%	0%	F	NA			480	G	2011
						From: 66-651 Smith Point Rd										
(644) Ferry Rd	1.57	280	G	97%	2%	1%	0%	0%	0%	F	NA			300	G	2011
						From: Sunnybank Ferry										
						To: 66-649 E, Lighthouse View Dr										
(644) Hacks Neck Rd	0.30	720	G	97%	2%	1%	0%	0%	0%	F	NA			770	G	2011
						From: 66-649 S, Lighthouse View Dr										
(644) Hacks Neck Rd	1.39	910	G	97%	2%	1%	0%	0%	0%	F	NA			980	G	2011
						From: 66-649 N, Flood Point Rd										
(644) Hacks Neck Rd	3.62	1100	F	97%	2%	1%	0%	0%	0%	F	0.100	F		1100	F	2011
						From: 66-643 Vir-Mar Beach Rd										
						To: US 360 W, Northumberland Hwy										
(645) Gonyon Rd	1.05	80	R								NA			NA		05/21/2008
						From: 66-644 S, Hacks Neck Rd										
						To: 66-644 N, Hacks Neck Rd										
(646) Folly Rd	1.40	200	R								NA			NA		05/15/2008
						From: 66-640 Hull Neck Rd										
						To: 66-645 Gonyon Rd										
(646) Folly Rd	1.88	280	R								NA			NA		05/15/2008
						From: US 360 W, Northumberland Hwy										
						To: US 360 E, Northumberland Hwy										
(646) Waverly Rd	1.00	230	F	88%	1%	1%	5%	5%	0%	F	0.134	F		240	F	2011
						From: 66-715 Brickyard Rd										
(646) Waverly Rd	2.00	70	F	88%	1%	1%	5%	5%	0%	F	0.187	F		80	F	2011
						From: US 360 N, Northumberland Hwy										
						To: US 360 S, Northumberland Hwy										
(646) Fairport Rd	0.10	910	F	88%	1%	1%	5%	5%	0%	F	0.101	F		950	F	2011
						From: 66-702 Lilian Lane										
(646) Fairport Rd	2.00	930	F	88%	1%	1%	5%	5%	0%	C	0.101	F		970	F	2011
						From: 66-662 Timbs Rd										
(646) Fairport Rd	0.70	230	G	88%	1%	1%	5%	5%	0%	F	NA			250	G	2011
						From: 66-660 McNeal Rd										
(646) Fairport Rd	0.30	110	R								NA			NA		06/02/2008
						From: Dead End										
						To: US 360 Northumberland Hwy										
(647) Greenfield Rd	1.05	570	R								NA			NA		05/21/2008
						From: 66-769 Greenfield Point Dr										
(647) Greenfield Rd	0.95	420	R								NA			NA		05/21/2008
						From: Dead End										
						To: Dead End										
(648) Wicomico Point Rd	0.80	160	R								NA			NA		08/18/2011
						From: 66-644 Ferry Rd										
						To: Dead End										
(649) Flood Point Rd	1.10	170	R								NA			NA		05/21/2008
						From: 66-644 W, Ferry Rd										
						To: 66-644 E, Ferry Rd										
(649) Lighthouse View Dr	2.40	310	R								NA			NA		05/21/2008
						From: Dead End										
						To: Dead End										
(650) Sweethall Dr	0.27	120	R								NA			NA		05/29/2008
						From: 66-774 Solitude Dr										

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(650) Sweethall Dr	0.50	260	R									NA		NA		05/29/2008
						From: 66-774 Solitude Dr										
						To: 66-644 Sunny Bank Rd										
(650) Campground Rd	0.47	110	R									NA		NA		05/29/2008
						From: Dead End										
						To: 66-644 Sunny Bank Rd										
(651) Smith Point Rd	1.00	370	R									NA		NA		05/29/2008
						From: Dead End										
						To: US 360 Northumberland Hwy										
(652) Sunny Bank Rd	0.22	1100	G	97%	1%	2%	0%	1%	0%	C		NA		1100	G	2011
						From: 66-703 Old Bethany Dr										
(652) Sunny Bank Rd	1.00	1000	G	97%	1%	2%	0%	1%	0%	F		NA		1100	G	2011
						From: 66-644 W, Sunny Bank Rd; Blackberry Rd										
						To: 66-644 E, Blackberry Rd										
(652) Gaskins Beach Rd	0.50	170	R									NA		NA		08/08/2011
						From: 66-802 Tranquility Rd										
						To: Dead End										
(653) Whays Creek Rd	1.85	390	R									NA		NA		06/02/2008
						From: 66-646 Waverly Rd										
(653) Whays Creek Rd	0.40	320	R									NA		NA		05/29/2008
						From: US 360 Northumberland Hwy										
						To: Dead End										
(654) Fox Point Rd	1.33	210	R									NA		NA		07/05/2011
						From: 66-646 Fairport Rd										
						To: Dead End										
(655) Roseland Rd	0.40	120	R									NA		NA		06/02/2008
						From: 66-726 Liberty Rd										
						To: 66-646 Fairport Rd										
(656) Buzzards Point Rd	1.40	190	R									NA		NA		06/02/2008
						From: Dead End										
						To: Dead End										
(657) Fleeton Wharf Rd	0.20	20	R									NA		NA		06/02/2008
						From: 66-677 Fleeton Point Circle										
(657) Sunny Bank Rd	1.27	490	G	95%	0%	1%	0%	3%	0%	F		NA		530	G	2011
						From: 66-659 Menhaden Rd										
(657) Fleeton Rd	1.57	1700	F	95%	0%	1%	0%	3%	0%	C	0.097	F		1800	F	2011
						From: 66-644 Blackberry Rd; Reed Ave										
(657) Fleeton Rd	0.10	2200	F	95%	0%	1%	0%	3%	0%	F	0.102	F		2300	F	2011
						From: US 360 Main Street; Northumberland Hwy										
						To: Dead End										
(658) Chesapeake Beach Rd	0.60	210	R									NA		NA		08/08/2011
						From: 66-657 S, Fleeton Rd										
						To: 66-657 N, Fleeton Rd										
(658) Seaboard Rd	0.80	280	R									NA		NA		08/08/2011
						From: Dead End										
						To: Dead End										
(659) Menhaden Rd	0.64	820	R									NA		NA		06/02/2008
						From: 66-657 Fleeton Rd										
						To: 66-646 Fairport Rd										
(660) McNeal Rd	0.30	340	R									NA		NA		07/05/2011
						From: Dead End										
						To: 66-646 Fairport Rd										
(661) Polly Cove Rd	0.18	170	R									NA		NA		07/05/2011
						From: Dead End										

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(662) Timbs Rd	0.50	30	G	90%	0%	3%	0%	7%	0%	C	NA			30	G	2011
(663) Blackwell Wharf Rd	0.55	150	R								NA			NA		06/04/2008
(663) Blackwell Wharf Rd	0.65	340	R								NA			NA		06/04/2008
(664) Wicomico View Lane	0.30	240	R								NA			NA		06/02/2011
(664) Wicomico View Lane	0.15	200	R								NA			NA		06/02/2011
(665) Millpoint Dr	0.86	200	R								NA			NA		06/04/2008
(665) Mila Rd	1.90	480	F	96%	2%	2%	0%	0%	0%	C	0.1	F		500	F	2011
(665) Millpoint Dr	0.60	90	R								NA			NA		05/19/2008
(666) Sandy Point Rd	1.61	320	R								NA			NA		06/04/2008
(666) Sandy Point Rd	0.45	130	R								NA			NA		06/04/2008
(667) Bogey Neck Rd	1.21	390	R								NA			NA		06/02/2011
(667) Bogey Neck Rd	0.65	110	R								NA			NA		06/02/2011
(668) Harding Rd	1.64	130	R								NA			NA		05/31/2011
(669) Bluff Point Rd	0.51	120	R								NA			NA		04/07/2008
(669) Bluff Point Rd	0.65	190	R								NA			NA		04/07/2008
(669) Bluff Point Rd	0.25	380	F	95%	0%	1%	3%	0%	0%	F	0.118	F		390	F	2011
(669) Bluff Point Rd	0.81	1500	G	95%	0%	1%	3%	0%	0%	C	NA			1600	G	2011
(669) Kent Point Rd	0.40	440	R								NA			NA		04/09/2008
(669) Prentice Creek Rd	0.70	280	R								NA			NA		04/09/2008
(669) Apple Grove Rd	2.50	170	R								NA			NA		04/09/2008
(669) Waddys Rd	1.30	100	R								NA			NA		05/19/2008

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(670) Hardings Wharf Dr	0.20	40	R								NA			NA		04/09/2008
(670) Hardings Wharf Dr	0.60	130	R								NA			NA		04/09/2008
(671) Kent Point Rd	0.65	260	R								NA			NA		04/09/2008
(671) Kent Point Rd	0.35	220	R								NA			NA		04/09/2008
(672) Painter Point Rd	0.80	190	R								NA			NA		04/07/2008
(673) Taylors Beach Rd	0.87	180	R								NA			NA		08/08/2011
(674) Crabbetown Rd	1.00	200	R								NA			NA		06/21/2011
(675) Locust Lane	0.20	230	R								NA			NA		04/02/2008
(676) Logan Lodge Rd	0.10	20	R								NA			NA		05/24/2011
(676) Logan Lodge Rd	0.40	120	R								NA			NA		05/24/2011
(677) Fleeton Point Circle	0.50	100	R								NA			NA		08/08/2011
(677) Fleeton Point Circle	0.10	210	R								NA			NA		08/08/2011
(678) Old Tipers Rd	1.97	360	R								NA			NA		05/15/2008
(679) Crosshills Rd	1.15	90	R								NA			NA		05/19/2008
(679) Crosshills Rd	1.60	60	R								NA			NA		05/31/2011
(679) Crosshills Rd	1.45	200	R								NA			NA		05/19/2008
(680) Cherry Point Rd	1.00	30	R								NA			NA		06/21/2011
(681) Burnette Lane	0.75	60	R								NA			NA		06/08/2011
(682) Owl Point Rd	0.80	20	R								NA			NA		06/06/2011
(683) Old Fairport Rd	0.90	60	R								NA			NA		06/02/2008

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(684) Deep Water Lane	0.52	48	R									NA		NA		08/08/2011
(685) Oyster Rd	0.40	70	R									NA		NA		03/27/2008
(686) Pebble Rd	0.47	120	R									NA		NA		05/31/2011
(687) Devils Wood Yard Rd	0.35	60	R									NA		NA		08/18/2011
(688) Waddeytown Rd	0.60	10	R									NA		NA		05/19/2008
(689) Salem Rd	0.43	30	R									NA		NA		06/06/2011
(690) Cobbs Hall Lane	0.60	130	R									NA		NA		05/31/2011
(691) Clarketown Rd	0.40	90	R									NA		NA		08/15/2011
(692) Shell Landing Rd	0.22	90	R									NA		NA		06/02/2008
(692) Shell Landing Rd	0.08	110	R									NA		NA		06/02/2008
(693) Guarding Point Lane	0.30	30	R									NA		NA		04/09/2008
(693) Guarding Point Lane	0.40	20	R									NA		NA		04/09/2008
(694) Avalon Lane	0.20	690	R									NA		NA		06/28/2011
(695) Blundons Rd	0.50	980	R									NA		NA		06/30/2011
(696) Gascony Lane	0.41	20	R									NA		NA		04/09/2008
(697) Aaron Dr	0.25	170	R									NA		NA		06/21/2011
(698) Academic Lane	0.75	1300	R									NA		NA		06/28/2011
(699) Old Glebe Point Rd	0.28	100	R									NA		NA		05/15/2008
(699) Old Glebe Point Rd	0.74	210	R									NA		NA		05/15/2008

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(700) Sutton Ave	0.06	20	R									NA		NA		06/02/2008
			From: Dead End													
(700) Sutton Ave	0.13	130	R									NA		NA		06/02/2008
			From: 66-760 Pine Dr													
(700) Sutton Ave	0.29	130	R									NA		NA		06/02/2008
			From: 66-714 Morrison St													
			To: 66-657 Fleeton Rd													
(701) Azalea Lane	0.20	110	R									NA		NA		06/06/2011
			From: Dead End													
			To: 66-711 Owl Town Rd													
(702) Lilian Lane	0.10	350	G	93%	0%					C		NA		380	G	2011
			From: 66-646 Fairport Rd													
			To: US 360 Northumberland Hwy													
(703) Old Bethany Dr	0.42	170	F	99%	0%		1%	0%	1%	0%	C	0.151	F	170	F	2011
			From: US 360 Northumberland Hwy													
			To: 66-652 Sunny Bank Rd													
(704) Fleets Cove Lane	0.35	5	R									NA		NA		05/05/2008
			From: 66-636 Newmans Neck Rd													
			To: Dead End													
(705) Point Pleasant Rd	0.41	40	R									NA		NA		05/24/2011
			From: 66-671 Kent Point Rd													
			To: Dead End													
(706) Candy Point Rd	0.80	50	R									NA		NA		05/13/2008
			From: 66-640 Hull Neck Rd													
(706) Candy Point Rd	0.10	7	R									NA		NA		05/13/2008
			From: 0.80 MN 66-640													
			To: Dead End													
(707) Coopers Landing Rd	1.50	140	R									NA		NA		03/24/2008
			From: Dead End													
			To: US 360; 66-752													
(708) Brooks Lane	0.65	290	R									NA		NA		03/18/2008
			From: 66-617 Lively Hope Rd													
			To: Dead End													
(709) Chambers Lane	0.91	150	R									NA		NA		04/02/2008
			From: 66-624 Lewisetta Rd													
			To: Dead End													
(710) Madge Marsh	0.30	20	R									NA		NA		06/04/2008
			From: Dead End													
			To: 66-665 Mila Rd													
(711) Owl Town Rd	2.49	140	R									NA		NA		03/20/2008
			From: US 360 S, Richmond Rd													
			To: US 360 N, Richmond Rd													
(712) Harry Hogan Rd	0.77	1200	F	97%	0%		1%	1%	0%	0%	C	0.098	F	1200	F	2011
			From: SR 202 Hampton Hall Rd													
			To: 66-622 Harry Hogan Rd													
(712) Lodge Rd	1.50	340	R									NA		NA		04/02/2008
			From: 66-629 Hull Harbor Rd													
			To: Dead End													
(713) Stoney Rd	0.40	70	R									NA		NA		06/28/2011
			From: 66-629 Hull Harbor Rd													
			To: Dead End													
(714) Morrison St	0.08	160	R									NA		NA		06/02/2008
			From: 66-644 Reed Ave													
			To: 66-700 Sutton Ave													
(715) Brickyard Rd	0.80	190	R									NA		NA		07/05/2011
			From: Dead End													
			To: 66-646 Waverly Rd; Brickyard Rd													

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(716) Kent Cove Rd	0.55	110	R									NA		NA		05/24/2011
(717) Cordreys Beach Rd	0.26	70	R									NA		NA		05/13/2008
(717) Cordreys Beach Rd	0.34	40	R									NA		NA		05/13/2008
(718) Train Lane	0.58	30	R									NA		NA		06/04/2008
(719) Oyster Shell Lane	0.30	40	R									NA		NA		04/02/2008
(720) Kelley Lane	0.65	30	R									NA		NA		04/30/2008
(721) Lewis Lane	0.75	290	R									NA		NA		03/24/2008
(722) Morris Ave	0.35	220	R									NA		NA		06/02/2008
(723)	0.06	150	R									NA		NA		1986
(724) Wilkins Creek Lane	0.49	90	R									NA		NA		04/02/2008
(725) Lawrence Cove Lane	0.30	70	R									NA		NA		04/09/2008
(726) Liberty Rd	0.53	120	R									NA		NA		06/02/2008
(727) Tocky Lane	0.04	70	R									NA		NA		05/19/2008
(728) Killneck Lane	0.09	20	R									NA		NA		03/27/2008
(729) Cedar Lane	0.23	210	R									NA		NA		05/23/2011
(730) Cloverleaf Rd	0.30	80	R									NA		NA		05/31/2011
(731) Cranes Landing Rd	0.13	20	R									NA		NA		06/04/2008
(732) Bells Cove Rd	0.65	60	R									NA		NA		06/06/2011
(733)	0.07	20	R									NA		NA		1999

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(734) Rock Town Rd	0.55	170	R			From: 66-647 Greenfield Rd					NA		NA			08/22/2011
						To: Dead End										
(735) Whittaker Lane	0.20	48	R			From: 66-670 Hardings Wharf Dr					NA		NA			08/22/2011
						To: Dead End										
(736) Pine Tree Point Rd	0.50	80	R			From: Dead End					NA		NA			08/18/2011
						To: 66-644 Hacks Neck Rd										
(737) Fairport Rd	0.30	70	R			From: Dead End					NA		NA			07/05/2011
						To: 66-646 Fairport Rd										
(738) Dungan Rd	0.45	6	R			From: Dead End					NA		NA			06/06/2011
						To: 66-612 Coan Stage Rd										
(739) Driftwood Trail	0.38	20	R			From: 66-649 Lighthouse View Dr					NA		NA			08/18/2011
						To: Dead End										
(740) Greenwood Beach Rd	1.00	120	R			From: 66-604 Mob Neck Rd					NA		NA			06/30/2011
						To: Dead End										
(741) Hope-Union Rd	0.40	30	R			From: Dead End					NA		NA			07/05/2011
						To: 66-646 Waverly Rd										
(742) Highland Point Rd	0.19	70	R			From: Dead End					NA		NA			04/02/2008
						To: 66-625 Cowart Rd										
(743) John Deere Rd	0.21	40	R			From: 66-600 Gibeon Rd					NA		NA			06/06/2011
						To: Dead End										
(744) Damerontown Rd	0.90	160	R			From: Dead End					NA		NA			03/18/2008
						To: 66-614 Walmsley Rd										
(744) Ivy Lane	0.38	100	R			From: Dead End					NA		NA			03/18/2008
						To: Dead End										
(745) Doctors Point Rd	1.00	120	R			From: Dead End					NA		NA			06/21/2011
						To: 66-624 Lewisetta Rd										
(746) Colieville Lane	0.25	90	R			From: Dead End					NA		NA			08/08/2011
						To: 66-657 Fleeton Rd										
(747) Rogue Point Lane	0.25	20	R			From: 66-665 Millpoint Dr					NA		NA			05/19/2008
						To: Dead End										
(748) Locust Grove Lane	0.90	110	R			From: 66-610 Sampsons Wharf Rd					NA		NA			06/08/2011
						To: Dead End										
(749) Gardys Lane	0.50	110	R			From: 66-618 Fruit Plain Rd					NA		NA			03/18/2008
						To: 0.50 MN 66-618										
(749) Gardys Lane	0.30	40	R			From: Dead End					NA		NA			03/18/2008
						To: Dead End										
(750) Supply Lane	0.08	130	R			From: US 360 Northumberland Hwy					NA		NA			05/23/2011
						To: Dead End										

Virginia Department of Transportation
 Traffic Engineering Division
 2011
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(751) Cod Creek Dr	0.85	430	R			From: 66-629 Font Hill Rd					NA			NA		04/30/2008
(751) Cod Creek Dr	1.26	170	R			From: 66-1403 Presley Creek Dr					NA			NA		04/30/2008
(751) Cod Creek Dr	0.09	100	R			From: 66-1411 S, Muriel Dr					NA			NA		04/30/2008
(751) Cod Creek Dr	0.07	100	R			From: 66-1411 N, Muriel Dr					NA			NA		04/30/2008
(751) Cod Creek Dr	0.06	80	R			From: 66-1402 S, Circle Dr					NA			NA		04/30/2008
(751) Cod Creek Dr	0.21	70	R			From: 66-1402 N, Circle Dr					NA			NA		04/30/2008
(751) Cod Creek Dr						To: 66-1401 Bay Quarter Dr										
(752) Horsehead Lane	0.40	30	R			From: US 360: 66-707					NA			NA		06/28/2011
(752) Horsehead Lane						To: US 360 Northumberland Hwy										
(753) Firehouse Rd	0.30	170	R			From: Dead End					NA			NA		07/05/2011
(753) Firehouse Rd						To: SR 200 Jesse DuPont Mem Hwy										
(754) Maple Ave	0.10	40	R			From: Dead End					NA			NA		08/08/2011
(754) Maple Ave						To: 66-722 Morris Ave										
(755) Judith Sound Rd	0.52	50	R			From: 66-624 Lewisetta Rd					NA			NA		06/21/2011
(755) Judith Sound Rd						To: Dead End										
(756) Rogers Creek Rd	0.40	10	R			From: Dead End					NA			NA		05/13/2008
(756) Rogers Creek Rd						To: 66-717 Cordreys Beach Rd										
(757) Quinton Oaks Lane	0.30	240	R			From: 66-600 Richmond County Line					NA			NA		06/06/2011
(757) Quinton Oaks Lane						To: Dead End										
(758) Move Hall Lane	0.05	360	R			From: US 360 Northumberland Hwy					NA			NA		03/20/2008
(758) Move Hall Lane	0.15	160	R			From: 66-793 Commerce Rd					NA			NA		03/20/2008
(758) Move Hall Lane						To: Dead End										
(759) Lake Francis Lane	0.40	70	R			From: Dead End					NA			NA		06/21/2011
(759) Lake Francis Lane						To: 66-624 Lewisetta Rd										
(760) Pine Dr	0.10	60	R			From: Dead End					NA			NA		08/08/2011
(760) Pine Dr						To: 66-700 Sutton Ave										
(761) Lee Dale Dr	0.61	80	R			From: Dead End					NA			NA		06/02/2011
(761) Lee Dale Dr	0.15	110	R			From: 0.61 ME Dead End					NA			NA		06/02/2011
(761) Lee Dale Dr						To: 66-665 Millpoint Dr										
(762) Dudley Lane	0.12	20	R			From: Dead End					NA			NA		06/06/2011
(762) Dudley Lane						To: 66-621 Mundy Point Rd										
(763) Sculling Oar Lane	0.48	30	R			From: 66-669 Apple Grove Rd					NA			NA		04/09/2008
(763) Sculling Oar Lane						To: Dead End										

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(764) Potomac Overlook Lane	0.27	45	R			From: 66-685 Oyster Rd					NA		NA			06/21/2011
						To: Dead End										
(765) Butlers Lane	0.16	20	R			From: 66-622 Harry Hogan Rd					NA		NA			06/06/2011
						To: Dead End										
(766) Dividing Creek Lane	0.50	50	R			From: 66-669 Apple Grove Rd					NA		NA			04/09/2008
						To: Dead End										
(768)	0.10	4	R			From: 66-711 Owl Town Rd					NA		NA			03/20/2008
						To: Dead End										
(769) Greenfield Point Dr	0.62	220	R			From: 66-647 Greenfield Rd					NA		NA			08/22/2011
						To: Dead End										
(770) Boatyard Rd	0.18	170	R			From: 66-646 Fairport Rd					NA		NA			07/05/2011
						To: Dead End										
(771) Ball Lane	0.75	10	R			From: Dead End					NA		NA			04/09/2008
						To: 66-605 Mt Olive Rd										
(772) Devils Wood Yard Rd	0.50	40	R			From: 66-687 Devils Wood Yard Rd					NA		NA			08/18/2011
						To: Dead End										
(774) Solitude Dr	0.28	90	R			From: 66-650 Sweethall Dr					NA		NA			08/09/2011
						To: Dead End										
(775) Factory Lane	0.08	170	R			From: US 360 Northumberland Hwy					NA		NA			05/23/2011
						To: Dead End										
(776) Gill Lane	0.25	20	R			From: 66-636 Newmans Neck Rd					NA		NA			05/05/2008
						To: Dead End										
(777) Magnolia Lane	0.16	80	R			From: Dead End					NA		NA			06/30/2011
						To: 66-640 Marshalls Beach Rd; Hull Neck Rd										
(779) Kirkland Grove Lane	0.25	4	R			From: 66-601 Dodlyt Rd & Bush Mill Rd					NA		NA			06/06/2011
						To: Dead End										
(780) Conaway Lane	0.14	45	R			From: Dead End					NA		NA			05/31/2011
						To: 66-679 Crosshills Rd										
(781) Bon Harbor Rd	0.82	150	R			From: 66-624 Lewisetta Rd					NA		NA			06/21/2011
						To: Cul-de-Sac										
(782)	0.20	120	R			From: SR 202 Hampton Hall Rd					NA		NA			1986
						To: Dead End										
(783) Fords Pond Rd	0.10	30	R			From: Dead End					NA		NA			07/05/2011
						To: 66-646 Fairport Rd										
(784) Glebe View Lane	0.36	140	R			From: 66-614 Lake Rd					NA		NA			06/21/2011
						To: Dead End										
(785) Northumberland Dr	1.16	130	R			From: 66-624 Lewisetta Rd					NA		NA			06/21/2011
						To: 66-786 Northumberland Dr										

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(786) Northumberland Dr	0.39	90	R			From: 66-785 Northumberland Dr					NA			NA		06/21/2011
						To: 66-787 Shore Lane										
(787) Shore Lane	0.06	60	R			From: 66-786 Northumberland Dr					NA			NA		06/21/2011
						To: Dead End										
(788) Tucker Point Lane	0.30	40	R			From: 66-712 Lodge Rd					NA			NA		06/06/2011
						To: Dead End										
(789) Mantua Rd	0.15	20	R			From: 66-634 Mantua Rd					NA			NA		04/30/2008
						To: Dead End										
(790) Lone Walnut Rd	0.30	200	R			From: Westmoreland County Line					NA			NA		03/18/2008
						To: 66-600 Gibeon Rd										
(791) Pine Point Dr	0.50	80	R			From: 66-630 Walnut Point Rd					NA			NA		08/15/2011
						To: Dead End										
(792) Mill Creek Lane	0.17	60	R			From: 66-605 Mt Olive Rd					NA			NA		05/31/2011
						To: Dead End										
(793) Commerce Rd	0.18	340	R			From: 66-712 Harry Hogan Rd					NA			NA		05/23/2011
						To: 66-758 Move Hall Lane										
(794) Fountain Gate Rd	0.72	170	R			From: 66-635 Sandy Beach Rd					NA			NA		06/28/2011
						To: Dead End										
(795)	0.43	80	R			From: 79-600 Richmond County Line					NA			NA		1986
						To: Dead End										
(796) Bailey Prong Rd	0.13	30	R			From: 66-609 Remo Rd					NA			NA		05/31/2011
						To: Dead End										
(797) Crabhouse Dr	0.22	30	R			From: 66-644 Sunny Bank Rd					NA			NA		08/09/2011
						To: Dead End										
(798) Pine Crest Dr	0.85	110	R			From: 66-667 Bogey Neck Rd					NA			NA		06/02/2011
						To: Dead End										
(799) Crowder Lane	0.12	230	R			From: 66-801 Crowder Point Dr					NA			NA		06/02/2008
						To: 66-722 Morris Ave										
(799) Crowder Lane	0.07	260	R			From: US 360 Main St					NA			NA		06/02/2008
						To: 66-644 Ferry Rd										
(800) Brammer Dr	0.89	150	R			From: 66-806 Riley Lane					NA			NA		08/18/2011
						To: Cul-de-Sac										
(800) Brammer Dr	0.25	80	R			From: Dead End					NA			NA		08/18/2011
						To: 66-799 Crowder Lane										
(801) Crowder Point Dr	0.29	130	R			From: 66-652 Gaskins Beach Rd					NA			NA		08/08/2011
						To: 66-803 Smith Point View										

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(803) Smith Point View	0.11	50	R									NA		NA		08/08/2011
(804) Roland Rd	0.07	20	R									NA		NA		05/26/2011
(805) Harbor Dr	0.62	130	R									NA		NA		08/09/2011
(806) Riley Lane	0.21	30	R									NA		NA		05/21/2008
(807) Stillwater Rd	0.45	50	R									NA		NA		06/04/2008
(808) Crane Court	0.08	20	R									NA		NA		06/04/2008
(809) Oyster Point Dr	0.74	70	R									NA		NA		08/09/2011
(810) Horn Harbor Rd	0.70	190	R									NA		NA		06/04/2008
(811) Overlook Lane	0.11	50	R									NA		NA		06/04/2008
(812) Steamboat Lane	1.38	160	R									NA		NA		03/20/2008
(813)	0.16	NA										NA		NA		
(815) School St	0.06	150	R									NA		NA		06/02/2008
(818) Warrens Lane	0.32	80	R									NA		NA		06/06/2011
(820) Palmer Dr	1.34	120	R									NA		NA		04/02/2008
(823) Plantation Rd	0.22	40	R									NA		NA		06/09/2008
(824)	0.05	10	R									NA		NA		03/27/2008
(830) Harmony Hills Circle	0.41	120	R									NA		NA		05/19/2008
(835) Twin Cove Lane	0.60	130	R									NA		NA		05/21/2008
(836) Potomac Dr	0.55	60	R									NA		NA		05/05/2008

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(837) Presley Dr	0.12	20	R									NA		NA		06/28/2011
(840) Sunrise Court	0.25	150	R									NA		NA		03/27/2008
(841) Holly Court	0.14	70	R									NA		NA		03/27/2008
(842) Kingscote Dr	0.66	110	R									NA		NA		06/21/2011
(845) Messick Lane	0.24	70	R									NA		NA		03/27/2008
(1001) Back St	0.02	510	R									NA		NA		05/23/2011
(1001) Back St	0.12	110	R									NA		NA		05/23/2011
(1002) Monument Place	0.04	720	R									NA		NA		05/23/2011
(1002) Monument Place	0.03	190	R									NA		NA		05/23/2011
(1002) Monument Place	0.03	610	R									NA		NA		05/23/2011
(1002) Monument Place	0.02	860	R									NA		NA		05/23/2011
(1003) Judicial Place	0.03	120	R									NA		NA		05/23/2011
(1004) Judicial Place	0.06	330	R									NA		NA		05/23/2011
Town of Kilmarnock																
(1005) Clifton Ave	0.05	350	R									NA		NA		05/24/2011
(1005) Clifton Ave	0.14	40	R									NA		NA		05/24/2011
Northumberland County																
(1006) Wicomico Dr	0.15	30	R									NA		NA		05/15/2008
(1006) Wicomico Dr	0.32	140	R									NA		NA		05/15/2008
(1006) Wicomico Dr	0.26	40	R									NA		NA		05/15/2008
(1007) Tipers Circle	0.22	40	R									NA		NA		06/02/2011
(1008) Laurel Ridge Rd	0.34	80	R									NA		NA		06/02/2011

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
1009	Glebe Point Lane	0.07	20	R								NA		NA		05/15/2008
1010	Skipjack Dr	0.31	160	R								NA		NA		06/10/2008
1010	Skipjack Dr	0.15	70	R								NA		NA		06/10/2008
1010	Skipjack Dr	0.28	40	R								NA		NA		06/10/2008
1011	Keel Court	0.08	30	R								NA		NA		06/10/2008
1012	Mainsail Court	0.08	20	R								NA		NA		06/10/2008
1013	Marlin Place	0.19	20	R								NA		NA		06/04/2008
Town of Kilmarnock																
1014	Dixie Ave	0.06	40	R								NA		NA		05/24/2011
1015	Avonne St	0.07	30	R								NA		NA		05/24/2011
1016	Bellevue Rd	0.14	340	R								NA		NA		05/24/2011
1017	Bay Ridge Ave	0.06	50	R								NA		NA		04/07/2008
Northumberland County																
1018	Creeside Dr	0.36	30	R								NA		NA		06/02/2011
1019	Glenside Terrace	0.18	7	R								NA		NA		06/02/2011
1020	Snowden Park Dr	0.17	120	R								NA		NA		05/15/2008
1023	Lagrange Dr	0.20	60	R								NA		NA		05/31/2011
1024	Lagrange Ave	0.34	40	R								NA		NA		05/31/2011
1025	Clifton Landing Lane	1.67	230	R								NA		NA		05/24/2011
1026	Mariners Watch Lane	0.17	40	R								NA		NA		04/07/2008
1027	Mariners Watch Lane	0.32	70	R								NA		NA		04/07/2008

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
1028 Tide Point Lane	0.10	30	R				From: 66-1025 Clifton Landing Lane					NA		NA		04/07/2008
							To: Dead End									
1029 Way Point Lane	0.14	40	R				From: 66-1025 Clifton Landing Lane					NA		NA		04/07/2008
							To: Cul-de-Sac									
1030 Compass Dr	0.03	20	R				From: Cul-de-Sac					NA		NA		06/10/2008
							To: 66-1032 Harvey Lane									
1030 Compass Dr	0.09	60	R				From: 66-1032 Harvey Lane					NA		NA		06/10/2008
							To: 66-609 Harveys Neck Rd									
1031 Ingram Bay Dr	0.07	20	R				From: Cul-de-Sac					NA		NA		06/10/2008
							To: 66-1032 Harvey Lane									
1031 Ingram Bay Dr	0.08	60	R				From: 66-1032 Harvey Lane					NA		NA		06/10/2008
							To: 66-609 Harveys Neck Rd									
1031 Ingram Bay Dr	0.07	30	R				From: 66-609 Harveys Neck Rd					NA		NA		06/10/2008
							To: Cul-de-Sac									
1032 Harvey Lane	0.20	40	R				From: 66-1030 Compass Dr					NA		NA		06/10/2008
							To: 66-1031 Ingram Bay Dr									
1035 Natty Point Lane	0.40	100	R				From: 66-669 Apple Grove Rd					NA		NA		05/19/2008
							To: Cul-de-Sac									
1038 Waring Lane	0.16	60	R				From: Dead End					NA		NA		05/19/2008
							To: 66-668 Harding Rd									
1039 East Harmony Circle	0.13	20	R				From: Cul-de-Sac					NA		NA		05/19/2008
							To: 66-1038 Waring Lane									
1040 Bowsprit Lane	0.04	20	R				From: Cul-de-Sac					NA		NA		06/10/2008
							To: 66-1010 Skipjack Dr									
1041 Rudder Place	0.03	9	R				From: Cul-de-Sac					NA		NA		06/10/2008
							To: 66-1010 Skipjack Dr									
1042 Crowsnest Court	0.10	20	R				From: Cul-de-Sac					NA		NA		06/10/2008
							To: 66-1010 Skipjack Dr									
1043 Bowsprit Lane	0.09	30	R				From: Dead End					NA		NA		05/31/2011
							To: 66-1010; 66-1040									
1044 Spinnaker Court	0.05	4	R				From: 66-1010 Skipjack Dr					NA		NA		06/10/2008
							To: Dead End									
1048 Wrights Cove Dr	0.67	40	R				From: 66-624 Lewisetta Rd					NA		NA		06/10/2008
							To: Dead End									
1049 Claughton Wright Lane	0.14	10	R				From: 66-1048 Wrights Cove Dr					NA		NA		06/10/2008
							To: Dead End									
1050 Richard Rd	0.27	80	R				From: 66-1051 Surry St					NA		NA		05/21/2008
							To: 66-644 Ferry Rd									

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(1051) Surry St	0.29	60	R								NA			NA		05/21/2008
(1052) Wicomico Way Dr	0.16	50	R								NA			NA		08/18/2011
(1053) Wicomico View Dr	0.21	20	R								NA			NA		08/18/2011
(1060) Oyster Way	0.80	140	R								NA			NA		06/28/2011
(1061) Greenway Place	0.30	30	R								NA			NA		06/28/2011
(1062) Bayward Dr	0.44	40	R								NA			NA		06/28/2011
(1063) Shellfish Dr	0.15	20	R								NA			NA		05/05/2008
(1064) Wood Duck Circle	0.05	20	R								NA			NA		05/05/2008
(1070) Swann Way	0.09	120	R								NA			NA		06/08/2011
(1071) Lake View Dr	0.72	60	R								NA			NA		06/08/2011
(1071) Lake View Dr	0.30	40	R								NA			NA		06/08/2011
(1077) Cranes Creek Harbor Dr	0.63	110	R								NA			NA		06/02/2011
(1078) Hall Farm Dr	0.12	10	R								NA			NA		06/02/2011
(1078) Hall Farm Rd	0.25	90	R								NA			NA		06/02/2011
(1080) Southgate Dr	0.70	100	R								NA			NA		06/02/2011
(1081) Gougher Point Rd	0.17	30	R								NA			NA		06/02/2011
(1084) Chesapeake Dr	0.98	70	R								NA			NA		05/13/2008
(1085) Potomac Way	0.17	30	R								NA			NA		05/13/2008
(1086) Eagles Nest Lane	0.32	40	R								NA			NA		05/13/2008

Virginia Department of Transportation
 Traffic Engineering Division
 2011
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(1092) Starboard Court	0.10	10	R								NA		NA			05/05/2008
(1093) Windjammer Court	0.07	4	R								NA		NA			05/05/2008
(1094) Spinnaker Lane	0.32	50	R								NA		NA			05/05/2008
(1095) Gull Lane	0.20	20	R								NA		NA			06/28/2011
(1096) Osprey Dr	0.18	20	R								NA		NA			06/28/2011
(1101) Cheyenne Pass	0.06	40	R								NA		NA			04/07/2008
(1101) Cheyenne Pass	0.05	30	R								NA		NA			04/07/2008
(1102) Cherokee Trail	0.08	30	R								NA		NA			04/07/2008
(1102) Cherokee Trail	0.11	4	R								NA		NA			04/07/2008
(1103) Powhatan	0.13	30	R								NA		NA			04/07/2008
(1103) Powhatan	0.06	30	R								NA		NA			04/07/2008
(1105) Navajo Rd	0.10	30	R								NA		NA			05/26/2011
(1105) Navajo Rd	0.17	120	R								NA		NA			05/26/2011
(1106) Shawnee	0.24	30	R								NA		NA			05/26/2011
(1106) Shawnee	0.06	110	R								NA		NA			05/26/2011
(1107) South Sioux	0.27	40	R								NA		NA			05/26/2011
(1107) North Sioux	0.03	20	R								NA		NA			05/26/2011
(1107) North Sioux	0.19	49	R								NA		NA			05/26/2011
(1107) North Sioux	0.05	100	R								NA		NA			05/26/2011
(1108)	0.02	10	R								NA		NA			05/26/2011
(1109) South Sioux Rd	0.02	20	R								NA		NA			05/26/2011

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(1110) Pawnee Pass	0.06	50	R				From: 66-1112 Comanche Lane				NA		NA		05/26/2011	
(1110) Pawnee Pass	0.09	70	R				From: 66-1111 Apache Trail				NA		NA		05/26/2011	
							To: 66-1115 Pocohontas Rd									
(1111) Apache Trail	0.20	20	R				From: 66-1116 Tuckahoe Dr				NA		NA		05/26/2011	
							To: 66-1110 Pawnee Pass									
(1112) Comanche Lane	0.21	30	R				From: 66-1116 Tuckahoe Dr				NA		NA		05/26/2011	
							To: 66-1110 Pawnee Pass									
(1113) Bells Creek Lane	0.36	40	R				From: Dead End				NA		NA		04/07/2008	
							To: 66-672 Painter Point Rd									
(1114) Club Dr	0.36	730	R				From: 66-1118 East Dr				NA		NA		05/26/2011	
							To: 66-1115 Pocohontas Rd									
(1115) Pocohontas Rd	0.07	30	R				From: Dead End				NA		NA		04/07/2008	
(1115) Pocohontas Rd	0.12	60	R				From: 66-1117 Orapax Rd				NA		NA		04/07/2008	
(1115) Pocohontas Rd	0.04	130	R				From: 66-1116 Tuckahoe Dr				NA		NA		04/07/2008	
(1115) Pocohontas Rd	0.14	150	R				From: 66-1101 Cheyenne Pass				NA		NA		04/07/2008	
(1115) Pocohontas Rd	0.09	220	R				From: 66-1110 Pawnee Pass				NA		NA		04/07/2008	
(1115) Pocohontas Rd	0.07	600	R				From: 66-1114 Club Dr				NA		NA		04/07/2008	
							To: 66-669 Bluff Point Rd									
(1116) Tuckahoe Dr	0.29	100	R				From: Dead End				NA		NA		05/26/2011	
(1116) Tuckahoe Dr	0.06	110	R				From: 66-1112 Comanche Lane				NA		NA		05/26/2011	
(1116) Tuckahoe Dr	0.06	140	R				From: 66-1111 Apache Trail				NA		NA		05/26/2011	
							To: 66-1115 Pocohontas Rd									
(1117) Orapax Rd	0.03	30	R				From: 66-1115 Pocohontas Rd				NA		NA		05/26/2011	
(1117) Orapax Rd	0.09	30	R				From: 0.03 MN 66-1115				NA		NA		05/26/2011	
							To: Dead End									
(1118) East Dr	0.15	40	R				From: Begin Loop				NA		NA		05/26/2011	
(1118) East Dr	0.15	80	R				From: End Loop				NA		NA		05/26/2011	
(1118) East Dr	0.35	140	R				From: 0.15 MN End Loop				NA		NA		05/26/2011	
(1118) East Dr	0.08	470	R				From: 66-1114 Club Dr				NA		NA		05/26/2011	
(1118) East Dr	0.29	350	R				From: 66-1119 N, South Dr				NA		NA		05/26/2011	
							To: 66-1119 S, South Dr									

Virginia Department of Transportation
 Traffic Engineering Division
 2011
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(1119) South Dr	0.09	49	R								NA			NA		05/26/2011
(1119) South Dr	0.08	70	R								NA			NA		05/26/2011
(1119) South Dr	0.20	130	R								NA			NA		05/26/2011
(1120) West Dr	0.14	70	R								NA			NA		05/26/2011
(1121) Henrys View Lane	0.05	46	R								NA			NA		05/24/2011
(1122) Oystershell Rd	0.16	70	R								NA			NA		05/24/2011
(1128) Prentice Circle	0.10	30	R								NA			NA		04/09/2008
(1129) Hunton Dr	0.29	70	R								NA			NA		05/24/2011
(1130) Shore Dr	0.35	48	R								NA			NA		05/24/2011
(1148) Herdn Court	0.07	40	R								NA			NA		03/20/2008
(1149) Rockfish Rd	0.17	30	R								NA			NA		03/20/2008
(1150) Captains Way	0.05	80	R								NA			NA		07/05/2011
(1150) Captains Way	0.45	130	R								NA			NA		07/05/2011
(1151) Thompson Court	0.10	40	R								NA			NA		07/05/2011
(1170) Osprey Way	0.10	40	R								NA			NA		05/21/2008
(1171) Cove Place	0.05	8	R								NA			NA		05/21/2008
(1172) Canvasback Dr	0.37	60	R								NA			NA		05/21/2008
(1173) Pintail Place	0.08	30	R								NA			NA		05/21/2008
(1173) Pintail Place	0.05	6	R								NA			NA		05/21/2008
(1174) Redhead Lane	0.18	10	R								NA			NA		05/21/2008

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(1175) Bussel Point Rd	0.63	40	R			From: 66-609 Remo Rd					NA		NA			05/31/2011
						To: Dead End										
(1201) Maple Lane	0.28	40	R			From: Dead End					NA		NA			05/21/2008
						To: 66-1202 Dogwood Dr										
(1201) Maple Lane	0.07	130	R			From: 66-1202 Dogwood Dr					NA		NA			05/21/2008
						To: 66-644 Hacks Neck Rd										
(1202) Dogwood Dr	0.19	40	R			From: Dead End					NA		NA			08/22/2011
						To: 66-1203 Chestnut Court										
(1202) Dogwood Dr	0.06	50	R			From: 66-1203 Chestnut Court					NA		NA			08/22/2011
						To: 66-1204 Oak Court										
(1202) Dogwood Dr	0.04	80	R			From: 66-1204 Oak Court					NA		NA			08/22/2011
						To: 66-1201 Maple Lane										
(1203) Chestnut Court	0.04	10	R			From: Cul-de-Sac					NA		NA			08/22/2011
						To: 66-1202 Dogwood Dr										
(1204) Oak Court	0.03	8	R			From: Cul-de-Sac					NA		NA			08/22/2011
						To: 66-1202 Dogwood Dr										
(1209) Sawmill Cove Dr	0.46	30	R			From: 66-644 Hacks Neck Rd					NA		NA			08/18/2011
						To: Cul-de-Sac										
(1210) Riverview Lane	0.04	150	R			From: 66-639 Cedar Point Rd					NA		NA			03/24/2008
						To: 66-1212 Trolling Court										
(1210) Riverview Lane	0.40	110	R			From: 66-1212 Trolling Court					NA		NA			03/24/2008
						To: 66-1211 S, Wicomico Way										
(1210) Riverview Lane	0.54	40	R			From: 66-1211 S, Wicomico Way					NA		NA			03/24/2008
						To: 66-1211 N, Wicomico Way										
(1211) Wicomico Way	0.08	70	R			From: 66-1210 Riverview Lane					NA		NA			07/05/2011
						To: 66-1210 Riverview Lane										
(1212) Trolling Court	0.05	20	R			From: 66-1210 Riverview Lane					NA		NA			07/05/2011
						To: Cul-de-Sac										
(1213) Tidewater Court	0.08	30	R			From: Cul-de-Sac					NA		NA			03/24/2008
						To: 66-1210 Riverview Lane										
(1214) Driftwood Court	0.08	20	R			From: Dead End					NA		NA			07/05/2011
						To: 66-1210 Riverview Lane										
(1215) Peninsula Dr	0.40	40	R			From: 66-1220 Cubitt Creek Rd					NA		NA			05/13/2008
						To: Dead End										
(1216) Mallard Dr	0.47	60	R			From: 66-707 Coopers Landing Rd					NA		NA			06/28/2011
						To: Cul-de-Sac										
(1217) Penny Lane	0.06	20	R			From: Cul-de-Sac					NA		NA			06/28/2011
						To: 66-707 Coopers Landing Rd										
(1218) Penn Court	0.12	20	R			From: 66-1224 White Sand Dr					NA		NA			05/13/2008
						To: 66-1215 Peninsula Dr										

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(1219) Holly Dr	0.15	10	R			From: 66-1220 Cubitt Creek Rd					NA			NA		05/13/2008
						To: 66-1215 Peninsula Dr										
(1220) Cubitt Creek Rd	0.64	70	R			From: Cul-de-Sac					NA			NA		05/13/2008
(1220) Cubitt Creek Rd	0.07	90	R			From: 66-1221 Riverview Rd					NA			NA		05/13/2008
(1220) Cubitt Creek Rd	0.10	100	R			From: 66-1223 Cedar Court					NA			NA		05/13/2008
						To: 66-604 Mob Neck Rd										
(1221) Riverview Rd	0.23	30	R			From: 66-1220 Cubitt Creek Rd					NA			NA		06/30/2011
(1221) Riverview Rd	0.21	30	R			From: 66-604 Mob Neck Rd					NA			NA		06/30/2011
						To: 66-1222 Fleet Rd										
(1222) Fleet Rd	0.15	40	R			From: Cul-de-Sac					NA			NA		06/30/2011
(1222) Fleet Rd	0.28	47	R			From: 66-1221 Riverview Rd					NA			NA		06/30/2011
						To: 66-604 Mob Neck Rd										
(1223) Cedar Court	0.06	6	R			From: Cul-de-Sac					NA			NA		06/30/2011
						To: 66-1220 Cubitt Creek Rd										
(1224) White Sand Dr	0.09	48	R			From: 66-1220 Cubitt Creek Rd					NA			NA		05/13/2008
(1224) White Sand Dr	0.01	30	R			From: 66-1225 Lomar Lane					NA			NA		05/13/2008
(1224) White Sand Dr	0.41	10	R			From: 0.01 MS 66-1225					NA			NA		05/13/2008
						To: Cul-de-Sac										
(1225) Lomar Lane	0.26	40	R			From: 66-1227 Dixie Court					NA			NA		06/30/2011
						To: 66-1224 White Sand Dr										
(1226) Riverside Court	0.08	20	R			From: Cul-de-Sac					NA			NA		06/30/2011
(1226) Riverside Court	0.14	40	R			From: 66-1229 Witch Duck Lane					NA			NA		06/30/2011
						To: Cul-de-Sac										
(1227) Dixie Court	0.11	30	R			From: Cul-de-Sac					NA			NA		05/13/2008
						To: Cul-de-Sac										
(1228) Witch Duck Lane	0.02	170	R			From: 66-740 Greenwood Beach Rd					NA			NA		06/30/2011
						To: 66-1229 Witch Duck Lane										
(1229) Witch Duck Lane	0.42	110	R			From: Cul-de-Sac					NA			NA		06/30/2011
(1229) Witch Duck Lane	0.15	49	R			From: 66-1228 Witch Duck Lane					NA			NA		06/30/2011
						To: Riverside Court										
(1230) Canvasback Lane	0.48	180	R			From: 66-603 Mallard Bay Dr					NA			NA		06/08/2011
(1230) Canvasback Lane	0.32	120	R			From: 66-1231 Pintail Lane					NA			NA		06/08/2011
						To: Begin Loop										

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(1230) Canvasback Lane	0.18	30	R								NA			NA		06/08/2011
(1231) Pintail Lane	0.12	50	R								NA			NA		03/24/2008
(1231) Pintail Lane	0.21	30	R								NA			NA		03/24/2008
(1232) Golden Eye Way	0.08	20	R								NA			NA		06/08/2011
(1233) Blue Heron Dr	0.10	30	R								NA			NA		05/15/2008
(1234) Blue Heron Court	0.09	20	R								NA			NA		05/15/2008
(1235) Beach Point Rd	0.17	30	R								NA			NA		05/15/2008
(1236) Bufflehead Court	0.05	20	R								NA			NA		06/08/2011
(1237) Pintail Lane	0.10	30	R								NA			NA		06/08/2011
(1238) Teal Way	0.12	20	R								NA			NA		06/08/2011
(1239) Ruddy Duck Rd	0.22	20	R								NA			NA		03/24/2008
(1240) Pintail Court	0.08	20	R								NA			NA		03/24/2008
(1244) Lighthouse Lane	0.36	30	R								NA			NA		05/15/2008
(1245) Bay View Lane	0.27	50	R								NA			NA		08/18/2011
(1246) Shade Tree Lane	0.41	10	R								NA			NA		05/13/2008
(1301) Locksley Hall Rd	0.68	830	R								NA			NA		05/29/2008
(1301) Locksley Hall Rd	1.03	310	R								NA			NA		05/29/2008
(1302) Bridge Creek Circle	0.79	80	R								NA			NA		08/09/2011
(1303) Locksley Lane	0.28	60	R								NA			NA		08/09/2011

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
(1303) Locksley Lane	0.06	40	R			From: 66-1304 Locksley Court					NA		NA			08/09/2011
						To: 66-1301; 66-1302										
(1304) Locksley Court	0.05	100	R			From: 66-1303 Locksley Lane					NA		NA			08/09/2011
						To: Cul-de-Sac										
(1305) Nottingham Dr	0.28	560	R			From: 66-1301 Locksley Hall Rd					NA		NA			05/29/2008
(1305) Nottingham Dr	0.22	30	R			From: 66-1306 Sherwood Dr					NA		NA			05/29/2008
						To: Cul-de-Sac										
(1306) Sherwood Dr	0.15	440	R			From: 66-1305 Nottingham Dr					NA		NA			08/11/2011
(1306) Sherwood Dr	0.03	450	R			From: 66-1307 Arthur Court					NA		NA			08/11/2011
(1306) Sherwood Dr	0.14	420	R			From: 66-1310 McCormick					NA		NA			08/11/2011
(1306) Sherwood Dr	0.05	370	R			From: 66-1311 Swann Court					NA		NA			08/11/2011
(1306) Sherwood Dr	0.11	200	R			From: 66-1315 Friar St					NA		NA			08/11/2011
(1306) Sherwood Dr	0.12	140	R			From: 66-1317 Berkshire Dr					NA		NA			08/11/2011
(1306) Sherwood Dr	0.10	150	R			From: 66-1316 Galahad Court					NA		NA			08/11/2011
(1306) Sherwood Dr	0.26	150	R			From: 66-1308 Arrow Ave					NA		NA			08/11/2011
(1306) Sherwood Dr	0.08	110	R			From: 66-1312 Merlin Court					NA		NA			08/11/2011
(1306) Sherwood Dr	0.16	110	R			From: 66-1318 Cross Bow St					NA		NA			08/11/2011
						To: Cul-de-Sac										
(1307) Arthur Court	0.15	49	R			From: 66-1306 Sherwood Dr					NA		NA			08/09/2011
						To: Cul-de-Sac										
(1308) Arrow Ave	0.07	10	R			From: 66-1309 Lancelot Dr					NA		NA			08/11/2011
(1308) Arrow Ave	0.10	10	R			From: 66-1317 Berkshire Dr					NA		NA			08/11/2011
						To: 66-1306 Sherwood Dr										
(1309) Lancelot Dr	0.06	90	R			From: 66-1315 Friar St					NA		NA			08/11/2011
(1309) Lancelot Dr	0.33	48	R			From: W Little John St					NA		NA			08/11/2011
(1309) Lancelot Dr	0.06	40	R			From: E Little John St					NA		NA			08/11/2011
(1309) Lancelot Dr	0.16	90	R			From: 66-1315 Friar St					NA		NA			08/11/2011
(1309) Lancelot Dr	0.22	70	R			From: 66-1308 Arrow Ave					NA		NA			08/11/2011
(1309) Lancelot Dr	0.21	60	R			From: 66-1318 Cross Bow St					NA		NA			08/11/2011
						To: Cul-de-Sac										

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
1310 McCormick	0.19	40	R								NA			NA		08/09/2011
1311 Swann Court	0.12	40	R								NA			NA		08/09/2011
1312 Merlin Court	0.04	20	R								NA			NA		08/09/2011
1313 Spear Place	0.03	20	R								NA			NA		05/29/2008
1314 Little John St	0.17	40	R								NA			NA		08/11/2011
1315 Friar St	0.20	110	R								NA			NA		08/11/2011
1316 Galahad Court	0.10	20	R								NA			NA		08/09/2011
1317 Berkshire Dr	0.20	40	R								NA			NA		08/11/2011
1317 Berkshire Dr	0.23	40	R								NA			NA		08/11/2011
1318 Cross Bow St	0.04	49	R								NA			NA		08/11/2011
1318 Cross Bow St	0.07	40	R								NA			NA		08/11/2011
1320 Bridge Creek Dr	0.12	60	R								NA			NA		05/29/2008
1321 Waterview Lane	0.01	20	R								NA			NA		05/29/2008
1321 Waterview Lane	0.01	30	R								NA			NA		05/29/2008
1322 Trumps Court	0.30	70	R								NA			NA		05/29/2008
1323 Little River Dr	0.18	40	R								NA			NA		05/29/2008
1324 Sky Limit Court	0.11	20	R								NA			NA		05/29/2008
1324 Skys Limit Court	0.05	10	R								NA			NA		05/29/2008
1325	0.11	NA									NA			NA		
1329 Spriggs Lane	0.17	48	R								NA			NA		08/09/2011

Virginia Department of Transportation
 Traffic Engineering Division
 2011
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
1330 East Harbor Dr	0.50	70	R											NA		05/29/2008
1335 Twin Harbor Rd	0.76	130	R											NA		08/08/2011
1336 Emerald Cove Rd	0.23	30	R											NA		08/08/2011
1337 Watermans Way	0.20	50	R											NA		08/08/2011
1338 Oyster Bay Rd	0.19	40	R											NA		08/08/2011
1400 Alabama Dr	0.16	20	R											NA		04/30/2008
1401 Bay Quarter Dr	0.14	40	R											NA		08/15/2011
1401 Bay Quarter Dr	0.59	70	R											NA		08/15/2011
1401 Bay Quarter Dr	0.30	120	R											NA		08/15/2011
1402 Circle Dr	0.29	20	R											NA		08/15/2011
1403 Presley Creek Dr	0.29	220	R											NA		08/15/2011
1403 Presley Creek Dr	0.20	180	R											NA		08/15/2011
1403 Presley Creek Dr	0.19	150	R											NA		08/15/2011
1403 Presley Creek Dr	0.07	140	R											NA		08/15/2011
1403 Presley Creek Dr	0.09	100	R											NA		08/15/2011
1403 Presley Creek Dr	0.10	100	R											NA		08/15/2011
1403 Presley Creek Dr	0.35	90	R											NA		08/15/2011
1404 Colorado Dr	0.27	40	R											NA		08/15/2011
1405 Denver Rd	0.20	20	R											NA		08/15/2011
1406 Florida Dr	0.25	40	R											NA		08/15/2011
1407 Tampa Place	0.18	20	R											NA		08/15/2011

Virginia Department of Transportation
 Traffic Engineering Division
 2011
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Northumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northumberland County																
1407 Tampa Place	0.03	30	R									NA		NA		08/15/2011
1408 Hampton Place	0.06	46	R									NA		NA		08/15/2011
1408 Hampton Place	0.20	20	R									NA		NA		08/15/2011
1409 Elmington Place	0.09	70	R									NA		NA		08/15/2011
1409 Elmington Place	0.20	30	R									NA		NA		08/15/2011
1410 Coral Dr	0.25	30	R									NA		NA		08/15/2011
1411 Muriel Dr	0.32	30	R									NA		NA		08/15/2011
1412 Augusta St	0.11	20	R									NA		NA		04/30/2008
1413 Carolina Dr	0.24	30	R									NA		NA		04/30/2008
1414 Howard Court	0.10	20	R									NA		NA		08/15/2011
1415 Holiday Dr	0.18	20	R									NA		NA		04/30/2008