

2016
Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates
where available

Jurisdiction Report

48

King George County

Prepared By
Virginia Department of Transportation
Traffic Engineering Division

In Cooperation With
U.S. Department of Transportation
Federal Highway Administration

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

- North
 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
-  US Route
-  Virginia State Route
-  Frontage Road (F precedes frontage route number)
-  Secondary Route

Special Routes

- Bus
 Bus - Business Route
Bypass - Bypass Route
Truck - Truck Route
- ALT
 ALT - Alternate Route
Wve - Wve Route connector
-  P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
-  The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
 Traffic Engineering Division
 2016
 Annual Average Daily Traffic Volume Estimates By Section of Route
 King George Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
3	Kings Hwy	From: Stafford County Line To: King George County	3.68	21000	F	97%	0%	1%	1%	2%	0%	F	0.095	0.51	22000	F
3	Kings Hwy	From: 48-605 Bloomsbury Rd; LaGrange Lane To: King George County	4.79	21000	F	97%	0%	1%	1%	2%	0%	C	0.097	0.513	21000	F
3	Kings Hwy	From: SR 206 Arnolds Corner To: King George County	2.58	16000	F	97%	0%	1%	1%	2%	0%	F	0.09	0.525	16000	F
3	Kings Hwy	From: SR 205 Purkins Corner To: King George County	1.56	7900	F	97%	0%	1%	1%	2%	0%	F	0.084	0.611	8000	F
3	Kings Hwy	From: US 301 Office Hall To: King George County	7.18	6500	F	93%	0%	1%	2%	4%	0%	C	0.086	0.633	6600	F
		From: Westmoreland County Line To: King George County														
205	Ridge Rd	From: SR 3 Purkins Corner To: King George County	1.26	8300	F	96%	1%	1%	1%	1%	0%	F	0.093	0.565	8400	F
205	Ridge Rd	From: US 301 Edge Hill To: King George County	2.81	5000	F	96%	1%	1%	1%	1%	0%	F	0.086	0.592	5000	F
205	Ridge Rd	From: 48-617 Carruthers Corner To: King George County	3.36	4200	F	96%	1%	1%	1%	1%	0%	C	0.092	0.512	4300	F
		From: Westmoreland County Line To: King George County														
206	Dahlgren Rd	From: SR 3 Arnolds Corner To: King George County	2.18	10000	F	98%	0%	1%	0%	1%	0%	F	0.105	0.678	11000	F
206	Dahlgren Rd	From: 48-610 Indiantown Rd To: King George County	4.26	10000	F	98%	0%	1%	0%	1%	0%	C	0.106	0.747	10000	F
206	218 Dahlgren Rd	From: SR 218 Berthaville To: King George County	2.19	13000	F	98%	0%	1%	0%	1%	0%	F	0.107	0.796	13000	F
206	Dahlgren Rd	From: SR 218 Owens To: King George County	0.62	12000	F	98%	0%	1%	0%	1%	0%	F	0.11	0.791	12000	F
206	Dahlgren Rd	From: US 301 East of Owens To: King George County	1.79	9000	F	98%	0%	1%	0%	1%	0%	F	0.111	0.896	9100	F
		From: 48-604 Twelfth St To: King George County														
218	Caledon Rd	From: Stafford County Line To: King George County	5.93	3700	F	98%	0%	1%	0%	1%	0%	F	0.117	0.627	3700	F
218	Caledon Rd	From: 48-696 Fairview Dr To: King George County	1.05	3200	F	98%	0%	1%	0%	1%	0%	C	0.115	0.760	3200	F
218	Caledon Rd	From: 48-609 Cash Corner To: King George County	6.81	3100	F	98%	0%	1%	0%	1%	0%	F	0.124	0.816	3200	F
218	206 Dahlgren Rd	From: SR 206 Berthaville To: King George County	2.19	13000	F	98%	0%	1%	0%	1%	0%	F	0.107	0.796	13000	F
		From: SR 206 Owens To: King George County														

Virginia Department of Transportation
 Traffic Engineering Division
 2016
 Annual Average Daily Traffic Volume Estimates By Section of Route
 King George Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
218 Windsor Dr	King George County	0.28	1300	F	99%	0%	0%	0%	0%	F	0.11		0.547	1300	F	
218 Windsor Dr	King George County	6.02	6200	F	99%	0%	0%	0%	0%	C	0.093		0.755	6300	F	
301 James Madison Pkwy	King George County	3.05	14000	F	93%	0%	1%	0%	5%	F	0.086		0.557	13000	F	
301 James Madison Pkwy	King George County	2.05	14000	F	93%	0%	1%	0%	5%	F	0.088		0.566	13000	F	
301 James Madison Pkwy	King George County	1.91	14000	F	93%	0%	1%	0%	5%	F	0.096		0.663	13000	F	
301 James Madison Pkwy	King George County	5.91	16000	A	93%	0%	1%	0%	5%	C	0.135		0.507	15000	A	
301 James Madison Pkwy	King George County	0.56	21000	F	93%	0%	1%	0%	5%	F	0.095		0.709	20000	F	
301 James Madison Pkwy	King George County	3.58	26000	F	93%	0%	1%	0%	5%	F	0.093		0.678	24000	F	

Virginia Department of Transportation
Traffic Engineering Division
2016
Annual Average Daily Traffic Volume Estimates By Section of Route
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
King George County																
(F970) Walsingham Rd	0.09	40	R								NA			NA		04/04/2016
(600) Passapatanzy Dr	1.68	760	R								NA			NA		07/13/2016
(600) Passapatanzy Dr	1.04	330	R								NA			NA		07/13/2016
(601) Gera Rd	1.30	270	R								NA			NA		07/13/2016
(602) Chapel Green Rd	0.80	300	R								NA			NA		07/13/2016
(603) Fletchers Chapel Rd	1.16	2000	R								NA			NA		07/13/2016
(603) Fletchers Chapel Rd	1.27	1500	R								NA			NA		07/13/2016
(603) Fletchers Chapel Rd	0.63	690	R								NA			NA		09/14/2010
(603) Y Intersection Leg	0.04	4600	R								NA			NA		08/03/2016
(603) Fletchers Chapel Rd	0.15	230	R								NA			NA		07/13/2016
(603) Fletchers Chapel Rd	0.79	180	R								NA			NA		07/13/2016
(603) Dogwood Lane	0.80	140	R								NA			NA		09/14/2010
(604) Twelfth St	0.23	310	F	94%	4%	2%	0%	0%	0%	C	0.154		0.962	310	F	2016
(605) LaGrange Lane	0.75	30	R								NA			NA		07/13/2016
(605) Bloomsbury Rd	1.20	1200	F	83%	1%	2%	11%	4%	0%	C	0.1		0.622	1200	F	2016
(605) Bloomsbury Rd	2.20	680	F	96%	2%	1%	0%	0%	0%	C	0.123		0.575	680	F	2016
(605) Chapel Way	0.20	130	R								NA			NA		07/16/2013
(606) Rokeby Lane	0.50	30	R								NA			NA		03/24/2016
(606) Rokeby Lane	0.11	80	R								NA			NA		09/28/2010
(607) Port Conway Rd	0.90	1300	F	90%	0%	1%	2%	7%	0%	F	0.101		0.627	1300	F	2016
(607) Port Conway Rd	3.04	1200	F	90%	0%	1%	2%	7%	0%	C	0.100		0.672	1200	F	2016
(607) Port Conway Rd	2.75	1600	F	82%	0%	1%	6%	12%	0%	C	0.094		0.614	1600	F	2016

Virginia Department of Transportation
Traffic Engineering Division
2016
Annual Average Daily Traffic Volume Estimates By Section of Route
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
King George County																
608 Igo Rd	2.38	620	R								NA			NA		07/13/2016
			From: 48-694 Lambs Creek Church Rd													
			To: 48-609 N. Comorn Rd													
608 Muscoe Pl	0.79	290	R								NA			NA		08/03/2016
			From: 48-609 S. Comorn Rd													
			To: Dead End													
609 Comorn Rd	0.32	2900	F	99%	0%	1%	0%	0%	0%	C	0.088		0.577	3000	F	2016
			From: SR 3 Kings Hwy													
			To: 48-677 Stanley Rd													
609 Comorn Rd	0.53	3800	F	99%	0%	1%	0%	0%	0%	F	0.088		0.594	3900	F	2016
			From: 48-608 S. Igo Rd													
609 Comorn Rd	1.31	1800	F	99%	0%	1%	0%	0%	0%	F	0.099		0.521	1800	F	2016
			From: 48-649 Marmion Lane													
609 Comorn Rd	0.53	1600	F	99%	0%	1%	0%	0%	0%	F	0.101		0.573	1700	F	2016
			From: SR 218 Caledon Rd													
610 Powhatan Rd	1.63	310	R								NA			NA		07/13/2016
			From: 48-607 Port Conway Rd													
610 Millbank Rd	1.30	650	F	98%	0%	1%	0%	0%	0%	F	0.131		0.546	660	F	2016
			From: 48-631 Millbank Rd													
610 Millbank Rd	0.08	870	F	98%	0%	1%	0%	0%	0%	F	0.1		0.592	880	F	2016
			From: 48-678 St Anthonys													
			To: SR 3 W, Kings Hwy													
610 Indiantown Rd	1.80	1300	F	98%	0%	1%	0%	0%	0%	C	0.100		0.584	1300	F	2016
			From: SR 3 E, Kings Hwy													
610 Indiantown Rd	0.50	2000	R								NA			NA		08/09/2016
			From: SR 206 Dahlgren Rd													
610 Indiantown Rd	2.21	570	R								NA			NA		07/13/2016
			From: 48-1210 Michael Dr													
			To: SR 218 Caledon Rd													
611 Hanover Church Rd	0.47	640	F	99%	0%	1%	1%	0%	0%	F	0.116		0.671	650	F	2016
			From: SR 205 Ridge Rd													
611 Eden Dr	2.24	1100	F	99%	0%	1%	1%	0%	0%	C	0.091		0.544	1200	F	2016
			From: US 301 James Madison Pkwy													
			To: SR 206 Dahlgren Rd													
612 Locust Dale Lane	0.20	110	R								NA			NA		07/16/2013
			From: 48-610 Indiantown Rd													
			To: Dead End													
613 Little Ferry Rd	0.05	40	R								NA			NA		07/12/2016
			From: SR 218 Windsor Dr													
613 Little Ferry Rd	0.80	40	R								NA			NA		07/12/2016
			From: 0.05 ME SR 218													
			To: Dead End													
614 Potomac Dr	0.93	680	F	99%	0%	1%	0%	0%	0%	F	0.092		0.62	690	F	2016
			From: Dead End													
614 Potomac Dr	1.16	3700	F	99%	0%	1%	0%	0%	0%	C	0.100		0.722	3700	F	2016
			From: SR 206 Dahlgren Rd													
614 Owens Dr	0.55	3100	F	99%	0%	1%	0%	0%	0%	F	0.102		0.777	3100	F	2016
			From: US 301 James Madison Pkwy													
614 Owens Dr	0.85	1700	F	99%	0%	1%	0%	0%	0%	F	0.122		0.768	1700	F	2016
			From: 48-635 Gambo Creek Rd													
			To: 48-624 Mathias Point Rd													
615 Berry Wharf Rd	1.50	10	R								NA			NA		07/12/2016
			From: SR 218 Windsor Dr													
			To: Dead End													

Virginia Department of Transportation
Traffic Engineering Division
2016
Annual Average Daily Traffic Volume Estimates By Section of Route
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
King George County																
(616) Washington Mill Rd	1.86	220	R									NA		NA		07/12/2016
(616) Brickhouse Rd	0.80	190	R									NA		NA		07/12/2016
(617) Poplar Neck Rd	3.35	150	R									NA		NA		07/12/2016
(618) Pumpkin Neck Rd	0.62	340	R									NA		NA		07/12/2016
(619) Good Hope Rd	0.60	680	R									NA		NA		07/12/2016
(619) Stoney Point Rd	2.00	450	R									NA		NA		07/12/2016
(620) Alden Rd	2.15	60	R									NA		NA		07/16/2013
(621) Pine Hill Rd	1.60	570	R									NA		NA		07/12/2016
(622) Ashland Mill Rd	2.00	120	R									NA		NA		07/16/2013
(623) Jersey Rd	1.00	1000	F	97%	1%	1%	0%	1%	0%	C	0.1	0.611	1000	F	2016	
(623) Jersey Rd	1.70	830	F	97%	1%	1%	0%	1%	0%	F	0.107	0.567	840	F	2016	
(624) Owens Dr	0.33	1900	F	98%	0%	1%	0%	1%	0%	C	0.112	0.803	1900	F	2016	
(624) Owens Dr	1.47	1700	F	98%	0%	1%	0%	1%	0%	F	0.117	0.812	1700	F	2016	
(624) Mathias Point Rd	1.10	870	R									NA		NA		07/12/2016
(624) Mathias Point Rd	1.20	850	R									NA		NA		07/12/2016
(624) Mathias Point Rd	1.00	190	R									NA		NA		07/12/2016
(625) Salem Church Rd	2.67	260	F	99%	0%	0%	1%	0%	0%	F	0.092	0.556	260	F	2016	
(625) Salem Church Rd	3.40	220	F	99%	0%	0%	1%	0%	0%	C	0.105	0.556	220	F	2016	
(625) Dickensons Corner Rd	1.43	90	R									NA		NA		07/12/2016
(625) Prim Rd	1.35	60	R									NA		NA		07/12/2016
(625) Prim Rd	1.60	120	R									NA		NA		08/02/2016

Virginia Department of Transportation
Traffic Engineering Division
2016
Annual Average Daily Traffic Volume Estimates By Section of Route
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
King George County																
626	Green Law Way	0.50	70	R									NA	NA		07/16/2013
627	Wilmont Rd	1.39	60	R									NA	NA		07/16/2013
627	Wilmont Rd	0.15	60	R									NA	NA		03/23/2016
627	Wilmont Rd	0.90	170	R									NA	NA		07/19/2016
627	Wilmont Rd	0.25	70	R									NA	NA		07/19/2016
627	Kings Mill Rd	2.67	40	R									NA	NA		08/02/2016
628	Stoney Knoll Rd	1.21	830	F	93%	0%	2%	1%	3%	0%	F	0.089	0.612	850	F	2016
628	Stoney Knoll Rd	1.30	880	F	93%	0%	2%	1%	3%	0%	C	0.102	0.623	890	F	2016
629	Round Hill Rd	0.22	1300	F	98%	1%	1%	0%	0%	0%	F	0.107	0.631	1300	F	2016
629	Round Hill Rd	1.69	840	F	98%	1%	1%	0%	0%	0%	C	0.110	0.667	850	F	2016
629	Round Hill Rd	0.66	630	F	98%	1%	1%	0%	0%	0%	F	0.107	0.632	630	F	2016
629	Round Hill Rd	0.70	460	F	98%	0%	1%	0%	0%	0%	C	0.108	0.537	470	F	2016
629	Round Hill Rd	1.31	410	F	98%	0%	1%	0%	0%	0%	F	0.13	0.598	410	F	2016
630	Kitchen Point Rd	0.25	100	R									NA	NA		04/08/2016
631	Millbank Rd	1.00	50	R									NA	NA		07/16/2013
631	Millbank Rd	1.48	260	F	98%	1%	1%	0%	0%	0%	F	0.095	0.527	260	F	2016
631	Millbank Rd	0.66	360	F	98%	1%	1%	0%	0%	0%	C	0.105	0.512	360	F	2016
631	Millbank Rd	1.38	360	F	98%	1%	1%	0%	0%	0%	F	0.108	0.595	360	F	2016
632	Berthaville Rd	0.90	240	R									NA	NA		08/23/2010
633	Will Loop	0.55	90	R									NA	NA		07/19/2016
633	Will Loop	0.14	20	R									NA	NA		07/19/2016
634	Hillcrest Dr	0.32	110	R									NA	NA		03/24/2016

Virginia Department of Transportation
Traffic Engineering Division
2016
Annual Average Daily Traffic Volume Estimates By Section of Route
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
King George County																
(635) Gambo Creek Rd	0.37	260	R			48-614 Owens Dr					NA			NA		07/20/2016
(635) Gambo Creek Rd	0.08	30	R			0.37 ME 48-614					NA			NA		04/04/2016
						Dead End										
(636) Rosedale Dr	0.12	210	R			48-1134 Schooner Dr					NA			NA		10/12/2010
(636) Rosedale Dr	0.09	290	R			48-640 Eleventh St					NA			NA		10/12/2010
(636) Rosedale Dr	0.17	360	R			48-604 Twelfth St					NA			NA		10/12/2010
						SR 206; 48-668										
(637) Ridgeway Dr	0.64	70	R			Dead End					NA			NA		01/05/2010
						SR 3 Kings Hwy										
(638) Hudson Rd	0.20	60	R			SR 3 Kings Hwy					NA			NA		10/06/2010
						Dead End										
(639) Osprey Rd	0.90	410	R			48-624 Mathias Point Rd					NA			NA		07/20/2016
						Dead End										
(640) Eleventh St	0.10	120	R			48-614 Potomac Dr					NA			NA		10/12/2010
						48-636 Rosedale Dr										
(641) Chatterton Lane	0.80	170	R			SR 218 Caledon Rd					NA			NA		07/16/2013
						Dead End										
(642) Fitzhugh Lane	0.70	150	R			SR 218 Caledon Rd					NA			NA		07/16/2013
(642) Fitzhugh Lane	0.10	60	R			48-682 Eagles Nest Lane					NA			NA		07/16/2013
						Dead End										
(643) Bald Eagle Dr	1.80	80	R			Dead End					NA			NA		07/16/2013
						48-625 Salem Church Rd										
(644) Potts Lane	0.30	220	R			SR 206 Dahlgren Rd					NA			NA		07/20/2016
(644) Potts Lane	0.10	160	R			48-1206 Allen Ave					NA			NA		07/20/2016
(644) Potts Lane	0.30	60	R			0.10 ME 48-1206					NA			NA		04/04/2016
						Dead End										
(645) Springfield Rd	1.05	200	R			Dead End					NA			NA		07/19/2016
(645) Springfield Rd	0.03	740	F	95%	0%	2%	1%	1%	0%	C	0.111	0.621	750	F	2016	
						48-647 Shiloh Loop										
						SR 3 Kings Hwy										
(646) Payne Dr	0.40	100	R			Dead End					NA			NA		04/04/2016
						48-670 Fifteenth St										
(647) Shiloh Loop	0.12	700	F	96%	0%	2%	1%	2%	0%	C	0.113	0.624	710	F	2016	
						48-645 Springfield Rd										
(647) Shiloh Loop	0.30	360	R			48-623 Jersey Rd					NA			NA		07/19/2016
						SR 3 Kings Hwy										

Virginia Department of Transportation
Traffic Engineering Division
2016
Annual Average Daily Traffic Volume Estimates By Section of Route
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
King George County																
(647) Big Timber Rd	1.61	240	R			From: SR 3 Kings Hwy					NA			NA		07/19/2016
(647) Big Timber Rd	0.97	40	R			To: 1.61 ME SR 3					NA			NA		07/19/2016
(648) Winston Place	0.60	140	R			From: 48-625 Prim Rd					NA			NA		07/20/2016
(648) Winston Place	0.61	430	R			To: Dead End					NA			NA		07/20/2016
(649) Marmion Lane	0.75	40	R			From: 0.60 MN Dead End					NA			NA		07/16/2013
(650) Welcome Lane	1.10	360	R			To: 48-609 Comorn Rd					NA			NA		07/19/2016
(651) Valley Hill Loop	0.72	70	R			From: 48-609 Comorn Rd					NA			NA		07/24/2013
(652) Roseland Rd	0.58	180	R			To: Dead End					NA			NA		07/20/2016
(653) Midway Rd	1.00	200	R			From: 48-625 Salem Church Rd					NA			NA		07/20/2016
(654) Belvedere Dr	1.65	360	R			To: 48-623 Jersey Rd					NA			NA		07/20/2016
(655) St Pauls Rd	0.63	330	R			From: SR 218 W, Caledon Rd					NA			NA		07/20/2016
(655) St Pauls Rd	0.94	260	R			To: SR 218 E, Caledon Rd					NA			NA		07/20/2016
(656) Rosiers Creek Lane	0.32	200	R			From: US 301 James Madison Pkwy					NA			NA		04/08/2016
(657) Chastine Dr	0.75	180	R			To: Dead End					NA			NA		07/24/2013
(658) Cedar Ridge Lane	0.07	90	R			From: 48-686 Mt Rose Dr					NA			NA		07/20/2016
(658) Cedar Ridge Lane	0.46	80	R			To: 48-600 Passapatanzy Dr					NA			NA		03/24/2016
(659) Hobson Lane	0.65	180	R			From: Dead End					NA			NA		07/24/2013
(660) Canning Way	0.25	60	R			To: 48-632 Berthaville Rd					NA			NA		07/24/2013
(661) Peerless Rd	0.20	130	R			From: 0.63 ME 48-632					NA			NA		01/12/2010
(662) Oaktree Dr	0.60	170	R			To: Cul-de-Sac					NA			NA		07/19/2016
						From: SR 218 Windsor Dr					NA			NA		
						To: Dead End					NA			NA		
						From: Dead End					NA			NA		
						To: SR 3 Kings Hwy					NA			NA		
						From: 48-600 Passapatanzy Dr					NA			NA		
						To: 0.07 ME 48-600					NA			NA		
						From: Dead End					NA			NA		
						To: SR 206 Dahlgren Rd					NA			NA		
						From: Dead End					NA			NA		
						To: Dead End					NA			NA		
						From: 48-607 Port Conway Rd					NA			NA		
						To: SR 3 Kings Hwy					NA			NA		
						From: 48-629 Round Hill Rd					NA			NA		
						To: 48-706 Pullen Loop					NA			NA		
						From: Dead End					NA			NA		

Virginia Department of Transportation
 Traffic Engineering Division
 2016
 Annual Average Daily Traffic Volume Estimates By Section of Route
 King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
King George County																
(663) Chotank Loop	0.30	100	R									NA		NA		08/23/2010
(664) Bromme Circle	1.00	390	R									NA		NA		08/03/2016
(665) Birchwood Creek Lane	1.35	930	G	63%	1%	1%	10%	26%	0%	C	0.104	0.505	930	G		2016
(665) Birchwood Creek Lane	0.18	770	F	90%	1%	1%	4%	5%	0%	C	0.098	0.531	770	F		2016
(666) Gulvey Loop	0.43	40	R									NA		NA		07/24/2013
(667) State Rd	0.90	470	R									NA		NA		07/19/2016
(668) Fourteenth St	0.10	110	R									NA		NA		01/07/2010
(669) Woodland Way	0.40	100	R									NA		NA		07/23/2013
(670) Fifteenth St	0.17	430	R									NA		NA		01/07/2010
(671) Norton Dr	0.03	30	R									NA		NA		07/23/2013
(671) Gordon Dr	0.08	190	R									NA		NA		01/07/2010
(671) Gordon Dr	0.07	250	R									NA		NA		01/07/2010
(671) Gordon Dr	0.11	40	R									NA		NA		07/23/2013
(672) Austin Dr	0.08	130	R									NA		NA		07/23/2013
(673) Duclos Lane	0.13	120	R									NA		NA		07/23/2013
(674) Forest Rd	0.07	120	R									NA		NA		07/23/2013
(674) Forest Rd	0.07	170	R									NA		NA		07/23/2013
(675) N Williams Creek Rd	0.10	70	R									NA		NA		07/23/2013
(675) N Williams Creek Rd	0.10	70	R									NA		NA		07/23/2013
(676) Rectory Lane	0.30	160	R									NA		NA		01/05/2010

Virginia Department of Transportation
Traffic Engineering Division
2016
Annual Average Daily Traffic Volume Estimates By Section of Route
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
King George County																
(677) Stanley Rd	0.29	850	R								NA			NA		09/28/2010
(678) St Anthonys	0.51	720	R								NA			NA		07/20/2016
(679) Canterbury Loop	0.85	500	R								NA			NA		07/19/2016
(680) Index Lane	0.32	20	R								NA			NA		09/11/2013
(681) Rollens Fork Rd	0.30	100	R								NA			NA		07/19/2016
(682) Eagles Nest Lane	1.00	80	R								NA			NA		07/16/2013
(683) Ferry Dock Rd	0.17	190	R								NA			NA		01/07/2010
(683) Ferry Dock Rd	0.03	90	R								NA			NA		07/23/2013
(684) Garnets Loop	0.35	10	R								NA			NA		09/11/2013
(685) Schoolhouse Rd	0.13	20	R								NA			NA		04/04/2016
(686) Mt Rose Dr	1.21	320	R								NA			NA		07/20/2016
(687) Woodstock Rd	1.66	170	R								NA			NA		07/26/2016
(688) Hickory Lane	0.20	100	R								NA			NA		07/23/2013
(689) Tenth St	0.13	47	R								NA			NA		07/23/2013
(690) Luther Lane	0.16	50	R								NA			NA		07/23/2013
(691) Rosedale Dr	0.18	50	R								NA			NA		07/23/2013
(692) Cleve Rd	2.60	1500	R								NA			NA		07/27/2016
(693) Townsend Dr	0.11	46	R								NA			NA		07/23/2013
(694) Lambs Creek Church Rd	1.39	830	F	97%	1%	1%	0%	1%	0%	C	0.106		0.596	840	F	2016

Virginia Department of Transportation
Traffic Engineering Division
2016
Annual Average Daily Traffic Volume Estimates By Section of Route
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
King George County																
(694) Lambs Creek Church Rd	0.96	700	R			From 48-664 Bromme Circle					NA		NA			07/16/2013
(694) Lambs Creek Church Rd	1.45	600	R			To 48-608 Muscoe Pl					NA		NA			07/16/2013
						From SR 218 Caledon Rd										
(695) Goby Lane	0.55	70	R			To Dead End					NA		NA			07/16/2013
						From SR 218 Caledon Rd										
(696) Fairview Dr	0.75	1200	R			To SR 218 Caledon Rd					NA		NA			07/26/2016
(696) Fairview Dr	0.18	520	R			From 48-707 Riverview Dr					NA		NA			09/23/2010
(696) Fairview Dr	0.05	290	R			To 48-1001 First St					NA		NA			07/17/2013
(696) Fairview Dr	0.04	130	R			From 48-1002 Second St					NA		NA			07/17/2013
(696) Fairview Dr	0.09	120	R			To 48-1003 Third St					NA		NA			07/17/2013
(696) Fairview Dr						From 48-1005 Fifth St										
(697) Chestnut Hill Loop	0.28	50	R			To US 301 S, James Madison Pkwy					NA		NA			09/11/2013
						From US 301 N, James Madison Pkwy										
(698) Nanzatico Lane	2.28	100	R			To Dead End					NA		NA			07/26/2016
						From 48-625 Salem Church Rd										
(699) Ivy Hill Loop	0.35	70	R			To US 301 S, James Madison Pkwy					NA		NA			09/11/2013
						From US 301 N, James Madison Pkwy										
(700) St Stephens Rd	0.20	20	R			To Dead End					NA		NA			03/24/2016
						From 48-648 Winston Place										
(701) Rixey Rd	0.38	70	R			To Dead End					NA		NA			07/17/2013
						From 48-616 Washington Mill Rd										
(702) Burrell Lane	0.12	60	R			To SR 206 Dahlgren Rd					NA		NA			07/24/2013
						From Dead End										
(703) Quesenberry Dr	0.10	40	R			To 48-674 Forest Rd					NA		NA			07/23/2013
						From Dead End										
(704) Henry Griffen Rd	0.14	50	R			To Dead End					NA		NA			07/17/2013
						From SR 205 Ridge Rd										
(705) Circle Loop	0.47	80	R			To SR 205 W, Ridge Rd					NA		NA			07/26/2016
						From SR 205 E, Ridge Rd										
(706) Pullen Loop	0.44	30	R			To SR 205 W, Ridge Rd					NA		NA			07/26/2016
(706) Pullen Loop	0.02	180	R			From 48-662 Oaktree Dr					NA		NA			08/02/2016
						To SR 205 E, Ridge Rd										
(707) Riverview Dr	0.05	870	R			To 48-696 Fairview Dr					NA		NA			09/23/2010
						From 48-1001 First St										

Virginia Department of Transportation
Traffic Engineering Division
2016
Annual Average Daily Traffic Volume Estimates By Section of Route
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
King George County																
(707) Riverview Dr	0.05	1100	R								NA		NA			07/17/2013
(707) Riverview Dr	0.05	1000	R								NA		NA			07/17/2013
(707) Riverview Dr	0.05	1000	R								NA		NA			07/17/2013
(707) Riverview Dr	0.05	1100	R								NA		NA			07/17/2013
(707) Riverview Dr	0.12	860	R								NA		NA			07/27/2016
(707) Riverview Dr	0.04	840	R								NA		NA			07/17/2013
(707) Riverview Dr	0.06	750	R								NA		NA			07/17/2013
(707) Riverview Dr	0.05	730	R								NA		NA			07/17/2013
(707) Riverview Dr	0.05	370	R								NA		NA			07/27/2016
(708) Potomac Ave	0.04	90	R								NA		NA			07/17/2013
(708) Potomac Ave	0.05	80	R								NA		NA			07/17/2013
(708) Potomac Ave	0.05	70	R								NA		NA			07/17/2013
(708) Potomac Ave	0.05	70	R								NA		NA			07/17/2013
(708) Potomac Ave	0.04	60	R								NA		NA			07/27/2016
(709) Bradley Lane	0.34	70	R								NA		NA			01/12/2010
(710) Poplar Lane	0.08	80	R								NA		NA			07/17/2013
(711) Dixon Lane	0.20	60	R								NA		NA			07/24/2013
(712) Fence Dr	0.32	110	R								NA		NA			07/24/2013
(713) Jones Ct	0.14	30	R								NA		NA			03/24/2016
(714) Bumbrey Lane	0.13	60	R								NA		NA			03/24/2016
(715) Norton Dr	0.05	40	R								NA		NA			04/04/2016
(717) Green Meadow Dr	0.25	70	R								NA		NA			07/26/2016

Virginia Department of Transportation
Traffic Engineering Division
2016
Annual Average Daily Traffic Volume Estimates By Section of Route
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
King George County																
(718) Shiloh Dr	0.39	70	R								NA			NA		07/26/2016
(719) Misty Lane	0.27	40	R								NA			NA		04/04/2016
(724) Beaver Dr	0.18	200	R								NA			NA		01/12/2010
(725) Thunder Rd	0.30	110	R								NA			NA		07/17/2013
(726) Stoney Knoll Rd	0.14	20	R								NA			NA		07/24/2013
(730) Bushrod Rd	0.30	50	R								NA			NA		07/24/2013
(1000) Barnes Field	0.39	320	R								NA			NA		07/26/2016
(1001) First St	0.15	60	R								NA			NA		07/27/2016
(1002) Second St	0.15	60	R								NA			NA		07/27/2016
(1003) Third St	0.15	49	R								NA			NA		07/27/2016
(1004) Fourth St	0.15	70	R								NA			NA		07/27/2016
(1005) Fifth St	0.15	180	R								NA			NA		07/27/2016
(1007) Seventh St	0.11	120	R								NA			NA		07/27/2016
(1008) Eighth St	0.11	40	R								NA			NA		07/27/2016
(1009) Ninth St	0.11	40	R								NA			NA		07/27/2016
(1010) Tenth St	0.11	80	R								NA			NA		07/27/2016
(1011) Eleventh St	0.15	70	R								NA			NA		03/24/2016
(1012) Twelfth St	0.04	40	R								NA			NA		07/17/2013
(1013) Maple Ridge Ct	0.19	80	R								NA			NA		07/24/2013

Virginia Department of Transportation
Traffic Engineering Division
2016
Annual Average Daily Traffic Volume Estimates By Section of Route
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
King George County																
(1014) Summer Beam Dr	0.42	80	R								NA			NA		07/24/2013
(1015) Lewis Lane	0.10	20	R								NA			NA		03/24/2016
(1018) Ormond Way	0.73	310	R								NA			NA		08/23/2010
(1019) Anderson Court	0.10	40	R								NA			NA		04/04/2016
(1020) Oakland Dr	0.34	320	R								NA			NA		07/27/2016
(1020) Oakland Dr	0.12	370	R								NA			NA		09/14/2010
(1020) Oakland Dr	0.22	600	R								NA			NA		09/14/2010
(1021) Forest Ridge Dr	0.14	320	R								NA			NA		01/05/2010
(1021) Forest Ridge Dr	0.23	320	R								NA			NA		07/16/2013
(1022) Flora Ct	0.05	40	R								NA			NA		09/11/2013
(1023) Covington St	0.12	100	R								NA			NA		07/27/2016
(1024) Garner Dr	0.15	60	R								NA			NA		03/24/2016
(1024) Garner Dr	0.19	80	R								NA			NA		09/14/2010
(1025) Passapatanzy Rd	0.74	880	R								NA			NA		07/16/2013
(1026) Bush St	0.18	50	R								NA			NA		07/16/2013
(1027) French Ct	0.14	130	R								NA			NA		09/14/2010
(1027) French Ct	0.14	100	R								NA			NA		07/16/2013
(1028) Vining St	0.10	50	R								NA			NA		04/04/2016
(1029) Benton Court	0.42	50	R								NA			NA		04/04/2016
(1030) Ward Rd	0.29	200	R								NA			NA		03/24/2016

Virginia Department of Transportation
Traffic Engineering Division
2016
Annual Average Daily Traffic Volume Estimates By Section of Route
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
King George County																
(1031) Stuart Rd	0.29	90	R								NA		NA			08/23/2010
(1032) Claydael Blvd	0.18	1100	R								NA		NA			08/23/2010
(1032) Claydael Blvd	0.38	860	R								NA		NA			08/23/2010
(1032) Claydael Blvd	0.16	600	R								NA		NA			12/15/2008
(1032) Claydael Blvd	0.16	80	R								NA		NA			08/23/2010
(1033) Peppermill Rd	0.57	300	R								NA		NA			08/23/2010
(1034) Calvert Ct	0.16	30	R								NA		NA			03/24/2016
(1035) Richards Ride	0.33	120	R								NA		NA			03/24/2016
(1036) Julia Place	0.08	20	R								NA		NA			03/24/2016
(1037) Culpeper Ct	0.14	120	R								NA		NA			08/23/2010
(1038) Aidan Way	0.22	50	R								NA		NA			04/04/2016
(1039) Meadow Way	0.28	70	R								NA		NA			04/04/2016
(1040) Potomac Landing Dr	1.51	360	R								NA		NA			07/17/2013
(1041) Potomac Landing Dr	0.37	380	R								NA		NA			07/26/2016
(1042) Tides Rd	0.18	80	R								NA		NA			07/26/2016
(1043) Lucas Lane	0.04	170	R								NA		NA			10/06/2010
(1044) North Stuart St	0.22	90	R								NA		NA			12/15/2008
(1044) North Stuart St	0.34	130	R								NA		NA			07/24/2013
(1045) Booths Spur	0.05	20	R								NA		NA			07/16/2013
(1049) Sweet Gum Dr	0.12	60	R								NA		NA			07/16/2013

Virginia Department of Transportation
Traffic Engineering Division
2016
Annual Average Daily Traffic Volume Estimates By Section of Route
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
King George County																
(1050) Turkey Acres Rd	0.50	150	R			From: Dead End					NA			NA		03/24/2016
						To: 48-694 Lambs Creek Church Rd										
(1051) Combs Rd	0.24	760	R			From: Dead End					NA			NA		07/26/2016
						To: 48-614 Potomac Dr										
(1052) Magnolia Lane	0.43	190	R			From: 48-605 Chapel Way					NA			NA		07/16/2013
						To: End State Maintenance										
(1060) Round Hill Estates Dr	0.40	150	R			From: 48-629 Round Hill Rd					NA			NA		07/16/2013
						To: Cul-de-Sac										
(1061) Deerfield Ct	0.09	50	R			From: Cul-de-Sac					NA			NA		07/16/2013
						To: 48-1060 Round Hill Estates Dr										
(1062) Forest Lane	0.12	30	R			From: Cul-de-Sac					NA			NA		07/16/2013
						To: 48-1060 Round Hill Estates Dr										
(1085) Village Lane	0.19	230	R			From: Cul-de-Sac					NA			NA		10/12/2010
						To: 48-614 Owens Dr										
(1086) Lisa Lane	0.23	210	R			From: 48-1085 Village Lane					NA			NA		10/12/2010
						To: Cul-de-Sac										
(1087) Fern Court	0.10	50	R			From: Cul-de-Sac					NA			NA		04/08/2016
						To: 48-1088 Navigator Lane										
(1088) Navigator Lane	0.25	100	R			From: 48-1085 Village Lane					NA			NA		10/12/2010
						To: 48-1086 Lisa Lane										
(1097) Tinsbloom Mill Rd	0.21	580	R			From: SR 3 Kings Hwy					NA			NA		07/26/2016
						To: Dead End										
(1100) Savannah St	0.16	30	R			From: 48-1105 Fleming St					NA			NA		07/26/2016
						To: 48-1108 Delaware Dr										
(1101) Danube Dr	0.16	1200	R			From: US 301 James Madison Pkwy					NA			NA		01/07/2010
						To: 48-1102 Baltic Place										
(1101) Danube Dr	0.11	1000	R			From: 48-1102 Baltic Place					NA			NA		07/23/2013
						To: 48-1103 Williams Place										
(1101) Danube Dr	0.12	820	R			From: 48-1103 Williams Place					NA			NA		07/23/2013
						To: 48-1105 Fleming St										
(1101) Danube Dr	0.15	390	R			From: 48-1105 Fleming St					NA			NA		11/02/2010
						To: 48-1108 Delaware Dr										
(1102) Baltic Place	0.06	120	R			From: 48-1104 Willow Tree Lane					NA			NA		01/07/2010
						To: 48-1101 Danube Dr										
(1102) Baltic Place	0.07	80	R			From: 48-1101 Danube Dr					NA			NA		07/23/2013
						To: Dead End										
(1103) Williams Place	0.15	70	R			From: 48-1101 Danube Dr					NA			NA		07/23/2013
						To: Dead End										
(1104) Willow Tree Lane	0.06	70	R			From: Dead End					NA			NA		09/11/2013
						To: 48-1102 Baltic Place										

Virginia Department of Transportation
Traffic Engineering Division
2016
Annual Average Daily Traffic Volume Estimates By Section of Route
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
King George County																
(1104) Willow Tree Lane	0.06	70	R								NA			NA		09/11/2013
(1105) Fleming St	0.08	40	R								NA			NA		04/04/2016
(1105) Fleming St	0.07	160	R								NA			NA		07/26/2016
(1105) Fleming St	0.08	210	R								NA			NA		08/02/2016
(1105) Fleming St	0.15	330	R								NA			NA		08/02/2016
(1105) Fleming St	0.07	560	R								NA			NA		11/02/2010
(1106) Chesapeake Place	0.24	20	R								NA			NA		01/07/2010
(1107) Albemarle Ct	0.12	50	R								NA			NA		07/24/2013
(1108) Delaware Dr	0.40	210	R								NA			NA		11/02/2010
(1108) Delaware Dr	0.06	40	R								NA			NA		04/04/2016
(1109) Pamlico Dr	0.13	40	R								NA			NA		08/02/2016
(1110) Machodoc Dr	0.05	120	R								NA			NA		07/24/2013
(1110) Machodoc Dr	0.36	70	R								NA			NA		07/24/2013
(1111) Price Ct	0.07	30	R								NA			NA		07/24/2013
(1112) Cape Fear Lane	0.09	80	R								NA			NA		07/24/2013
(1115) Strawberry Lane	0.20	100	R								NA			NA		07/24/2013
(1120) Kent Rd	0.62	440	R								NA			NA		09/28/2010
(1121) Ascot Close Dr	0.10	40	R								NA			NA		04/08/2016
(1122) Ripon Ct	0.09	70	R								NA			NA		09/28/2010
(1123) Canterbury Ct	0.42	150	R								NA			NA		09/28/2010

Virginia Department of Transportation
Traffic Engineering Division
2016
Annual Average Daily Traffic Volume Estimates By Section of Route
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
King George County																
1124	Chester Ct	0.13	70	R							NA			NA		07/23/2013
1130	Green Blvd	0.77	380	R							NA			NA		08/02/2016
1131	River Dr	0.55	120	R							NA			NA		08/02/2016
1131	River Dr	0.02	20	R							NA			NA		04/04/2016
1132	Nancy Lane	0.45	110	R							NA			NA		07/23/2013
1133	Windword Lane	0.16	210	R							NA			NA		08/02/2016
1134	Schooner Circle	0.39	120	R							NA			NA		08/02/2016
1135	Leeward Court	0.03	30	R							NA			NA		04/08/2016
1136	Haven Court	0.03	30	R							NA			NA		04/08/2016
1140	Jepco Lane	0.05	150	R							NA			NA		08/09/2016
1141	Kitchen Dr	0.24	50	R							NA			NA		04/08/2016
1143	Barbaras Way	0.31	360	R							NA			NA		09/11/2013
1144	Dollys Ct	0.09	150	R							NA			NA		09/11/2013
1149	Cobblestone Ct	0.20	70	R							NA			NA		09/11/2013
1150	Potomac Dr	0.48	1400	R							NA			NA		10/12/2010
1152	Chatham Dr	0.75	520	R							NA			NA		07/23/2013
1153	Richmond Ct	0.47	60	R							NA			NA		09/11/2013
1154	Berkley Ct	0.13	120	R							NA			NA		07/23/2013
1155	Alexis Lane	0.17	50	R							NA			NA		09/11/2013

Virginia Department of Transportation
Traffic Engineering Division
2016
Annual Average Daily Traffic Volume Estimates By Section of Route
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
King George County																
(1156) Stafford Dr	0.14	70	R								NA			NA		07/23/2013
(1201) Poplar Dr	0.08	300	R								NA			NA		01/06/2010
(1201) Poplar Dr	0.35	130	R								NA			NA		07/17/2013
(1202) Cedar Lane	0.10	70	R								NA			NA		07/17/2013
(1202) Cedar Lane	0.17	110	R								NA			NA		07/17/2013
(1202) Hickory Dr	0.25	160	R								NA			NA		07/17/2013
(1203) Pine Tree Lane	0.38	30	R								NA			NA		01/06/2010
(1204) Dixie Dr	0.17	80	R								NA			NA		07/17/2013
(1205) Oakwood Dr	0.24	30	R								NA			NA		07/17/2013
(1205) Oakwood Dr	0.13	130	R								NA			NA		07/17/2013
(1206) Allen Ave	0.33	150	R								NA			NA		01/06/2010
(1207) Beechwood Lane	0.64	100	R								NA			NA		07/17/2013
(1209) Fulmont Dr	0.19	60	R								NA			NA		04/08/2016
(1210) Michael Dr	0.15	190	R								NA			NA		08/09/2016
(1210) Michael Dr	0.08	390	R								NA			NA		10/07/2010
(1211) Todd St	0.20	110	R								NA			NA		07/16/2013
(1211) Todd St	0.08	50	R								NA			NA		07/16/2013
(1212) Linda Lane	0.10	80	R								NA			NA		10/07/2010
(1214) Hudson Lane	0.10	350	R								NA			NA		01/05/2010
(1214) Hudson Lane	0.13	280	R								NA			NA		07/16/2013

Virginia Department of Transportation
Traffic Engineering Division
2016
Annual Average Daily Traffic Volume Estimates By Section of Route
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
King George County																
(1215) Pamela Ct	0.08	70	R								NA		NA			07/16/2013
(1216) Karen Ct	0.09	40	R								NA		NA			07/16/2013
(1217) Walkers Lane	0.09	100	R								NA		NA			07/16/2013
(1217) Walkers Lane	0.09	100	R								NA		NA			07/16/2013
(1220) Lee St	0.48	200	R								NA		NA			03/24/2016
(1223) Clare St	0.25	100	R								NA		NA			03/24/2016
(1224) Pratt Place	0.10	30	R								NA		NA			04/08/2016
(1225) Mohawk Dr	0.78	270	R								NA		NA			11/01/2010
(1226) Pamaunkey Dr	0.26	150	R								NA		NA			09/11/2013
(1226) Pamunkey Dr	0.25	340	R								NA		NA			08/03/2016
(1227) Monacan Way	0.08	48	R								NA		NA			08/03/2016
(1228) Mattapani Lane	0.32	70	R								NA		NA			11/01/2010
(1230) Sherwood Forest Dr	0.39	210	R								NA		NA			10/12/2010
(1231) Little John Ct	0.08	20	R								NA		NA			04/08/2016
(1232) Robin Hood Ct	0.08	30	R								NA		NA			04/08/2016
(1238) Carriage Lane	0.54	80	R								NA		NA			11/02/2010
(1239) Chaps Dr	0.13	30	R								NA		NA			04/04/2016
(1240) Ernest Ellis Lane	0.65	690	R								NA		NA			08/03/2016
(1241) Gray Fox Lane	0.58	620	R								NA		NA			08/09/2016

Virginia Department of Transportation
 Traffic Engineering Division
 2016
 Annual Average Daily Traffic Volume Estimates By Section of Route
 King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
King George County																
(1242) Saddle Dr	0.29	350	R				From: 48-1241 Ernest Ellis Lane				NA			NA		11/01/2010
							To: 48-1244 Zepp Dr									
(1243) Galant Green Dr	0.32	40	R				From: 48-1242 Saddle Dr				NA			NA		04/04/2016
							To: Cul-de-Sac									
(1244) Zepp Dr	0.24	100	R				From: 48-1242 Saddle Dr				NA			NA		08/03/2016
							To: 48-1242 Saddle Dr									
(1245) Den Circle	0.31	120	R				From: 48-1244 Zepp Dr				NA			NA		08/09/2016
							To: Cul-de-Sac									
(1246) Trumpet Court	0.18	40	R				From: Cul-de-Sac				NA			NA		04/08/2016
							To: 48-1241 Ernest Ellis Lane									
(1247) Chase Lane	0.18	40	R				From: Cul-de-Sac				NA			NA		04/08/2016
							To: 48-1244 Zepp Dr									
(9209) King George School Board Office	0.04	330	R				From: 48-610 Millbank Rd				NA			NA		10/12/2004
							To: 48-610 Millbank Rd									
(9210) King George School Maintenance Shop	0.06	320	R				From: US 301 James Madison Pkwy				NA			NA		10/07/2004
							To: US 301 James Madison Pkwy									
(9213) King George Middle School	0.15	520	R				From: SR 206 Dahlgren Rd				NA			NA		10/07/2004
							To: SR 206 Dahlgren Rd									
(9578) Potomac Elementary School	0.07	90	R				From: 48-670 Fifteenth St				NA			NA		09/20/2004
							To: 48-614 Potomac Dr									
(9951) King George Middle School	0.31	340	R				From: SR 206 Dahlgren Rd				NA			NA		10/07/2004
							To: SR 206 Dahlgren Rd									